

Pocketbook of Data for Nuclear Engineers

rev. 01 - February 2013

1A

2A

3A

4A

5A

6A

7A

8A

9A

10A

11A

12A

13A

14A

15A

16A

17A

18A

1

H

Hydrogen

2

He

Helium

3

Li

Lithium

4

Be

Beryllium

5

B

Boron

6

C

Carbon

7

N

Nitrogen

8

O

Oxygen

9

F

Fluorine

10

Ne

Neon

11

Na

Sodium

12

Mg

Magnesium

13

Al

Aluminum

14

Si

Silicon

15

P

Phosphorus

16

S

Sulfur

17

Cl

Chlorine

18

Ar

Argon

19

K

Potassium

20

Ca

Calcium

21

Sc

Scandium

22

Ti

Titanium

23

V

Vanadium

24

Cr

Chromium

25

Mn

Manganese

26

Fe

Iron

27

Co

Cobalt

28

Ni

Nickel

29

Cu

Copper

30

Zn

Zinc

31

Ga

Gallium

32

Ge

Germanium

33

As

Arsenic

34

Se

Selenium

35

Br

Bromine

36

Kr

Krypton

37

Rb

Rubidium

38

Sr

Strontium

39

Y

Yttrium

40

Zr

Zirconium

41

Nb

Niobium

42

Mo

Molybdenum

43

Tc

Technetium

44

Ru

Ruthenium

45

Rh

Rhodium

46

Pd

Palladium

47

Ag

Silver

48

Cd

Cadmium

49

In

Indium

50

Sn

Tin

51

Sb

Antimony

52

Te

Tellurium

53

I

Iodine

54

Xe

Xenon

55

Cs

Cesium

56

Ba

Barium

57-71

La-Lu

Lanthanum Series

72

Hf

Hafnium

73

Ta

Tantalum

74

W

Tungsten

75

Re

Rhenium

76

Os

Osmium

77

Ir

Iridium

78

Pt

Platinum

79

Au

Gold

80

Hg

Mercury

81

Tl

Thallium

82

Pb

Lead

83

Bi

Bismuth

84

Po

Polonium

85

At

Astatine

86

Rn

Radon

87

Fr

Francium

88

Ra

Radium

89-103

Ac-Lr

Actinide Series

104

Rf

Rutherfordium

105

Db

Dubnium

106

Sg

Seaborgium

107

Bh

Bohrium

108

Hs

Hassium

109

Mt

Meitnerium

110

Ds

Darmstadtium

111

Rg

Roentgenium

112

Uub

Ununbium

113

Uut

Ununtrium

114

Uuq

Ununquadium

115

Uup

Ununpentium

116

Uuh

Ununhexium

117

Uus

Ununseptium

118

Uuo

Ununoctium

1A

2A

3A

4A

5A

6A

7A

8A

9A

10A

11A

12A

13A

14A

15A

16A

17A

18A

1

H

Hydrogen

2

He

Helium

3

Li

Lithium

4

Be

Beryllium

5

B

Boron

6

C

Carbon

7

N

Nitrogen

8

O

Oxygen

9

F

Fluorine

10

Ne

Neon

11

Na

Sodium

12

Mg

Magnesium

13

Al

Aluminum

14

Si

Silicon

15

P

Phosphorus

16

S

Sulfur

17

Cl

Chlorine

18

Ar

Argon

19

K

Potassium

20

Ca

Calcium

21

Sc

Scandium

22

Ti

Titanium

23

V

Vanadium

24

Cr

Chromium

25

Mn

Manganese

26

Fe

Iron

27

Co

Cobalt

28

Ni

Nickel

29

Cu

Copper

30

Zn

Zinc

31

Ga

Gallium

32

Ge

Germanium

33

As

Arsenic

34

Se

Selenium

35

Br

Bromine

36

Kr

Krypton

37

Rb

Rubidium

38

Sr

Strontium

39

Y

Yttrium

40

Zr

Zirconium

41

Nb

Niobium

42

Mo

Molybdenum

43

Tc

Technetium

44

Ru

Ruthenium

45

Rh

Rhodium

46

Pd

Palladium

47

Ag

Silver

48

Cd

Cadmium

49

In

Indium

50

Sn

Tin

51

Sb

Antimony

52

Te

Tellurium

53

I

Iodine

54

Xe

Xenon

55

Cs

Cesium

56

Ba

Barium

57-71

La-Lu

Lanthanum Series

72

Hf

Hafnium

73

Ta

Tantalum

74

W

Tungsten

75

Re

Rhenium

76

Os

Osmium

77

Ir

Iridium

78

Pt

Platinum

79

Au

Gold

80

Hg

Mercury

81

Tl

Thallium

82

Pb

Lead

83

Bi

Bismuth

84

Po

Polonium

85

At

Astatine

86

Rn

Radon

87

Fr

Francium

88

Ra

Radium

89-103

Ac-Lr

Actinide Series

104

Rf

Rutherfordium

105

Db

Dubnium

106

Sg

Seaborgium

107

Bh

Bohrium

108

Hs

Hassium

109

Mt

Meitnerium

110

Ds

Darmstadtium

111

Rg

Roentgenium

112

Uub

Ununbium

113

Uut

Ununtrium

114

Uuq

Ununquadium

115

Uup

Ununpentium

116

Uuh

Ununhexium

117

Uus

Ununseptium

118

Uuo

Ununoctium

1A

2A

3A

4A

5A

6A

7A

8A

9A

10A

11A

12A

13A

14A

15A

16A

17A

18A

1

H

Hydrogen

2

He

Helium

3

Li

Lithium

4

Be

Beryllium

5

B

Boron

6

C

Carbon

7

N

Nitrogen

8

O

Oxygen

9

F

Fluorine

10

Ne

Neon

11

Na

Sodium

12

Mg

Magnesium

13

Al

Aluminum

14

Si

Silicon

15

P

Phosphorus

16

S

Sulfur

17

Cl

Chlorine

18

Ar

Argon

19

K

Potassium

20

Ca

Calcium

21

Sc

Scandium

22

Ti

Titanium

23

V

Vanadium

24

Cr

Chromium

25

Mn

Manganese

26

Fe

Iron

27

Co

Cobalt

28

Ni

Nickel

29

Cu

Copper

30

Zn

Zinc

31

Ga

Gallium

32

Ge

Germanium

33

As

Arsenic

34

Se

Selenium

35

Br

Bromine

36

Kr

Krypton

37

Rb

Rubidium

38

Sr

Strontium

39

Y

Yttrium

40

Zr

Zirconium

41

Nb

Niobium

42

Mo

Molybdenum

43

Tc

Technetium

44

Ru

Ruthenium

45

Rh

Rhodium

46

Pd

Palladium

47

Ag

Silver

48

Cd

Cadmium

49

In

Indium

50

Sn

Tin

51

Sb

Antimony

52

Te

Tellurium

53

I

Iodine

54

Xe

Xenon

55

Cs

Cesium

56

Ba

Barium

57-71

La-Lu

Lanthanum Series

72

Hf

Hafnium

73

Ta

Tantalum

74

W

Tungsten

75

Re

Rhenium

76

Os

Osmium

77

Ir

Iridium

78

Pt

Platinum

79

Au

Gold

80

Hg

Mercury

81

Tl

Thallium

82

Pb

Lead

83

Bi

Bismuth

84

Po

Polonium

85

At

Astatine

86

Rn

Radon

87

Fr

Francium

88

Ra

Radium

89-103

Ac-Lr

Actinide Series

104

Rf

Rutherfordium

105

Db

Dubnium

106

Sg

Seaborgium

107

Bh

Bohrium

108

Hs

Hassium

109

Mt

Meitnerium

110

Ds

Darmstadtium

111

Rg

Roentgenium

112

Uub

Ununbium

113

Uut

Ununtrium

114

Uuq

Ununquadium

115

Uup

Ununpentium

116

Uuh

Ununhexium

117

Uus

Ununseptium

118

Uuo

Ununoctium

1A

2A

3A

4A

5A

6A

7A

8A

9A

10A

11A

12A

13A

14A

15A

16A

17A

18A

1

H

Hydrogen

2

He

Helium

3

Li

Lithium

4

Be

Beryllium

5

B

Boron

6

C

Carbon

7

N

Nitrogen

8

O

Oxygen

9

F

Fluorine

10

Ne

Neon

11

Na

Sodium

12

Mg

Magnesium

13

Al

Aluminum

14

Si

Silicon

15

P

Phosphorus

16

S

Sulfur

17

Cl

Chlorine

18

Ar

Argon

19

K

Potassium

20

Ca

Calcium

21

Sc

Scandium

22

Ti

Titanium

23

V

Vanadium

24

Cr

Chromium

25

Mn

Manganese

26

Fe

Iron

27

Co

Cobalt

28

Ni

Nickel

29

Cu

Copper

30

Zn

Zinc

31

Ga

Gallium

32

Ge

Germanium

33

As

Arsenic

34

Se

Selenium

35

Br

Bromine

36

Kr

Krypton

37

Rb

Rubidium

38

Sr

Strontium

39

Y

Yttrium

40

Zr

Zirconium

41

Nb

Niobium

42

Mo

Molybdenum

43

Tc

Technetium

44

Ru

Ruthenium

45

Rh

Rhodium

46

Pd

Palladium

47

Ag

Silver

48

Cd

Cadmium

49

In

Indium

50

Sn

Tin

51

Sb

Antimony

52

Te

Tellurium

53

I

Iodine

54

Xe

Xenon

55

Cs

Cesium

56

Ba

Barium

57-71

La-Lu

Lanthanum Series

72

Hf

Hafnium

73

Ta

Tantalum

74

W

Tungsten

75

Re

Rhenium

76

Os

Osmium

77

Ir

Iridium

78

Pt

Platinum

79

Au

Gold

80

Hg

Mercury

81

Tl

Thallium

82

Pb

Lead

83

Bi

Bismuth

84

Po

Polonium

85

At

Astatine

86

Rn

Radon

87

Fr

Francium

88

Ra

Radium

89-103

Ac-Lr

Actinide Series

104

Rf

Rutherfordium

105

Db

Dubnium

106

Sg

Seaborgium

107

Bh

Bohrium

108

Hs

Hassium

109

Mt

Meitnerium

110

Ds

Darmstadtium

111

Rg

Roentgenium

112

Uub

Ununbium

113

Uut

Ununtrium

114

Uuq

Ununquadium

115

Uup

Ununpentium

116

Uuh

Ununhexium

117

Uus

Ununseptium

118

Uuo

Ununoctium

1A

2A

3A

4A

5A

6A

7A

8A

9A

10A

11A

12A

13A

14A

15A

16A

17A

18A

1

H

Hydrogen

2

He

Helium

3

Li

Lithium

4

Be

Beryllium

5

B

Boron

6

C

Carbon

7

N

Nitrogen

8

O

Oxygen

9

F

Fluorine

10

Ne

Neon

11

Na

Sodium

12

Mg

Magnesium

13

Al

Aluminum

14

Si

Silicon

15

P

Phosphorus

16

S

Sulfur

17

Cl

Chlorine

18

Ar

Argon

19

K

Potassium

20

Ca

Calcium

21

Sc

Scandium

22

Ti

Titanium

23

V

Vanadium

24

Cr

Chromium

25

Mn

Manganese

26

Fe

Iron

27

Co

Cobalt

28

Ni

Nickel

29

Cu

Copper

30

Zn

Zinc

31

Ga

Gallium

32

Ge

Germanium

33

As

Arsenic

34

Se

Selenium

35

Br

Bromine

36

Kr

Krypton

37

Rb

Rubidium

38

Sr

Strontium

39

Y

Yttrium

40

Zr

Zirconium

41

Nb

Niobium

42

Mo

Molybdenum

43

Tc

Technetium

44

Ru

Ruthenium

45

Rh

Rhodium

46

Pd

Palladium

47

Ag

Silver

48

Cd

Cadmium

49

In

Indium

50

Sn

Tin

51

Sb

Antimony

52

Te

Tellurium

53

I

Iodine

54

Xe

Xenon

55

Cs

Cesium

56

Ba

Barium

57-71

La-Lu

Lanthanum Series

72

Hf

Hafnium

73

Ta

Tantalum

74

W

Tungsten

75

Re

Rhenium

76

Os

Osmium

77

Ir

Iridium

78

Pt

Platinum

79

Au

Gold

80

Hg

Mercury

81

Tl

Thallium

82

Pb

Lead

83

Bi

Bismuth

84

Po

Polonium

85

At

Astatine

86

Rn

Radon

87

Fr

Francium

88

Ra

Radium

89-103

Ac-Lr

Actinide Series

104

Rf

Rutherfordium

105

Db

Dubnium

106

Sg

Seaborgium

107

Bh

Bohrium

108

Hs

Hassium

109

Mt

Meitnerium

110

Ds

Darmstadtium

111

Rg

Roentgenium

112

Uub

Ununbium

113

Uut

Ununtrium

114

Uuq

Ununquadium

115

Uup

Ununpentium

116

Uuh

Ununhexium

117

Uus

Ununseptium

118

Uuo

Ununoctium

1A

2A

3A

4A

5A

6A

7A

8A

9A

10A

11A

12A

13A

14A

15A

16A

17A

18A

1

H

Hydrogen

2

He

Helium

3

Li

Lithium

4

Be

Beryllium

5

B

Boron

6

C

Carbon

7

N

Nitrogen

8

O

Oxygen

9

F

Fluorine

10

Ne

Neon

11

Na

Sodium

12

Mg

Magnesium

13

Al

Aluminum

14

Si

Silicon

15

P

Phosphorus

16

S

Sulfur

17

Cl

Chlorine

18

Ar

Argon

19

K

Potassium

20

Ca

Calcium

21

Sc

Scandium

22

Ti

Titanium

- (a) For gas; density (liquid) = 0.0708 g/cc at b.p.; density (solid)=0.0706 g/cc at -262°C .
- (b) For gas; density (liquid)=0.1221 g/cc at b.p.
- (c) At 20°C .
- (d) For crystal form; density (amorphous)= 2.37 g/cc.
- (e) For amorphous carbon; density (graphite) = 1.9 to 2.3 g/cc; density (gem diamond)=3.513 g/cc at 25°C ; density (other diamond)=3.15 to 3.53 g/cc.
- (f) For gas; density (liquid) = 0.808 g/cc at b.p.; density (solid)= 1.026 g/cc at -252°C .
- (g) For gas; density (liquid) = 0.808 g/cc at b.p.; density (solid)= 1.026 g/cc at -252°C .
- (h) At 25°C .
- (i) For white phosphorus; density (red)=2.20 g/cc; density (black)=2.25 to 2.69 g/cc.
- (j) For rhombic sulfur; melting point (monoclinic)= 119.0°C ; density (monoclinic)=1.957 g/cc at 20°C .
- (k) Depending on allotropic form.
- (l) For gray arsenic; density (yellow)=1.97 g/cc.
- (m) For gray selenium; density (vitreous)=4.28 g/cc.
- (n) Calculated.
- (o) For gray tin; density (white)=7.13 g/cc.
- (p) For solid at 20°C ; 0.01127 g/cc for gas.
- (q) For α modification.
- (r) For β modification.

Contents

Foreword	iii
1 Physical constants and unit conversions	1
2 Mass attenuation and mass energy absorption coefficients	3
3 Energy diagrams	13
4 X-ray and gamma standards	15
5 Beta decay	21
5.1 Energetics of beta decay	21
6 CSDA Range for protons	23
7 How to compute number densities	25
8 Ground and isomeric states properties	29
9 Elemental Properties and Periodic Table	97
9.1 List of Elements by Z	97
9.2 Alphabetical List of Elements	98
9.3 Densities and Atomic Masses	99
9.4 Periodic Table	101

9.3 Densities and Atomic Masses

Z	Symbol	Atomic mass [u]	Density [g/cm ³]	Z	Symbol	Atomic mass [u]	Density [g/cm ³]
1	H	1.00794(7)	8.988 × 10 ⁻⁵ ^(a)	52	Te	127.60(3)	6.24 ^(c)
2	He	4.002602(2)	1.785 × 10 ⁻⁴ ^(b)	53	I	126.90447(3)	4.93 ^(p)
3	Li	6.941(2)	0.534 ^(c)	54	Xe	131.293(6)	0.005887
4	Be	9.012182(3)	1.848 ^(c)	55	Cs	132.90545(2)	1.873 ^(c)
5	B	10.811(7)	2.34 ^(d)	56	Ba	137.327(7)	3.5 ^(c)
6	C	12.0107(8)	1.8 to 2.1 ^(e)	57	La	138.9055(2)	6.145 ^(h)
7	N	14.0067(2)	0.0012506 ^(f)	58	Ce	140.116	6.770 ^(h)
8	O	15.9994(3)	0.001308 ^(g)	59	Pr	140.90765(2)	6.773 ^(a) , 6.64 ^(r)
9	F	18.9984032(5)	0.001696	60	Nd	144.24(3)	7.008
10	Ne	20.1797(6)	8.9990 × 10 ⁻⁴	61	Pm	(145)	7.264 ^(h)
11	Na	22.989770(2)	0.971 ^(c)	62	Sm	150.36(3)	7.520 ^(q) , 7.40 ^(r)
12	Mg	24.3050(6)	1.738 ^(c)	63	Eu	151.964	5.244 ^(h)
13	Al	26.981538(2)	2.6989 ^(c)	64	Gd	157.25(3)	7.901 ^(h)
14	Si	28.0855(3)	2.33 ^(h)	65	Tb	158.92534(2)	8.230
15	P	30.973761(2)	1.82 ⁽ⁱ⁾	66	Dy	162.50(3)	8.551 ^(h)
16	S	32.065(5)	2.07 ^(c,j)	67	Ho	164.93032(2)	8.795 ^(h)
17	Cl	35.453(2)	0.003214	68	Er	167.259(3)	9.066 ^(h)
18	Ar	39.948	0.0017837	69	Tm	168.93421(2)	9.321 ^(h)
19	K	39.0983	0.862 ^(c)	70	Yb	173.04(3)	6.903 ^(a) , 6.966 ^(r)
20	Ca	40.078(4)	1.55 ^(c)	71	Lu	174.967	9.841 ^(h)
21	Sc	44.955910(8)	2.989 ^(h)	72	Hf	178.49(2)	13.31 ^(c)
22	Ti	47.867	4.54	73	Ta	180.9479	16.654
23	V	50.9415	6.11(18.7°C)	74	W	183.84	19.3 ^(c)
24	Cr	51.9961(6)	7.18 to 7.20 ^(c)	75	Re	186.207	21.02 ^(c)
25	Mn	54.938049(9)	7.21 to 7.44 ^(k)	76	Os	190.23(3)	22.57
26	Fe	55.845(2)	7.874 ^(c)	77	Ir	192.217(3)	22.42(17°)
27	Co	58.933200(9)	8.9 ^(c)	78	Pt	195.078(2)	21.45 ^(c)
28	Ni	58.6934(2)	8.902 ^(h)	79	Au	196.96655(2)	≈ 19.3 ^(c)
29	Cu	63.546(3)	8.96 ^(c)	80	Hg	200.59(2)	13.546 ^(c)
30	Zn	65.39(2)	7.133 ^(h)	81	Tl	204.3833(2)	11.85 ^(c)
31	Ga	69.723	5.904(29.6°C)	82	Pb	207.2	11.35 ^(c)
32	Ge	72.64	5.323 ^(h)	83	Bi	208.98038(2)	9.747 ^(c)
33	As	74.92160(2)	5.73 ^(l)	84	Po	(209)	9.32 ^(a)
34	Se	78.96(3)	4.79 ^(m)	85	At	(210)	
35	Br	79.904	3.12 ⁽ⁿ⁾	86	Rn	(222)	0.00973
36	Kr	83.80	0.003733	87	Fr	(223)	
37	Rb	85.4678(3)	1.532 ^(c)	88	Ra	(226)	5
38	Sr	87.62	2.54	89	Ac	(227)	10.07 ⁽ⁿ⁾
39	Y	88.90585(2)	4.469 ^(h)	90	Th	232.03801	11.72
40	Zr	91.224(2)	6.506 ^(c)	91	Pa	(231)	15.37
41	Nb	92.90638(2)	8.57 ^(c)	92	U	238.02891(3)	≈ 18.95
42	Mo	95.94	10.22 ^(c)	93	Np	(237)	20.25 ^(c)
43	Tc	(98)	11.50 ⁽ⁿ⁾	94	Pu	(244)	19.84 ^(h)
44	Ru	101.07(2)	12.41 ^(c)	95	Am	(243)	13.67 ^(c)
45	Rh	102.90550(2)	12.41 ^(c)	96	Cm	(247)	13.51 ⁽ⁿ⁾
46	Pd	106.42	12.02 ^(c)	97	Bk	(247)	14 ⁽ⁿ⁾
47	Ag	107.8682(2)	10.50 ^(c)	98	Cf	(251)	
48	Cd	112.411(8)	8.65 ^(c)	99	Es	(252)	
49	In	114.818(3)	7.31 ^(c)	100	Fm	(257)	
50	Sn	118.710(7)	5.75 ^(o)	101	Md	(258)	
51	Sb	121.760	6.691 ^(c)	102	No	(259)	

9.2 Alphabetical List of Elements

Name	Symbol	Z	Name	Symbol	Z	Name	Symbol	Z
Actinium	Ac	89	Gold	Au	79	Praseodymium	Pr	59
Aluminum	Al	13	Hafnium	Hf	72	Promethium	Pm	61
Americium	Am	95	Hassium	Hs	108	Protactinium	Pa	91
Antimony	Sb	51	Helium	He	2	Radium	Ra	88
Argon	Ar	18	Holmium	Ho	67	Radon	Rn	86
Arsenic	As	33	Hydrogen	H	1	Roentgenium	Rg	111
Astatine	At	85	Indium	In	49	Rhenium	Re	75
Barium	Ba	56	Iodine	I	53	Rhodium	Rh	45
Berkelium	Bk	97	Iridium	Ir	77	Rubidium	Rb	37
Beryllium	Be	4	Iron	Fe	26	Ruthenium	Ru	44
Bismuth	Bi	83	Krypton	Kr	36	Rutherfordium	Rf	104
Bohrium	Bh	107	Lanthanum	La	57	Samarium	Sm	62
Boron	B	5	Lawrencium	Lr	103	Scandium	Sc	21
Bromine	Br	35	Lead	Pb	82	Selenium	Se	34
Cadmium	Cd	48	Lithium	Li	3	Seaborgium	Sg	106
Calcium	Ca	20	Lutetium	Lu	71	Silicon	Si	14
Californium	Cf	98	Magnesium	Mg	12	Silver	Ag	47
Carbon	C	6	Manganese	Mn	25	Sodium	Na	11
Cerium	Ce	58	Meitnerium	Mt	109	Strontium	Sr	38
Cesium	Cs	55	Mendelevium	Md	101	Sulfur	S	16
Chlorine	Cl	17	Mercury	Hg	80	Tantalum	Ta	73
Chromium	Cr	24	Molybdenum	Mo	42	Technetium	Tc	43
Cobalt	Co	27	Neodymium	Nd	60	Tellurium	Te	52
Copper	Cu	29	Neon	Ne	10	Terbium	Tb	65
Curium	Cm	96	Neptunium	Np	93	Thallium	Tl	81
Darmstadtium	Ds	110	Nickel	Ni	28	Thorium	Th	90
Dubnium	Db	105	Niobium	Nb	41	Thulium	Tm	69
Dysprosium	Dy	66	Nitrogen	N	7	Tin	Sn	50
Einsteinium	Es	99	Nobelium	No	102	Titanium	Ti	22
Erbium	Er	68	Osmium	Os	76	Tungsten	W	74
Europium	Eu	63	Oxygen	O	8	Uranium	U	92
Fermium	Fm	100	Palladium	Pd	46	Vanadium	V	23
Fluorine	F	9	Phosphorus	P	15	Xenon	Xe	54
Francium	Fr	87	Platinum	Pt	78	Ytterbium	Yb	70
Gadolinium	Gd	64	Plutonium	Pu	94	Yttrium	Y	39
Gallium	Ga	31	Polonium	Po	84	Zinc	Zn	30
Germanium	Ge	32	Potassium	K	19	Zirconium	Zr	40

Foreword

The *Pocketbook of Data for Nuclear Engineers* is a compilation of nuclear data available from different sources online (NIST, IAEA-NDS, evaluated data libraries). It was conceived as an extension of BNL *Nuclear Data Cards* to include other important nuclear data used in the Nuclear Physics course at Instituto Balseiro and other courses. The document is typeset in 10 pt font to be printed as a A5 or A6 booklet.

This compilation is supplied "as is" with no warranties implied. It is recommended that the data contained in this pocketbook be checked against the sources before used for any important application. If you think data should be corrected, added or removed from this compilation, please contact the author at: marquezj@cab.cnea.gov.ar

This pocketbook can be distributed freely, and the data should be used citing the original source.

The latest version of this pocketbook can be found at:

<http://ib.cnea.gov.ar/~moderna/nuclear/pdne.html>

Chapter 9

Elemental Properties and Periodic Table

9.1 List of Elements by Z

Z	Symbol	Name	Z	Symbol	Name	Z	Symbol	Name
1	H	Hydrogen	38	Sr	Strontium	75	Re	Rhenium
2	He	Helium	39	Y	Yttrium	76	Os	Osmium
3	Li	Lithium	40	Zr	Zirconium	77	Ir	Iridium
4	Be	Beryllium	41	Nb	Niobium	78	Pt	Platinum
5	B	Boron	42	Mo	Molybdenum	79	Au	Gold
6	C	Carbon	43	Tc	Technetium	80	Hg	Mercury
7	N	Nitrogen	44	Ru	Ruthenium	81	Tl	Thallium
8	O	Oxygen	45	Rh	Rhodium	82	Pb	Lead
9	F	Fluorine	46	Pd	Palladium	83	Bi	Bismuth
10	Ne	Neon	47	Ag	Silver	84	Po	Polonium
11	Na	Sodium	48	Cd	Cadmium	85	At	Astatine
12	Mg	Magnesium	49	In	Indium	86	Rn	Radon
13	Al	Aluminum	50	Sn	Tin	87	Fr	Francium
14	Si	Silicon	51	Sb	Antimony	88	Ra	Radium
15	P	Phosphorus	52	Te	Tellurium	89	Ac	Actinium
16	S	Sulfur	53	I	Iodine	90	Th	Thorium
17	Cl	Chlorine	54	Xe	Xenon	91	Pa	Protactinium
18	Ar	Argon	55	Cs	Cesium	92	U	Uranium
19	K	Potassium	56	Ba	Barium	93	Np	Neptunium
20	Ca	Calcium	57	La	Lanthanum	94	Pu	Plutonium
21	Sc	Scandium	58	Ce	Cerium	95	Am	Americium
22	Ti	Titanium	59	Pr	Praseodymium	96	Cm	Curium
23	V	Vanadium	60	Nd	Neodymium	97	Bk	Berkelium
24	Cr	Chromium	61	Pm	Promethium	98	Cf	Californium
25	Mn	Manganese	62	Sm	Samarium	99	Es	Einsteinium
26	Fe	Iron	63	Eu	Europium	100	Fm	Fermium
27	Co	Cobalt	64	Gd	Gadolinium	101	Md	Mendelevium
28	Ni	Nickel	65	Tb	Terbium	102	No	Nobelium
29	Cu	Copper	66	Dy	Dysprosium	103	Lr	Lawrencium
30	Zn	Zinc	67	Ho	Holmium	104	Rf	Rutherfordium
31	Ga	Gallium	68	Er	Erbium	105	Db	Dubnium
32	Ge	Germanium	69	Tm	Thulium	106	Sg	Seaborgium
33	As	Arsenic	70	Yb	Ytterbium	107	Bh	Bohrium
34	Se	Selenium	71	Lu	Lutetium	108	Hs	Hassium
35	Br	Bromine	72	Hf	Hafnium	109	Mt	Meitnerium
36	Kr	Krypton	73	Ta	Tantalum	110	Ds	Darmstadtium
37	Rb	Rubidium	74	W	Tungsten	111	Rg	Roentgenium

Chapter 1

Physical constants and unit conversions

Wave relationships:

$$E = h\nu, p = h/\lambda$$

Speed of light:

$$c = \lambda\nu = 2.99792458 \times 10^8 \text{ m/s}$$

Planck's constant:

$$h = 6.626069 \times 10^{-34} \text{ J s} = 4.135667 \times 10^{-15} \text{ eV s}$$

$$\hbar c = 1.97326961 \times 10^{-11} \text{ MeV cm}$$

Electron charge:

$$e = 1.602176 \times 10^{-19} \text{ C}$$

$$\frac{e^2}{4\pi\epsilon_0} = 1.4399759 \times 10^{-13} \text{ MeV cm}$$

Atomic mass unit:

$$1 \text{ u} = 931.494 \text{ MeV}/c^2$$

Electron mass:

$$m_e = 0.511 \text{ MeV}/c^2$$

Boltzmann's constant:

$$k_B = 8.617 \times 10^{-11} \text{ MeV/K}$$

$$1 \text{ eV}/k_B = 1.1605 \times 10^4 \text{ K}$$

Nuclear Radius:

$$r \approx 1.3 \text{ fm} \times A^{1/3} = 1.3 \times 10^{-15} \text{ m} \times A^{1/3}$$

Source: NIST CODATA (<http://physics.nist.gov/cuu/Constants/index.html>).

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
112	Cn	279	0	151.3 (6)	0.17 +0.81-0.08 s		α 100
		280	0	153.4 (5)	3.6 +4.3-1.3 s		α 100
		281	0	154.6 (9)	26 +25-8 s		SF 100; α
		282	0	156.7 (6)	0.5 +2.5-0.2 s		α 100; SF
		283	0	160.7 (6)	4.0 +1.3-0.7 s		α ≥ 90.00; SF ≤ 10.00; SF 50; α 50
113	13	284	0	161.5 (8)	101 +41-22 ms		SF 100
		285	0	164.1 (7)	30 +30-10 s		α 100
		282	0	163.6 (4)	0.07 +0.13-0.03 s		α 100
		283	0	164 (6)	100 ± 0 ms		α 100
		284	0	166 (5)	0.48 +0.58-0.17 s		α 100
		285	0	166.9 (9)	5.5 +5-1.8 s		α 100; SF
		286	0	168.9 (6)	20 +94-9 s		α 100; SF
114	14	286	0+	171 (7)	0.16 +0.07-0.03 s		SF ≈ 60.00; α ≈ 40.00
		287	0	173.2 (6)	0.51 +0.18-0.1 s		α 100
		288	0+	174 (8)	0.52 +0.22-0.13 s		α 100
		289	0	176.5 (7)	0.97 +0.97-0.32 s		α 100; α 100
		287	0	177.2 (6)	32 ± 0 ms		α 100
115	15	288	0	179 (6)	87 ± 0 ms		α 100
		289	0	179.8 (9)	0.22 +0.26-0.08 s		α 100; SF
		290	0	181.6 (6)	16 +76-7 ms		α 100; SF
		290	0+	184.4 (7)	15 +26-6 ms		α 100
		291	0	186.6 (6)	6.3 ± 0 ms		α 100
116	16	292	0+	187.2 (9)	18 +16-6 ms		α 100
		293	0	189.6 (7)	53 +62-19 ms		α 100
		293	0	193.4 (9)	14 +11-4 ms		α 100; SF
		294	0	195.1 (7)	0.08 +0.37-0.04 s		α 100

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
106	Sg	258	0	101.8 (3)	4.2 +0.4-0.3 s		α 65; ε 35; SF < 1.00; ε 100
		259	0	101.99 (5)	0.51 ± 0.16 s		α
		260	0	103.36 (9)	1.52 ± 0.13 s		α ≥ 90.40; SF ≤ 9.60; ε < 2.50
		261	0	104.25 (11)	1.8 ± 0.4 s		α ≥ 82.00; SF ≤ 18.00
		262	0	106.28 (18)	35 ± 5 s		α ≈ 67.00; SF
		263	0	107.11 (17)	27 +10-7 s		SF 55; α 41; ε 3
		267	0	114.2 (5)	73 ± 0 m		SF 100
		268	0	117 (5)	32 +11-7 h		SF 100
		270	0	122 (6)	23 ± 0 h		SF 100; α
		258	0+	105.3 (4)	2.9 +1.3-0.7 ms		SF ≤ 100.00; α ?
		259	(1/2+)	106.49 (12)	0.32 +0.08-0.06 s		α 96; SF 4; α <100
		260	0+	106.544 (21)	3.6 ± 0.9 ms		α 50; SF 50; SF 71; α 29
		261	0	108.007 (19)	0.23 ± 0.06 s		α 100; SF < 1.00
		262	0+	108.37 (20)	6.9 +3.8-1.8 ms		SF ≥ 78.00; α ≤ 22.00
		263	0	110.19 (10)	1.0 ± 0.2 s		α > 70.00; SF < 30.00; IT; α
		264	0+	110.8 (3)	37 +27-11 ms		SF 100; α < 36.00
		265	0	112.81 (12)	16.2 +4.7-3.5 s		α ≥ 65.00; SF ≤ 35.00;
		266	0+	113.7 (3)	21 +20-12 s		SF > 50.00; α > 18.00
		271	0	124.4 (6)	2.4 +4.3-1 m		α ≈ 50.00; SF ≈ 50.00
107	Bh	260	0	113.3 (3)	35 +19-9 ms		α ≤ 100.00
		261	0	113.22 (23)	11.8 +3.9-2.4 ms		α 100
		262	0	114.5 (3)	22 ± 4 ms		α < 100.00; α < 100.00
		264	0	115.75 (18)	0.44 +0.6-0.16 s		α ≤ 100.00
		265	0	116.36 (23)	0.9 +0.7-0.3 s		α
		266	0	118.23 (20)	1.7 +8.2-0.8 s		α 100
		267	0	118.9 (3)	17 +14-6 s		α 100
		270	0	124.2 (4)	6E+1 +29E+1-3E+1 s		α
		272	0	128.6 (5)	10 +12-4 s		α 100
		274	0	133.3 (6)	0.9 +4.2-0.4 m		α 100; SF
		265	0	121.17 (5)	1.9 ± 0.2 ms		SF ≤ 1.00; α < 100.00
		266	0+	121.13 (20)	2.3 +1.3-0.6 ms		α 100; SF < 1.40
108	Hs	267	(3/2+)	122.65 (10)	52 +13-8 ms		α ≥ 80.00; SF < 20.00; α 100
		268	0+	122.8 (3)	0.4 +1.8-0.2 s		α
		269	0	124.61 (12)	3.6 +0.8-1.4 s		α 100; α 100
		270	0+	125.1 (3)	22 ± 0 s		α 100
		275	0	136.3 (6)	0.15 +0.27-0.06 s		α 100
		266	0	128 (3)	1.7 +1.8-1.6 ms		α ≤ 100.00
		268	0	128.91 (23)	21 +8-5 ms		α 100
		270	0	130.84 (20)	5.0 +2.4-0.3 ms		α 100
		274	0	137.1 (4)	0.44 +0.81-0.17 s		α 100; SF
		275	0	138.4 (6)	9.7 ± 0 ms		α 100
109	Mt	276	0	140.9 (5)	0.72 +0.87-0.25 s		α 100
		278	0	145.1 (6)	8 +37-4 s		α 100; SF
		270m	0	135.88 (21)	6.0 +8.2-2.2 ms		α > 70.00; IT ≤ 30.00
		271	0	135.95 (10)	1.63 +0.44-0.29 ms		α 100; α > 0.00; IT ?
		279	0	148.6 (6)	0.18 +0.05-0.03 s		SF ≈ 90.00; α ≈ 10.00
		281	0	152.4 (7)	20 +20-7 s		SF 85; α 15; SF 100
		272	0	142.8 (3)	3.8 +1.4-0.8 ms		α 100
		274	0	144.74 (21)	6.4 ± 0 ms		α 100
111	Rg	278	0	150.4 (4)	4.2 +7.6-1.7 ms		α 100; SF

Continued on next page

Chapter 2

Mass attenuation and mass energy absorption coefficients

In the following figures the total (μ/ρ) and partial mass attenuation coefficients are plotted for Hydrogen, Carbon, Nitrogen, Oxygen, Copper, Tin, Lead, and Uranium. Partial mass attenuation coefficients are plotted for photoelectric absorption, coherent and incoherent (Compton) scattering, and pair production. The mass absorption energy coefficient (μ_{en}/ρ) is also plotted for the same materials.

Sources:

NIST X-COM Database (<http://www.nist.gov/pml/data/xcom/index.cfm/>)

NIST X-Ray Mass Attenuation Coefficients (<http://www.nist.gov/pml/data/xraycoef/index.cfm/>)

NIST also distributes a program (XCOM) to tabulate and plot mass attenuation coefficients.


Figure 2.1: Mass attenuation (μ/ρ) and mass energy absorption coefficient (μ_{en}/ρ) for Hydrogen, $Z = 1$.

Table 8.1 – Continued from previous page


Z	El	A	J ^{π}	Δ [MeV]	$T_{1/2}, \Gamma$	Abundance	Decay Mode
102	No	254	0	83.52 (10)	28 ± 8 m		$\epsilon \leq 100.00; \epsilon \leq 100.00$
		255	(7/2-)	84.844 (7)	27 ± 2 m		$\epsilon 92; \alpha 8; SF < 0.15$
		256	(1-)	87.61 (7)	77 ± 2 m		$\epsilon 90.8; \alpha 9.2; SF < 3.00$
		257	(7/2-)	88.998 (3)	5.52 ± 0.05 h		$\epsilon 85; \alpha 15; SF < 1.00$
		258	0	91.689 (5)	51.5 ± 0.3 d		$\alpha 100; SF; \epsilon \geq 70.00; SF$
		259	0	93.63 (20)	96 ± 3 m		$SF 100; \alpha < 1.30$
		260	0	96.6 (3)	31.8 ± 0.5 d		$SF \geq 42.00; \alpha \leq 25.00; \epsilon \leq 23.00; \beta^- \leq 10.00$
		251	(7/2+)	82.76 (11)	0.80 ± 0.01 s		$\alpha 84; SF < 0.30; \epsilon$
		251m	(1/2+)	82.87 (11)	1.02 ± 0.03 s		$\alpha 100$
		252	0+	82.868 (9)	2.47 ± 0.02 s		$\epsilon < 1.10; \alpha 70.7; SF 29.3; IT 100.1$
103	Lr	253	(9/2-)	84.361 (7)	1.62 ± 0.15 m		$\alpha \approx 80.00; \epsilon$
		254	0+	84.725 (10)	51 ± 10 s		$\alpha 90; \epsilon 10; SF 0.17; IT > 80.00$
		255	1/2+	86.807 (15)	3.52 ± 0.21 m		$\epsilon 70; \alpha 30$
		256	0+	87.825 (8)	2.91 ± 0.05 s		$SF 0.53; \alpha 99.47$
		257	(7/2+)	90.251 (7)	25 ± 3 s		$\alpha \leq 100.00; SF \leq 1.50$
		258	0+	91.48 (20)	1.2 ± 0.2 ms		$SF \leq 100.00$
		259	0	94.11 (10)	58 ± 5 m		$\alpha 75; \epsilon 25; SF < 10.00$
		260	0+	95.61 (20)	106 ± 8 ms		$SF 100$
		262	0+	100.1 (4)	≈ 5 ms		$SF 100$
		252	0	88.7 (3)	$0.27 + 0.18 - 0.08$ s		$\alpha 100; \epsilon$
104	Rf	253	(7/2-)	88.67 (23)	$0.57 + 0.07 - 0.06$ s		$\alpha \approx 98.70; SF \approx 1.30; \alpha 92; SF 8$
		254	0	89.9 (3)	18.4 ± 1.8 s		$\alpha 71.7; \epsilon 28.3$
		255	1/2-	89.947 (18)	31.1 ± 1.3 s		$\alpha 85; \epsilon 15$
		255m	7/2-	89.984 (18)	2.53 ± 0.13 s		$IT 60; \alpha 40$
		256	0	91.75 (8)	27 ± 3 s		$\alpha 85; \epsilon 15; SF < 0.03$
		257	0	92.61 (4)	≈ 4 s		$\alpha \leq 100.00$
		258	0	94.85 (10)	4.1 ± 0.3 s		$SF < 5.00; \alpha > 95.00$
		259	0	95.85 (7)	6.2 ± 0.3 s		$\alpha 78; SF 22$
		260	0	98.27 (12)	180 ± 30 s		$\alpha 80; \epsilon < 40.00; SF < 10.00$
		261	0	99.56 (20)	39 ± 12 m		$SF 100$
105	Db	262	0	101.96 (20)	≈ 4 h		$SF < 10.00; \epsilon; \alpha$
		255	(9/2-)	94.24 (12)	$2.3 + 0.8 - 0.5$ s		$\alpha 52; SF 48; \epsilon ? 1.00$
		256	0+	94.218 (18)	6.4 ± 0.2 ms		$SF 99.68; \alpha 0.32$
		257	(1/2+)	95.868 (11)	4.7 ± 0.3 s		$\alpha < 100.00; SF \leq 1.40; \epsilon > 0.00; \epsilon > 0.00; \alpha < 100.00; SF \leq 1.40$
		258	0+	96.34 (3)	$14.7 + 1.2 - 1$ ms		$SF 69; \alpha 31$
		259	0	98.36 (7)	3.2 ± 0.6 s		$\alpha 92; SF 8; \epsilon 15$
		260	0+	99.15 (20)	21 ± 1 ms		$SF \leq 100.00; \alpha ?$
		261	0	101.32 (4)	1.9 ± 0.4 s		$\epsilon < 15.00; SF < 11.00; SF 73; \alpha 27; \alpha > 74.00$
		262	0+	102.4 (3)	2.3 ± 0.4 s		$SF \leq 100.00; \alpha < 3.00$
		263	0	104.84 (18)	10 ± 2 m		$SF 100; \alpha$

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
99	Es	256	0+	87 (3)	12.3 ± 1.2 m		SF 100; β [−] < 1.00; α ≈ 1.0E-6
		241	0	63.84 (23)	8 +6-5 s		ε; α
		242	0	64.9 (3)	17.8 ± 1.6 s		α 57; ε 43
		243	(7/2+)	64.75 (21)	23 ± 3 s		α 61; ε 39; SF < 1.00
		244	0	66.02 (18)	37 ± 4 s		ε 96; α 4
		245	(3/2-)	66.44 (20)	1.1 ± 0.1 m		α 40; ε 60
		246	0	67.9 (22)	7.5 ± 0.5 m		ε 90.1; α 9.9
		247	(7/2+)	68.578 (19)	4.55 ± 0.26 m		ε ≈ 93.00; α ≈ 7.00; α
		248	(2-,0+)	70.3 (5)	27 ± 5 m		ε 99.7; α ≈ 0.25
		249	7/2+	71.18 (3)	102.2 ± 0.6 m		ε 99.43; α 0.57
		250	(6+)	73.23 (10)	8.6 ± 0.1 h		ε > 97.00; α < 3.00; ε ≤ 100.00
		251	(3/2-)	74.514 (6)	33 ± 1 h		ε 99.5; α 0.5
		252	(5-)	77.3 (5)	471.7 ± 1.9 d		α 78; ε 22
		253	7/2+	79.015 (3)	20.47 ± 0.03 d		SF 8.7e-06; α 100
		254	(7+)	81.993 (4)	275.7 ± 0.5 d		SF < 3.0E-6; α 100; β [−] 0.00017
	Fm	254m	2+	82.077 (4)	39.3 ± 0.2 h		β [−] 98; IT < 3.00; α 0.32; ε 0.08; SF < 0.05
		255	(7/2+)	84.091 (11)	39.8 ± 1.2 d		β [−] 92; α 8; SF 0.0041
		256	(1+,0-)	87.19 (10)	25.4 ± 2.4 m		β [−] 100; β [−] 100
		257	0	89.4 (4)	7.7 ± 0.2 d		β [−] ; SF
		243	(7/2+)	69.26 (22)	231 ± 9 ms		ε < 10.00; α 91; SF 9
		244	0+	68.98 (20)	3.12 ± 0.08 ms		SF > 97.00; ε < 2.00; α < 1.00
		245	0	70.19 (20)	4.2 ± 1.3 s		α ≤ 100.00
		246	0+	70.187 (15)	1.54 ± 0.04 s		α 93.2; SF 6.8; ε ≤ 1.30
		247	(7/2+)	71.58 (12)	31 ± 1 s		α ≥ 84.00; ε ≤ 16.00
		247m	(1/2+)	71.63 (12)	5.1 ± 0.2 s		α 84
		248	0+	71.894 (9)	36 ± 2 s		α 93; ε 7; SF 0.1
		249	(7/2+)	73.521 (6)	2.6 ± 0.7 m		ε 67; α 33
100	Md	250	0+	74.074 (8)	30 ± 3 m		α > 90.00; ε < 10.00; SF 0.0069; IT 100
		251	(9/2-)	75.954 (15)	5.30 ± 0.08 h		ε 98.2; α 1.8
		252	0+	76.819 (6)	25.39 ± 0.04 h		SF 0.0023; α 100
		253	(1/2)+	79.35 (3)	3.00 ± 0.12 d		ε 88; α 12
		254	0+	80.905 (3)	3.240 ± 0.002 h		α 99.94; SF 0.06
		255	7/2+	83.802 (5)	20.07 ± 0.07 h		α 100; SF 2.4e-05
		256	0+	85.487 (7)	157.6 ± 1.3 m		SF 91.9; α 8.1
		257	(9/2+)	88.591 (6)	100.5 ± 0.2 d		α 99.79; SF 0.21
		259	0	93.7 (3)	1.5 ± 0.3 s		SF 100
		260	0+	95.8 (5)	≈ 4 ms		SF 100
		245m	(7/2)	75.6 (3)	0.35 +0.23-0.16 s		ε; α
		246	0	76.2 (3)	0.9 ± 0.2 s		α < 23.00; SF ?; ε ?; α 100; ε > 77.00
		247	(7/2-)	75.94 (21)	1.2 ± 0.1 s		α 99.9; SF < 0.10; α 79; SF 21
		248	0	77.14 (24)	13 +15-4 s		α 58; ε 42
		249	(7/2-)	77.32 (22)	21.7 ± 2 s		α > 60.00; ε ≤ 40.00; α ?
		250	0	78.6 (3)	25 +10-5 s		ε 93; α 7
		251	(7/2-)	78.967 (19)	4.3 ± 0.6 m		ε 90; α 10
101	Md	252	0	80.51 (13)	2.3 ± 0.8 m		ε ≤ 100.00
		253	(7/2-)	81.18 (3)	6 +12-3 m		ε ≤ 100.00; α

Continued on next page

Figure 2.2: Mass attenuation (μ/ρ) and mass energy absorption coefficients (μ_{en}/ρ) for Carbon, $Z = 6$.


Figure 2.3: Mass attenuation (μ/p) and mass energy absorption coefficients (μ_{en}/p) for Nitrogen, $Z = 7$.

Table 8.1 – Continued from previous page


Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
97	Bk	240	0+	51.7195 (23)	27 ± 1 d		SF 3.9e-06; α > 99.50; ε < 0.50
		241	1/2+	53.7047 (22)	32.8 ± 0.2 d		ε 99; α 1
		242	0+	54.8066 (18)	162.8 ± 0.2 d		α 100; SF 6.2e-06; ³⁴ Si 1e-14
		243	5/2+	57.1849 (21)	29.1 ± 0.1 y		ε 0.29; SF 5.3e-09; α 99.71
		244	0+	58.455 (18)	18.1 ± 0.1 y		α 100; SF 0.00014
		244m	6+	59.4952 (18)	34 ± 2 ms		IT 100
		245	7/2+	61.006 (21)	8423 ± 74 y		α 100; SF 6.1e-07
		246	0+	62.6197 (21)	4706 ± 40 y		α 99.97; SF 0.03
		247	9/2-	65.535 (4)	1.56E+7 ± 0.05E+7 y		α 100
		248	0+	67.394 (5)	3.48E+5 ± 0.06E+5 y		SF 8.39; α 91.61
		249	1/2+	70.751 (5)	64.15 ± 0.03 m		β ⁻ 100
		250	0+	72.99 (11)	≈ 8.3E+3 y		SF ≈ 74.00; α ≈ 18.00; β ⁻ ≈ 8.00
		251	(1/2+)	76.65 (23)	16.8 ± 0.2 m		β ⁻ 100
		252	0+	79.1 (3)	< 2 d		
		234	0	()	1.4E2 +1.4E2-0.5E2 s		α ≥ 80.00; ε ≤ 20.00
		237	0	53.1 (22)	≈ 1 m		ε ?; α ?
		238	0	54.3 (3)	144 ± 5 s		ε 100; εSF 0.048
		240	0	55.66 (15)	4.8 ± 0.8 m		ε; εSF 0.002
		241	(7/2+)	56.11 (20)	4.6 ± 0.4 m		α; ε
		242	0	57.74 (20)	7.0 ± 1.3 m		ε ≤ 100.00
		243	(3/2-)	58.692 (5)	4.5 ± 0.2 h		ε ≈ 99.85; α ≈ 0.15
		244	(4-)	60.717 (14)	4.35 ± 0.15 h		ε 99.99; α 0.006
		245	3/2-	61.8168 (23)	4.95 ± 0.03 d		ε 99.88; α 0.12
		246	2(-)	63.97 (6)	1.80 ± 0.02 d		ε 100
		247	(3/2-)	65.492 (6)	1380 ± 250 y		α ≤ 100.00
		248	0	68.08 (7)	> 9 y		α; β ⁻ 70; ε 30
		249	7/2+	69.851 (3)	330 ± 4 d		β ⁻ 100; α 0.0014; SF 4.7e-08
98	Cf	250	2-	72.953 (4)	3.212 ± 0.005 h		β ⁻ 100
		251	(3/2-)	75.23 (11)	55.6 ± 1.1 m		β ⁻ 100
		237	(3/2+)	57.94 (9)	0.8 ± 0.2 s		SF 70; α 30
		238	0+	57.2 (4)	21 ± 2 ms		SF 100
		239	0	58.14 (21)	39 +37-12 s		ε; α
		240	0+	58.01 (3)	64 ± 9 s		α 98.5; SF 1.5
		241	(7/2-)	59.33 (17)	3.78 ± 0.7 m		ε ≈ 75.00; α ≈ 25.00
		242	0+	59.386 (13)	3.7 ± 0.5 m		ε 20; SF ≤ 0.01; α 80
		243	(1/2+)	60.9 (11)	10.7 ± 0.5 m		ε ≈ 86.00; α ≈ 14.00
		244	0+	61.473 (3)	19.4 ± 0.6 m		α ≤ 100.00
		245	1/2+	63.388 (3)	45.0 ± 1.5 m		ε 64.7; α 35.3
		246	0+	64.0931 (21)	35.7 ± 0.5 h		α 100; ε < 4.0E-3; SF 0.00024
		247	(7/2+)	66.104 (15)	3.11 ± 0.03 h		ε 99.97; α 0.04
		248	0+	67.241 (5)	333.5 ± 2.8 d		α 100; SF 0.0029
		249	9/2-	69.7269 (22)	351 ± 2 y		α 100; SF 5e-07
		250	0+	71.173 (21)	13.08 ± 0.09 y		α 99.92; SF 0.08
		251	1/2+	74.137 (4)	898 ± 44 y		α 100; SF
		252	0+	76.035 (5)	2.645 ± 0.008 y		α 96.91; SF 3.09
		253	(7/2+)	79.302 (6)	17.81 ± 0.08 d		β ⁻ 99.69; α 0.31
		254	0+	81.342 (12)	60.5 ± 0.2 d		SF 99.69; α 0.31
		255	(7/2+)	84.81 (20)	85 ± 18 m		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
94	Pu	242	(1+)	57.42 (20)	2.2 ± 0.2 m		β ⁻ 100; β ⁻ 100
		243	(5/2-)	59.88 (3)	1.85 ± 0.15 m		β ⁻ 100
		244	(7-)	63.2 (3)	2.29 ± 0.16 m		β ⁻ 100
		228	0+	36.08 (3)	1.1 +2-0.5 s		α 100
		229	(3/2+)	37.39 (5)	67 +41-19 s		ε 50; α 50; SF < 7.00
		230	0+	36.933 (15)	102 ± 10 s		α ≤ 100.00
		231	(3/2+)	38.28 (3)	8.6 ± 0.5 m		ε ≤ 99.80; α > 0.20
		232	0+	38.365 (18)	33.8 ± 0.7 m		ε 90; α 10
		233	0	40.05 (5)	20.9 ± 0.4 m		ε 99.88; α 0.12
		234	0+	40.349 (7)	8.8 ± 0.1 h		α ≈ 6.00; ε ≈ 94.00
		235	(5/2+)	42.184 (21)	25.3 ± 0.5 m		ε 100; α 0.0028
		236	0+	42.8968 (22)	2.858 ± 0.008 y		α 100; SF 1.9e-07
		237	7/2-	45.0946 (22)	45.64 ± 0.04 d		ε 100; α 0.0042
		237m	1/2+	45.2406 (22)	0.18 ± 0.02 s		IT
		238	0+	46.1661 (18)	87.7 ± 0.1 y		α 100; SF 1.9e-07
		239	1/2+	48.5912 (18)	24110 ± 30 y		SF 3e-10; α 100
		240	0+	50.1283 (18)	6561 ± 7 y		α 100; SF 5.7e-06
95	Am	241	5/2+	52.9581 (18)	14.325 ± 0.006 y		β ⁻ 100; α 0.0025; SF < 2E-14
		242	0+	54.7196 (19)	3.75E+5 ± 0.02E+5 y		α 100; SF 0.00055
		243	7/2+	57.757 (3)	4.956 ± 0.003 h		β ⁻ 100
		244	0+	59.807 (5)	8.00E+7 ± 0.09E+7 y		SF 0.12; α 99.88
		245	(9/2-)	63.179 (14)	10.5 ± 0.1 h		β ⁻ 100
		246	0+	65.396 (15)	10.84 ± 0.02 d		β ⁻ 100
		247	0	69.11 (20)	2.27 ± 0.23 d		β ⁻ 100
		230	0	()	≈ 17 s		ε 100
		232	0	43.4 (3)	79 ± 2 s		ε ≈ 97.00; α ≈ 3.00
		233	0	43.17 (10)	3.2 ± 0.8 m		α > 3.00; ε
		234	0	44.53 (21)	2.32 ± 0.08 m		ε 100; α
		235	5/2-	44.63 (5)	10.3 ± 0.6 m		ε 99.6; α 0.4
		236	5-	46.04 (11)	3.6 ± 0.2 m		α ; ε ; α ; ε
		237	5/2(-)	46.57 (6)	73.6 ± 0.8 m		ε 99.97; α 0.03
		238	1+	48.42 (5)	98 ± 2 m		α 0.0001; ε 100
		239	(5/2)-	49.3931 (24)	11.9 ± 0.1 h		ε 99.99; α 0.01
96	Cm	240	(3-)	51.513 (14)	50.8 ± 0.3 h		ε 100; α 0.00019
		241	5/2-	52.9373 (18)	432.6 ± 0.6 y		α 100; SF 4e-10
		242	1-	55.471 (18)	16.02 ± 0.02 h		β ⁻ 82.7; ε 17.3
		242m	5-	55.5196 (18)	141 ± 2 y		IT 99.55; α 0.45; SF < 4.7E-9
		242m2	(2+,3-)	57.671 (18)	14.0 ± 1 ms		SF 100; IT ; α < 5.0E-3
		243	5/2-	57.1774 (23)	7370 ± 40 y		α 100; SF 3.7e-09
		244	(6-)	59.8823 (21)	10.1 ± 0.1 h		β ⁻ 100; SF ≤ 100.00
		244m	1+	59.9684 (21)	26 ± 1 m		ε 0.04; β ⁻ 99.96
		245	(5/2)+	61.901 (3)	2.05 ± 0.01 h		β ⁻ 100
		246	(7-)	64.996 (18)	39 ± 3 m		β ⁻ 100; β ⁻ 100; IT < 0.02
		247	(5/2)	67.16 (10)	23.0 ± 1.3 m		β ⁻ 100
		248	0	70.56 (20)	≈ 10 m		β ⁻ 100
		233	(3/2+)	47.29 (7)	23 +13-6 s		ε 80; α 20
		234	0+	46.723 (18)	51 ± 12 s		SF ≈ 40.00; ε ≈ 20.00; α ≈ 40.00
		238	0+	49.444 (12)	2.4 ± 0.1 h		ε ≥ 90.00; α ≤ 10.00
		239	(7/2-)	51.15 (5)	≈ 2.9 h		ε 100; α < 0.10

Continued on next page

Figure 2.4: Mass attenuation (μ/ρ) and mass energy absorption coefficients (μ_{en}/ρ) for Oxygen, $Z = 8$.


Figure 2.5: Mass attenuation (μ/ρ) and mass energy absorption coefficients (μ_{en}/ρ) for Aluminum, $Z = 13$.

Table 8.1 – Continued from previous page


Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
92	U	228	3+	28.921 (4)	22.4 ± 1 h		α 1.85; ε 98.15
		229	(5/2+)	29.898 (3)	1.50 ± 0.05 d		ε 99.52; α 0.48
		230	(2-)	32.174 (3)	17.4 ± 0.5 d		ε 92.2; β ⁻ 7.8; α 0.0032
		231	3/2-	33.4259 (22)	3.276E+4 ± 0.011E+4 y		α 100; SF ≤ 2E-11
		232	(2-)	35.942 (8)	1.32 ± 0.02 d		β ⁻ 100; ε
		233	3/2-	37.4915 (21)	26.975 ± 0.013 d		β ⁻ 100
		234	4+	40.342 (5)	6.70 ± 0.05 h		β ⁻ 100
		234m	(0-)	40.416 (5)	1.159 ± 0.011 m		β ⁻ 99.84; IT 0.16
		235	(3/2-)	42.33 (5)	24.44 ± 0.11 m		β ⁻ 100
		236	1(-)	45.35 (20)	9.1 ± 0.1 m		β ⁻ 100
		237	(1/2+)	47.64 (10)	8.7 ± 0.2 m		β ⁻ 100
		238	(3-)	50.77 (6)	2.27 ± 0.09 m		β ⁻ 100
		239	(3/2)	53.34 (20)	1.8 ± 0.5 h		β ⁻ 100
		217	0	22.71 (9)	16 +21-6 ms		α ≤ 100.00
		225	0	27.376 (12)	95 ± 15 ms		α 100
		226	0+	27.328 (13)	0.35 ± 0.15 s		α 100
		227	(3/2+)	29.021 (17)	1.1 ± 0.1 m		α 100
		228	0+	29.224 (15)	9.1 ± 0.2 m		α > 95.00; ε < 5.00
		229	(3/2+)	31.21 (6)	58 ± 3 m		ε ≈ 80.00; α ≈ 20.00
		230	0+	31.614 (5)	20.8 ± 0 d		α 100; SF < 1E-10; ²² Ne 5e-12
93	Np	231	(5/2-)	33.808 (3)	4.2 ± 0.1 d		ε 100; α ≈ 4.0E-3
		232	0+	34.6048 (22)	68.9 ± 0.4 y		α 100; SF 3e-12
		233	5/2+	36.921 (3)	1.592E+5 ± 0.002E+5 y		α 100; ²⁴ Ne 9e-10; SF < 6E-11; ²⁸ Mg < 1E-13
		234	0+	38.148 (18)	2.455E+5 ± 0.006E+5 y	0.0054% ± 0.0005%	Ne 9e-12; α 100; SF 1.6e-09; Mg 1e-11
		235	7/2-	40.9218 (18)	7.04E+8 ± 0.01E+8 y	0.7204% ± 0.0006%	α 100; SF 7e-09; ²⁸ Mg 8e-10; Ne ≈ 8E-10
		235m	1/2+	40.9219 (18)	≈ 26 m		IT 100
		236	0+	42.4476 (18)	2.342E7 ± 0.004E7 y		α 100; SF 9.4e-08
		237	1/2+	45.3932 (19)	6.75 ± 0.01 d		β ⁻ 100
		238	0+	47.31 (19)	4.468E9 ± 0.003E9 y	99.2742% ± 0.001%	α 100; SF 5.5e-05
		239	5/2+	50.575 (19)	23.45 ± 0.02 m		β ⁻ 100
		240	0+	52.716 (5)	14.1 ± 0.1 h		β ⁻ 100
		242	0+	58.62 (20)	16.8 ± 0.5 m		β ⁻ 100
		226	0	32.74 (9)	35 ± 10 ms		α 100
		227	0	32.56 (7)	0.51 ± 0.06 s		α 100
		228	0	33.59 (5)	61.4 ± 1.4 s		ε 60; α 40
		229	0	33.78 (9)	4.0 ± 0.2 m		α 68; ε 32
		230	0	35.24 (5)	4.6 ± 0.3 m		ε ≤ 97.00; α ≥ 3.00
		231	(5/2)	35.62 (5)	48.8 ± 0.2 m		ε 98; α 2
		232	(4+)	37.35 (10)	14.7 ± 0.3 m		ε 100; α 0.0002
		233	(5/2+)	37.95 (5)	36.2 ± 0.1 m		ε 100; α ≤ 1.0E-3
94	Pu	234	(0+)	39.958 (9)	4.4 ± 0.1 d		ε 100
		235	5/2+	41.0458 (20)	396.1 ± 1.2 d		ε 100; α 0.0026
		236	(6-)	43.37 (5)	153E+3 ± 5E+3 y		ε 86.3; β ⁻ 13.5; α 0.16; β ⁻ 50; ε 50
		237	5/2+	44.8746 (18)	2.144E+6 ± 0.007E+6 y		α 100; SF ≤ 2E-10
		238	2+	47.4576 (18)	2.117 ± 0.002 d		β ⁻ 100
		239	5/2+	49.3137 (21)	2.356 ± 0.003 d		β ⁻ 100
		240	(5+)	52.316 (15)	61.9 ± 0.2 m		β ⁻ 100; β ⁻ 99.88; IT 0.12
		241	5/2+	54.26 (7)	13.9 ± 0.2 m		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
90	Th	225	(3/2-)	21.638 (5)	10.0 ± 0.1 d		α 100; ¹⁴ C 4e-12
		226	(1)	24.31 (3)	29.37 ± 0.12 h		β ⁻ 83; ε 17; α 0.006
		227	3/2-	25.8512 (24)	21.772 ± 0.003 y		β ⁻ 98.62; α 1.38
		228	3+	28.9 (3)	6.15 ± 0.02 h		β ⁻ 100
		229	(3/2+)	30.75 (3)	62.7 ± 0.5 m		β ⁻ 100
		230	(1+)	33.8 (3)	122 ± 3 s		β ⁻ 100; β ⁻ SF 1.2e-06
		231	(1/2+)	35.92 (10)	7.5 ± 0.1 m		β ⁻ 100
		232	(1+)	39.15 (10)	119 ± 5 s		β ⁻ 100
		233	(1/2+)	41.48 (10)	145 ± 10 s		β ⁻ 100
		234	0	45.05 (20)	44 ± 7 s		β ⁻ 100
		235	0	47.6 (3)	60 ± 4 s		β ⁻ 100
		208	0+	16.68 (3)	1.7 +1.7-0.6 ms		α 100
		209	(5/2-)	16.54 (9)	2.5 +1.7-0.7 ms		α
		210	0+	14.059 (19)	16 ± 4 ms		α 99; ε ≈ 1.00
		211	0	13.91 (7)	0.04 +0.03-0.01 s		α
		212	0+	12.097 (16)	31.7 ± 1.3 ms		α 100; ε ≈ 0.30
		213	0	12.12 (7)	144 ± 21 ms		α ≤ 100.00
		214	0+	10.711 (16)	87 ± 10 ms		α 100
		215	(1/2-)	10.922 (9)	1.2 ± 0.2 s		α 100
		216	0+	10.294 (12)	26.0 ± 0.2 ms		α 100; ε ≈ 0.01
		221	(7/2+)	16.937 (9)	1.68 ± 0.06 ms		α 100
		222	0+	17.202 (12)	2.8 ± 0.3 ms		α 100
		223	(5/2+)	19.385 (9)	0.60 ± 0.02 s		α 100
		224	0+	19.995 (11)	0.81 ± 0.1 s		α 100
		225	(3/2+)	22.309 (5)	8.75 ± 0.04 m		α ≈ 90.00; ε ≈ 10.00
		226	0+	23.196 (5)	30.57 ± 0.1 m		α 100
		227	1/2+	25.806 (3)	18.68 ± 0.09 d		α 100
		228	0+	26.7663 (22)	1.9116 ± 0.0016 y		α 100; ²⁰ O 1e-11
		229	5/2+	29.588 (3)	7932 ± 28 y		α 100
		229m	(3/2+)	29.588 (3)	2 ± 1 m		IT ?
		230	0+	30.8633 (18)	7.54E+4 ± 0.03E+4 y		α 100; ²⁴ Ne 6e-11; SF ≤ 4E-12
91	Pa	231	5/2+	33.8166 (18)	25.52 ± 0.01 h		β ⁻ 100; α ≈ 4E-11
		232	0+	35.4526 (22)	1.40E10 ± 0.01E10 y	100%	α 100; SF 1.1e-09
		233	1/2+	38.7376 (22)	21.83 ± 0.04 m		β ⁻ 100
		234	0+	40.615 (4)	24.10 ± 0.03 d		β ⁻ 100
		235	(1/2+)	44.26 (5)	7.2 ± 0.1 m		β ⁻ 100
		236	0+	46.45 (20)	37.3 ± 1.5 m		β ⁻ 100
		237	(5/2+)	50.2 (4)	4.7 ± 0.6 m		β ⁻ 100
		238	0+	52.6 (3)	9.4 ± 2 m		β ⁻ 100
		212	0	21.61 (7)	5.1 +6.1-1.9 ms		α 100
		213	0	19.66 (7)	5.3 +4-1.6 ms		α 100
		214	0	19.49 (8)	17 ± 3 ms		α ≤ 100.00
		215	0	17.87 (9)	14 ± 2 ms		α 100
		216	0	17.8 (7)	0.15 +0.06-0.04 s		α ≈ 98.00; ε ≈ 2.00
		217	0	17.07 (5)	3.6 ± 0.8 ms		α 100
		217m	0	18.92 (5)	1.2 ± 0.2 ms		α 73; IT 27
		222	0	22.12 (7)	2.9 +0.6-0.4 ms		α 100
		223	0	22.32 (7)	5.1 ± 0.6 ms		α 100
		224	0	23.861 (8)	0.85 ± 0.02 s		α 100
		225	0	24.34 (7)	1.7 ± 0.2 s		α 100
		226	0	26.032 (11)	1.8 ± 0.2 m		α 74; ε 26
		227	(5/2-)	26.831 (7)	38.3 ± 0.3 m		α 85; ε 15

Continued on next page

Figure 2.6: Mass attenuation (μ/ρ) and mass energy absorption coefficients (μ_{en}/ρ) for Copper, $Z = 29$.


Figure 2.7: Mass attenuation (μ/p) and mass energy absorption coefficients (μ_{en}/p) for Tin, $Z = 50$.

Table 8.1 – Continued from previous page


Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
88	Ra	231	(1/2+)	42.3 (3)	17.6 ± 0.6 s		β ⁻ 100
		232	(5)	46.1 (21)	5.5 ± 0.6 s		β ⁻ 100
		201	(13/2+)	11.84 (12)	1.6 +7.7-0.7 ms		α 100; ε
		202	0+	9.09 (24)	16 +30-7 ms		α 100
		203	(3/2-)	8.66 (8)	31 +17-9 ms		α 100; α 100
		204	0+	6.056 (15)	57 +11-5 ms		α 100
		205	(3/2-)	5.84 (7)	210 +60-40 ms		α ≤ 100.00; ε; α ≤ 100.00; ε
		206	0+	3.565 (18)	0.24 ± 0.02 s		α 100
		207	(3/2-, 5/2-)	3.54 (6)	1.35 +0.22-0.13 s		α ≈ 86.00; ε ≈ 14.00
		207m	(13/2+)	4.09 (6)	59 ± 4 ms		IT ≥ 85.00; α ≤ 15.00
		208	0+	1.714 (15)	1.3 ± 0.2 s		α 95; ε 5
		209	5/2-	1.85 (5)	4.6 ± 0.2 s		α ≈ 90.00; ε ≈ 10.00
		210	0+	0.459 (15)	3.7 ± 0.2 s		α ≈ 96.00; ε ≈ 4.00
		211	5/2(-)	0.832 (8)	13 ± 2 s		ε < 7.00; α > 93.00
		212	0+	-0.204 (11)	13.0 ± 0.2 s		α ≈ 85.00; ε ≈ 15.00
		213	1/2-	0.358 (20)	2.73 ± 0.05 m		α 80; ε 20
		213m	(17/2-)	2.128 (20)	2.20 ± 0.05 ms		IT ≈ 99.40; α ≈ 0.60
		214	0+	0.096 (5)	2.46 ± 0.03 s		α 99.94; ε 0.06
		215	(9/2+)	2.533 (8)	1.55 ± 0.07 ms		α 100
		219	(7/2+)	9.393 (8)	10 ± 3 ms		α 100
		220	0+	10.272 (9)	18 ± 2 ms		α 100
		221	5/2+	12.963 (5)	28 ± 2 s		α 100; ¹⁴ C 1e-12
		222	0+	14.32 (5)	38.0 ± 0.5 s		α 100; ¹⁴ C 3e-08
		223	3/2+	17.235 (3)	11.43 ± 0.05 d		¹⁴ C 8.9e-08; α 100
		224	0+	18.8213 (22)	3.6319 ± 0.0023 d		α 100; ¹⁴ C 4e-09
89	Ac	225	1/2+	21.995 (3)	14.9 ± 0.2 d		β ⁻ 100
		226	0+	23.6686 (23)	1600 ± 7 y		α 100; ¹⁴ C 3.2e-09
		227	3/2+	27.1785 (23)	42.2 ± 0.5 m		β ⁻ 100
		228	0+	28.946 (3)	5.75 ± 0.03 y		β ⁻ 100
		229	5/2+	32.555 (15)	4.0 ± 0.2 m		β ⁻
		230	0+	34.516 (10)	93 ± 2 m		β ⁻ 100
		231	(5/2+)	38.226 (20)	104.1 ± 0.8 s		β ⁻ 100
		232	0+	40.498 (12)	4.2 ± 0.8 m		β ⁻ 100
		233	0	44.6 (4)	30 ± 5 s		β ⁻ 100
		234	0+	47.2 (5)	30 ± 10 s		β ⁻ 100
		206	(3+)	13.53 (5)	22 +9-5 ms		α 100; α 100
		207	(9/2-)	11.15 (5)	27 +11-6 ms		α 100
		208	(3+)	10.76 (6)	95 +24-16 ms		α ≈ 99.00; ε ≈ 1.00
		208m	(10-)	11.27 (6)	25 +9-5 ms		ε ≈ 10.00; α ≈ 90.00
		209	(9/2-)	8.84 (5)	0.10 ± 0.05 s		α ≈ 99.00; ε ≈ 1.00
		210	0	8.79 (6)	0.35 ± 0.05 s		α 91; ε ≈ 9.00
		211	0	7.2 (7)	0.21 ± 0.03 s		α 100
		212	0	7.27 (7)	0.93 ± 0.05 s		α ≈ 57.00; ε ≈ 43.00
		213	0	6.16 (5)	738 ± 16 ms		α ≤ 100.00
		214	(5+)	6.445 (15)	8.2 ± 0.2 s		α ≥ 89.00; ε ≤ 11.00
		215	9/2-	6.031 (12)	0.17 ± 0.01 s		α 99.91; ε 0.09
		220	(3-)	13.743 (6)	26.4 ± 0.2 ms		α 100; ε 0.0005
		221	(3/2-)	14.52 (5)	52 ± 2 ms		α 100
		222	1-	16.621 (5)	5.0 ± 0.5 s		α 99; ε 1; α ≥ 88.00; IT ≤ 10.00; ε ≥ 0.70
		223	(5/2-)	17.826 (7)	2.10 ± 0.05 m		α 99; ε 1
		224	0-	20.232 (4)	2.78 ± 0.17 h		ε 90.9; α 9.1; β ⁻ < 1.60

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
87	Fr	208	0+	-9.66 (11)	24.35 ± 0.14 m		α 62; ε 38
		209	5/2-	-8.929 (20)	28.5 ± 1 m		ε 83; α 17
		210	0+	-9.601 (4)	2.4 ± 0.1 h		α 96; ε 4
		211	1/2-	-8.756 (7)	14.6 ± 0.2 h		ε 72.6; α 27.4
		212	0+	-8.66 (3)	23.9 ± 1.2 m		α 100
		213	(9/2+)	-5.699 (6)	19.5 ± 0.1 ms		α 100
		218	0+	5.2166 (24)	35 ± 5 ms		α 100
		219	5/2+	8.831 (3)	3.96 ± 0.01 s		α 100
		220	0+	10.6075 (22)	55.6 ± 0.1 s		α 100
		221	7/2+	14.474 (6)	25 ± 2 m		β ⁻ 78; α 22
		222	0+	16.3731 (23)	3.8235 ± 3.0E-4 d		α 100
		223	7/2	20.396 (10)	24.3 ± 0.4 m		β ⁻ 100
		224	0+	22.435 (15)	107 ± 3 m		β ⁻ 100
		225	7/2-	26.556 (21)	4.66 ± 0.04 m		β ⁻ 100
		226	0+	28.739 (16)	7.4 ± 0.1 m		β ⁻ 100
		227	0	32.875 (18)	20.8 ± 0.7 s		β ⁻ 100
		228	0+	35.249 (22)	65 ± 2 s		β ⁻ 100
		229	0	39.362 (13)	12.0 ± 1.2-1.3 s		β ⁻ 100
		219m	0	6.76 (4)	12 + 10-4 ms		α > 0.00; ε
		200	(3+)	6.12 (8)	49 ± 4 ms		α 100
		201	(9/2-)	3.6 (7)	62 ± 5 ms		α 100; α 100
		202	(3+)	3.163 (15)	0.30 ± 0.05 s		α 100; α 100
		203	(9/2-)	0.877 (6)	0.55 ± 0.01 s		α ≤ 100.00
		204	(3+)	0.607 (25)	1.8 ± 0.3 s		ε 8; α 92
		204m	(7+)	0.648 (25)	1.6 + 0.5-0.3 s		α 90; ε 10
		204m2	(10-)	0.923 (25)	0.8 ± 0.2 s		α 74; ε 26
		205	(9/2-)	-1.31 (8)	3.97 ± 0.04 s		α 98.5; ε 1.5
		206	(2+,3+)	-1.24 (3)	≈ 16 s		α ≈ 84.00; ε ≈ 16.00; α ≈ 84.00; ε ≈ 16.00
		206m	(10-)	-0.71 (3)	0.7 ± 0.1 s		IT 95; α 5
		207	9/2-	-2.84 (5)	14.8 ± 0.1 s		α 95; ε 5
		208	7+	-2.67 (5)	59.1 ± 0.3 s		α 89; ε 11
		209	9/2-	-3.769 (15)	50.5 ± 0.7 s		α 89; ε 11
		210	6+	-3.332 (15)	3.18 ± 0.06 m		α 71; ε 29
		211	9/2-	-4.14 (12)	3.10 ± 0.02 m		α 87; ε 13
		212	5+	-3.516 (9)	20.0 ± 0.6 m		ε 57; α 43
		213	9/2-	-3.553 (5)	34.82 ± 0.14 s		α 99.44; ε 0.56
		214	(1-)	-0.959 (9)	5.0 ± 0.2 ms		α 100
		214m	(8-)	-0.837 (9)	3.35 ± 0.05 ms		α 100
		218	1-	7.058 (5)	1.0 ± 0.6 ms		α 100
		218m	0	7.144 (5)	22.0 ± 0.5 ms		α ≤ 100.00; IT
		219	9/2-	8.618 (7)	20 ± 2 ms		α 100
		220	1+	11.48 (4)	27.4 ± 0.3 s		α 99.65; β ⁻ 0.35
		221	5/2-	13.278 (5)	286.1 ± 1 s		α 100; β ⁻ < 0.10
		222	2-	16.349 (21)	14.2 ± 0.3 m		β ⁻ 100
		223	3/2(-)	18.384 (24)	22.00 ± 0.07 m		β ⁻ 99.99; α 0.006
		224	1-	21.65 (5)	3.33 ± 0.1 m		β ⁻ 100
		225	3/2-	23.82 (3)	3.95 ± 0.14 m		β ⁻ 100
		226	1-	27.37 (10)	49 ± 1 s		β ⁻ 100
		227	1/2+	29.65 (10)	2.47 ± 0.03 m		β ⁻ 100
		228	2-	33.29 (20)	38 ± 1 s		β ⁻ ≤ 100.00
		229	(1/2+)	35.82 (4)	50.2 ± 2 s		β ⁻ 100
		230	0	39.5 (3)	19.1 ± 0.5 s		β ⁻ 100

Continued on next page

Figure 2.8: Mass attenuation (μ/ρ) and mass energy absorption coefficients (μ_{en}/ρ) for Lead, $Z = 82$.


Figure 2.9: Mass attenuation (μ/ρ) and mass energy absorption coefficients (μ_{en}/ρ) for Uranium, $Z = 92$.

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
86	Rn	194	(9-10-)	-0.7 (3)	310 ± 8 ms		α; α
		195	1/2+	-3.476 (9)	328 ± 20 ms		α 100; α 100
		196	(3+)	-3.92 (6)	0.388 ± 0.007 s		α ≈ 95.10; ε ≈ 4.90
		197	(9/2-)	-6.34 (5)	0.388 ± 0.006 s		α 96.1; ε 3.9
		197m	(1/2+)	-6.29 (5)	2.0 ± 0.2 s		α ≤ 100.00; ε; IT < 4.0E-3
		198	(3+)	-6.65 (15)	3.8 ± 0.4 s		α 90; ε 10
		198m	(10-)	-6.548 (15)	1.04 ± 0.15 s		α 84; ε 16
		199	(9/2-)	-8.822 (6)	7.03 ± 0.15 s		α 90; ε 10
		200	(3+)	-8.988 (24)	43 ± 1 s		α 52; ε 48
		200m	(7+)	-8.876 (24)	47 ± 1 s		ε ≤ 57.00; α 43
		200m2	(10-)	-8.644 (24)	7.3 +2.6-1.5 s		ε < 89.50; IT < 89.50; α ≈ 10.50
		201	(9/2-)	-10.789 (8)	85.2 ± 1.6 s		α 71; ε 29
		202	(2+,3+)	-10.59 (3)	184 ± 1 s		ε 63; α 37; ε 91.3; α 8.7
		202m	(10-)	-10.2 (3)	0.46 ± 0.05 s		IT 99.9; α 0.1
		203	9/2-	-12.164 (12)	7.4 ± 0.2 m		ε 69; α 31
		204	7+	-11.876 (24)	9.12 ± 0.11 m		α 3.91; ε 96.09
		204m	10-	-11.289 (24)	108 ± 10 ms		IT 100
		205	9/2-	-12.971 (15)	26.9 ± 0.8 m		ε 90; α 10
		206	(5+)	-12.429 (15)	30.6 ± 0.8 m		ε 99.1; α 0.9
		207	9/2-	-13.227 (12)	1.81 ± 0.03 h		ε 91.4; α 8.6
		208	6+	-12.47 (9)	1.63 ± 0.03 h		ε 99.45; α 0.55
		209	9/2-	-12.883 (5)	5.41 ± 0.05 h		ε 95.9; α 4.1
		210	(5+)	-11.973 (8)	8.1 ± 0.4 h		ε 99.82; α 0.18
		211	9/2-	-11.648 (3)	7.214 ± 0.007 h		ε 58.2; α 41.8
		212	(1-)	-8.6289 (24)	0.314 ± 0.002 s		α 100; ε < 0.03; β ⁻ < 2.0E-6
		212m	(9-)	-8.4059 (24)	0.119 ± 0.003 s		α > 99.00; IT < 1.00
		217	9/2-	4.396 (5)	32.3 ± 0.4 ms		α 99.99; β ⁻ 0.007
		218	0	8.098 (12)	1.5 ± 0.3 s		α 99.9; β ⁻ 0.1
		219	0	10.397 (4)	56 ± 3 s		β ⁻ ≈ 3.00; α ≈ 97.00
		220	3	14.35 (5)	3.71 ± 0.04 m		β ⁻ 92; α 8
		221	0	16.81 (20)	2.3 ± 0.2 m		β ⁻ 100
		222	0	20.6 (3)	54 ± 10 s		β ⁻ 100
		223	0	23.4 (4)	50 ± 7 s		β ⁻ 100
		224	0	27.71 (6)	76 ± 0 s		β ⁻ ?
		193	(3/2-)	9.045 (23)	1.15 ± 0.27 ms		α 100
		195	3/2-	5.06 (5)	6 +3-2 ms		α 100
		195m	13/2+	5.12 (5)	5 +3-2 ms		α 100
		196	0+	1.97 (14)	4.4 +1.3-0.9 ms		α 99.9; ε ≈ 0.10
		197	(3/2-)	1.48 (6)	53 +7-5 ms		α 100; α 100
		198	0+	-1.231 (13)	65 ± 3 ms		α; ε
		199	(3/2-)	-1.51 (6)	0.59 ± 0.03 s		α 94; ε 6
		199m	(13/2+)	-1.33 (6)	0.31 ± 0.02 s		α 97; ε 3
		200	0+	-4.005 (13)	1.03 +0.2-0.11 s		α 86; ε 14
		201	(3/2-)	-4.07 (5)	7.0 ± 0.4 s		α; ε; α; ε
		202	0+	-6.275 (18)	9.7 ± 0.1 s		α 78; ε 22
		203	(3/2-)	-6.16 (24)	44 ± 2 s		α 66; ε 34
		203m	(13/2+)	-5.798 (24)	26.9 ± 0.5 s		α 75; ε 25
		204	0+	-7.984 (15)	74.5 ± 1.4 s		α 72.4; ε 27.6
		205	5/2-	-7.71 (5)	170 ± 4 s		α 24.6; ε 75.4
		206	0+	-9.116 (15)	5.67 ± 0.17 m		α 62; ε 38
		207	5/2-	-8.635 (8)	9.25 ± 0.17 m		ε 79; α 21

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
84	Po	215	(9/2-)	1.649 (15)	7.6 ± 0.2 m		β ⁻ 100
		215m	>23/2-	2.996 (15)	36.9 ± 0.6 s		IT 76.2; β ⁻ 23.8
		216	(6-,7-)	5.874 (11)	2.25 ± 0.05 m		β ⁻ ≤ 100.00; β ⁻ ≤ 100.00
		217	(9/2-)	8.89 (20)	98.5 ± 0.8 s		β ⁻ 100
		218	0	13.2 (4)	33 ± 1 s		β ⁻ 100
		187	(1/2-,5/2-)	2.83 (3)	1.40 ± 0.25 ms		α 100
		189	(7/2-)	-1.42 (19)	3.5 ± 0.5 ms		α 100
		190	0+	-4.564 (13)	2.46 ± 0.05 ms		α 100
		191	(3/2-)	-5.055 (12)	22 ± 1 ms		α 99
		191m	(13/2+)	-5.015 (12)	93 ± 3 ms		α 96
		192	0+	-8.071 (11)	32.2 ± 0.3 ms		α ≈ 99.50; ε ≈ 0.50
		193	(13/2+)	-8.36 (3)	245 ± 22 ms		α ≤ 100.00; α ≤ 100.00
		194	0+	-11.006 (13)	0.392 ± 0.004 s		α 100; ε
		195	(3/2-)	-11.07 (4)	4.64 ± 0.09 s		α 75; ε 25
		195m	(13/2+)	-10.84 (4)	1.92 ± 0.02 s		α ≈ 90.00; ε ≈ 10.00; IT < 0.01
		196	0+	-13.474 (13)	5.8 ± 0.2 s		α ≈ 98.00; ε ≈ 2.00
		197	(3/2-)	-13.36 (5)	84 ± 16 s		ε 56; α 44
		197m	(13/2+)	-13.15 (5)	32 ± 2 s		α 84; ε 16; IT 0.01
		198	0+	-15.474 (17)	1.77 ± 0.03 m		α 57; ε 43
		199	(3/2-)	-15.215 (23)	5.47 ± 0.15 m		ε 92.5; α 7.5
		199m	(13/2+)	-14.905 (23)	4.17 ± 0.05 m		IT 2.5; ε 73.5; α 24
		200	0+	-16.955 (14)	11.51 ± 0.08 m		ε 88.9; α 11.1
		201	3/2-	-16.525 (6)	15.6 ± 0.1 m		ε 98.87; α 1.13
		201m	13/2+	-16.101 (6)	8.96 ± 0.12 m		IT 56.2; ε 41.4; α 2.4
		202	0+	-17.925 (15)	44.6 ± 0.4 m		ε 98.08; α 1.92
		203	5/2-	-17.311 (9)	36.7 ± 0.5 m		ε 99.89; α 0.11
		203m	13/2+	-16.669 (9)	45 ± 2 s		IT 100; ε
		204	0+	-18.346 (11)	3.519 ± 0.012 h		ε 99.33; α 0.67
		205	5/2-	-17.509 (20)	1.74 ± 0.08 h		ε 99.96; α 0.04
		205m2	19/2-	-16.048 (20)	57.4 ± 0.9 ms		IT 100
		206	0+	-18.185 (3)	8.8 ± 0.1 d		α 5.45; ε 94.55
		207	5/2-	-17.146 (7)	5.80 ± 0.02 h		ε 99.98; α 0.02
		207m	19/2-	-15.763 (7)	2.79 ± 0.08 s		IT 100
		208	0+	-17.4703 (18)	2.898 ± 0.002 y		α 100; ε 0.004
		209	1/2-	-16.3667 (18)	102 ± 5 y		α 99.52; ε 0.48
		210	0+	-15.9538 (12)	138.376 ± 0.002 d		α 100
		211	9/2+	-12.4333 (13)	0.516 ± 0.003 s		α 100
		211m	(25/2+)	-10.9713 (13)	25.2 ± 0.6 s		IT 0.02; α 99.98
		212m	(18+)	-7.4482 (13)	45.1 ± 0.6 s		α 99.93; IT 0.07
		215	9/2+	-0.54 (3)	1.781 ± 0.004 ms		α 100; β ⁻ 0.00023
		216	0+	1.778 (22)	0.145 ± 0.002 s		α 100
		217	(9/2+)	5.886 (6)	1.53 ± 0.05 s		α
		218	0+	8.3578 (23)	3.098 ± 0.012 m		α 99.98; β ⁻ 0.02
		221	0	19.78 (6)	112 +58-28 s		β ⁻ ?
		222	0+	22.48 (7)	550 ± 430 s		β ⁻ ?
85	At	191	(1/2+)	3.862 (16)	1.7 +1.1-0.5 ms		α 100
		191m	(7/2-)	3.917 (16)	2.1 +0.4-0.3 ms		α 100
		192	0	2.92 (6)	11.5 ± 0.6 ms		α 100; α 100
		193	(1/2+)	-0.07 (5)	28 +5-4 ms		α 100
		193m	(7/2-)	-0.06 (5)	21 ± 5 ms		α 100
		193m2	(13/2+)	0 (AP)	27 +4-3 ms		IT 76; α 24

Continued on next page

Chapter 3

Energy diagrams

Compound nucleus reaction can be understood as a three stage process on which an excited nucleus is formed by the absorption of the incident particle, followed by the decay of this nucleus.

Conservation of mass-energy in these processes can be visualized in the following diagram. Below the diagram, the *Q equation* for non-relativistic collisions is shown. This equation combines conservation of energy and linear momentum for collisions for a target that is at rest in the laboratory system.

Source: Meyerhof, W. Elements of Nuclear Physics. McGraw-Hill, 1967.




Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
83	Bi	213	(9/2+)	-3.201 (7)	10.2 ± 0.3 m		β ⁻ 100
		214	0+	-0.1816 (23)	26.8 ± 0.9 m		β ⁻ 100
		215	0	4.5 (3)	147 ± 12 s		β ⁻
		184	0	1.19 (8)	13 ± 2 ms		α 100; α 100
		186	(3+)	-3.17 (8)	15.0 ± 1.7 ms		α 100; α 100
		187	(9/2-)	-6.385 (10)	37 ± 2 ms		α 100
		188	(10-)	-7.2 (5)	265 ± 15 ms		α 100; ε ?; α 100; ε ?
		189	(9/2-)	-10.06 (5)	674 ± 11 ms		α > 50.00; ε < 50.00
		189m	(1/2+)	-9.88 (5)	5.0 ± 0.1 ms		α > 50.00; ε < 50.00
		190	(3+)	-10.59 (3)	6.3 ± 0.1 s		α 90; ε 10; α 70; ε 30
		191	(9/2-)	-13.24 (7)	12.4 ± 0.3 s		α 51; ε 49
		191m	(1/2+)	-12.999 (7)	125 ± 13 ms		α 68; IT 32; ε
		192	(3+)	-13.55 (3)	34.6 ± 0.9 s		ε 88; α 12
		192m	(10-)	-13.4 (3)	39.6 ± 0.4 s		ε 90; α 10
		193	(9/2-)	-15.873 (10)	63.6 ± 3 s		ε 96.5; α 3.5
		193m	(1/2+)	-15.565 (10)	3.2 ± 0.5 s		α 84; ε 16
		194	(3+)	-15.968 (15)	95 ± 3 s		ε 99.54; α 0.46; ε 100; ε 99.8; α 0.2
		195	(9/2-)	-18.026 (5)	183 ± 4 s		ε 99.97; α 0.03
		195m	(1/2+)	-17.625 (5)	87 ± 1 s		ε 67; α 33
		196	(3+)	-18.009 (24)	308 ± 12 s		ε 100; α 0.0012
		196m	(7+)	-17.84 (24)	0.6 ± 0.5 s		ε; IT
		196m2	(10-)	-17.738 (24)	240 ± 3 s		ε 74.2; IT 25.8; α 0.00038
		197	(9/2-)	-19.687 (8)	9.33 ± 0.5 m		ε 100; α 0.0001
		197m	(1/2+)	-19.187 (8)	5.04 ± 0.16 m		α 55; ε 45; IT < 0.30
		198	(2+,3+)	-19.37 (3)	10.3 ± 0.3 m		ε 100; ε 100
		198m	10-	-19.12 (3)	7.7 ± 0.5 s		IT 100
		199	9/2-	-20.799 (12)	27 ± 1 m		ε 100
		199m	(1/2+)	-20.132 (12)	24.70 ± 0.15 m		ε 99; IT ≤ 2.00; α ≈ 0.01
		200	7+	-20.371 (24)	36.4 ± 0.5 m		ε 100; ε ≤ 100.00
		200m	(10-)	-19.943 (24)	0.40 ± 0.05 s		IT 100
		201	9/2-	-21.416 (15)	103 ± 3 m		ε 100
		201m	1/2+	-20.569 (15)	57.5 ± 2.1 m		ε > 91.10; IT ≤ 8.60; α ≈ 0.30
		202	5+	-20.742 (15)	1.71 ± 0.04 h		ε 100
		203	9/2-	-21.524 (13)	11.76 ± 0.05 h		ε 100
		203m	1/2+	-20.426 (13)	305 ± 5 ms		IT 100
		204	6+	-20.646 (9)	11.22 ± 0.1 h		ε 100
		204m	10-	-19.84 (9)	13.0 ± 0.1 ms		IT 100
		204m2	17+	-17.812 (9)	1.07 ± 0.03 ms		IT 100
		205	9/2-	-21.065 (5)	15.31 ± 0.04 d		ε 100
		206	6+	-20.029 (8)	6.243 ± 0.003 d		ε 100
		207	9/2-	-20.0553 (24)	31.55 ± 0.04 y		ε 100
		208	5+	-18.8709 (24)	3.68E+5 ± 0.04E+5 y		ε 100
		208m	10-	-17.2998 (24)	2.58 ± 0.04 ms		IT 100
		209	9/2-	-18.2593 (15)	stable		
		210	1-	-14.7926 (14)	5.012 ± 0.005 d		β ⁻ 100; α 0.00013
		210m	9-	-14.5213 (14)	3.04E+6 ± 0.06E+6 y		α 100
		211	9/2-	-11.859 (5)	2.14 ± 0.02 m		α 99.72; β ⁻ 0.28
		212	1(-)	-8.1201 (20)	60.55 ± 0.06 m		β ⁻ 64.06; α 35.94
		212m	(8-,9-)	-7.8701 (20)	25.0 ± 0.2 m		α 67; β ⁻ 33; β ⁻ α 30
		212m2	—>16	-6.2101 (20)	7.0 ± 0.3 m		β ⁻ 100
		213	9/2-	-5.23 (5)	45.59 ± 0.06 m		β ⁻ 97.8; α 2.2
		214	1-	-1.201 (11)	19.9 ± 0.4 m		β ⁻ 99.98; α 0.02

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
82	Pb	207	1/2+	-21.034 (5)	4.77 ± 0.03 m		β ⁻ 100
		207m	11/2-	-19.686 (5)	1.33 ± 0.11 s		IT 100
		208	5+	-16.7523 (20)	3.053 ± 0.004 m		β ⁻ 100
		209	(1/2+)	-13.638 (8)	2.161 ± 0.007 m		β ⁻ 100
		210	(5+)	-9.247 (12)	1.30 ± 0.03 m		β ⁻ 100; β ⁻ n 0.007
		213	0	1.76 (6)	101 ± 0 s		β ⁻
		179	(9/2-)	2.05 (8)	3.5 +1.4-0.8 ms		α 100
		180	0+	-1.935 (13)	4.2 ± 0.5 ms		α 100
		181	(9/2-)	-3.1 (8)	36 ± 2 ms		α 100; α < 100.00
		182	0+	-6.821 (13)	55 ± 5 ms		ε ≈ 2.00; α ≈ 98.00
		183	(3/2-)	-7.57 (3)	535 ± 30 ms		α ≈ 90.00
		183m	(13/2+)	-7.47 (3)	415 ± 20 ms		α 100
		184	0+	-11.052 (13)	490 ± 25 ms		α 80; ε 20
		185	3/2-	-11.541 (16)	6.3 ± 0.4 s		ε ; α 34; α 50; ε
		186	0+	-14.682 (11)	4.82 ± 0.03 s		ε 60; α 40
		187	(13/2+)	-14.99 (6)	18.3 ± 0.3 s		ε 88; α 12
		187m	(3/2-)	-14.957 (6)	15.2 ± 0.3 s		ε 90.5; α 9.5
		188	0+	-17.816 (11)	25.1 ± 0.1 s		ε 90.7; α 9.3
		189	(3/2-)	-17.88 (3)	39 ± 8 s		ε 100; α < 1.00
		189m	(13/2+)	-17.84 (3)	50 ± 3 s		ε 100; α < 1.00
		190	0+	-20.418 (12)	71 ± 1 s		α 0.4; ε 99.6
		191	(3/2-)	-20.25 (4)	1.33 ± 0.08 m		ε 99.99; α 0.01; ε 100; α ≈ 0.02
		192	0+	-22.556 (13)	3.5 ± 0.1 m		ε 99.99; α 0.0059
		194	0+	-24.209 (17)	10.7 ± 0.6 m		α 7.3e-06; ε 100
		195	3/2-	-23.714 (23)	≈ 15 m		ε 100
		195m	13/2+	-23.511 (23)	15.0 ± 1.2 m		ε 100
		196	0+	-25.361 (14)	37 ± 3 m		ε ; α ≤ 3.0E-5
		197	3/2-	-24.749 (6)	8.1 ± 1.7 m		ε 100
		197m	13/2+	-24.429 (6)	42.9 ± 0.9 m		ε 81; IT 19
		198	0+	-26.051 (15)	2.4 ± 0.1 h		ε 100
		199	3/2-	-25.232 (10)	90 ± 10 m		ε 100
		199m	(13/2+)	-24.807 (10)	12.2 ± 0.3 m		ε ≈ 7.00; IT ≈ 93.00
		200	0+	-26.256 (11)	21.5 ± 0.4 h		ε 100
		201	5/2-	-25.258 (22)	9.33 ± 0.03 h		ε 100
		201m	13/2+	-24.629 (22)	60.8 ± 1.8 s		IT 100
		202	0+	-25.937 (3)	52.5E+3 ± 2.8E+3 y		ε 100
		202m	9-	-23.767 (3)	3.54 ± 0.02 h		IT 90.5; ε 9.5
		203	5/2-	-24.787 (7)	51.92 ± 0.03 h		ε 100
		203m	13/2+	-23.962 (7)	6.21 ± 0.11 s		IT 100
		203m2	29/2-	-21.838 (7)	480 ± 7 ms		IT 100
		204	0+	-25.1105 (12)	≥ 1.4E+17 y	1.4% ± 0.1%	α
		204m	9-	-22.9246 (12)	66.93 ± 0.1 m		IT 100
		205	5/2-	-23.7709 (12)	1.73E+7 ± 0.07E+7 y		ε 100
		205m	13/2+	-22.7571 (12)	5.55 ± 0.02 ms		IT 100
		206	0+	-23.7862 (12)	stable	24.1% ± 0.1%	
		207	1/2-	-22.4527 (12)	stable	22.1% ± 0.1%	
		207m	13/2+	-20.8193 (12)	0.806 ± 0.005 s		IT 100
		208	0+	-21.7492 (12)	stable	52.4% ± 0.1%	
		209	9/2+	-17.6153 (18)	3.253 ± 0.014 h		β ⁻ 100
		210	0+	-14.7291 (15)	22.20 ± 0.22 y		β ⁻ 100; α 1.9e-06
		211	9/2+	-10.491 (3)	36.1 ± 0.2 m		β ⁻ 100
		212	0+	-7.553 (22)	10.64 ± 0.01 h		β ⁻ 100

Continued on next page

Chapter 4

X-ray and gamma standards

The following table presents the recommended values of decay parameters of many common radionuclides routinely used for X-ray and gamma-ray detector calibration. For each radionuclide the following parameters are listed:

- Decay mode.
- Half life ($T_{1/2}$) in days.
- ID of the spectral line, in the case of X-rays.
- Energy of the γ or X-ray in keV.
- Emission probability (# of photons emitted per parent decay).

Source: X-ray and gamma-ray standards for detector calibration. IAEA-TECDOC-619 (1991). (<http://www-nds.iaea.org/publications/tecdocs/iaea-tecdoc-0619.pdf>).

Note: it must be noted that for technical applications, the information contained in this chapter has been superseded by new IAEA-NDS X Ray and Gamma standards (http://www-nds.iaea.org/xgamma_standards/)

Table 4.1: X-ray and gamma standards.

Nuclide	Decay Mode	T _{1/2}	XR ID	E [keV]	Emission Prob.
22Na	EC	950.8(9) [major 511.033 annihilation radiation]		1274.542(7)	0.99935(15)
24Na	β^-	0.62356(17)		1368.633(6) 2754.030(14)	0.999936(15) 0.99855(5)
26Sc	β^-	83.79(4)		889.277(3) 1120.545(4)	0.999844(16) 0.999874(11)
51Cr	EC	27.706(7)	VKa VKx VK β	4.95 4.95 - 5.43 5.43 320.0842(9)	0.201(3) 0.228(3) 0.027(1) 0.0986(5)
54Mn	EC	312.3(4)	CrKa CrKx CrK β	5.41 5.41 - 5.95 5.95 834.843(6)	0.226(7) 0.256(8) 0.030(1) 0.999758(24)
55Fe	EC	999(8)	MnKx MnKa MnK β	5.89 - 6.49 5.89 6.49	0.283(10) 0.249(9) 0.034(1)
56Co	EC	77.31(19)		846.764(6) 1037.884(4) 1175.099(8) 1238.287(6) 1360.206(6) 1771.350(15) 2015.179(11) 2034.759(11) 2598.460(10) 3201.954(14) 3253.417(14) 3272.998(14) 3451.154(13) 3548.27(10)	0.99933(7) 0.1413(5) 0.02239(11) 0.6607(19) 0.04256(15) 0.1549(5) 0.03029(13) 0.07771(27) 0.1696(6) 0.0313(9) 0.0762(24) 0.0178(6) 0.0093(4) 0.00178(9)
57Co	EC	271.79(9)	FeKa FeKx FeK β	6.4 6.40 - 7.06 7.06 14.4127(4) 122.0614(3) 136.4743(5)	0.510(7) 0.579(8) 0.069(1) 0.0916(15) 0.8560(17) 0.1068(8)
58Co	EC	70.86(7)	FeKx FeKa FeK β	6.40 - 7.06 6.4 7.06 810.775(9)	0.267(3) 0.235(3) 0.032(1) 0.9945(1)
60Co	β^-	1925.5(5)		1173.238(4)	0.99857(22)

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J π	Δ [MeV]	T _{1/2} , Γ	Abundance	Decay Mode
81	TI	206	0+	-20.946 (20)	8.32 $\pm$ 0.07 m		β^- 100
		207	(9/2+)	-16.22 (15)	2.9 $\pm$ 0.2 m		β^- 100
		208	0+	-13.27 (3)	41 +5-4 m		β^- 100
		209	0	-8.54 (15)	35 +9-6 s		β^- 100
		176	(3-,4-,5-)	0.58 (8)	5.2 +3-1.4 ms		p 100
		177	(1/2+)	-3.33 (23)	18 $\pm$ 5 ms		α 73; p 27
		178	0	-4.79 (10)	254 +11-9 ms		$\alpha \approx 53.00$; $\epsilon \approx 47.00$
		179	(1/2+)	-8.3 (4)	0.23 $\pm$ 0.04 s		$\alpha < 100.00$; ϵ ; p; ϵ ; IT ;
							$\alpha \leq 100.00$; p
		180	(4-,5-)	-9.26 (6)	1.09 $\pm$ 0.01 s		ϵ 94; α 6; $\epsilon SF \approx 1.0E-4$
		181	(1/2+)	-12.799 (9)	3.2 $\pm$ 0.3 s		ϵ ; $\alpha \leq 10.00$
		181m	(9/2-)	-11.963 (9)	1.40 $\pm$ 0.03 ms		IT 99.6; α 0.4
		182	(7+)	-13.35 (8)	3.1 $\pm$ 1 s		ϵ 97.5; $\alpha < 5.00$
		183	(1/2+)	-16.589 (9)	6.9 $\pm$ 0.7 s		α ; $\epsilon > 0.00$
		183m	(9/2-)	-15.959 (9)	53.3 $\pm$ 0.3 ms		IT ; ϵ ; α 2
		184	0	-16.89 (5)	10.1 $\pm$ 0.5 s		ϵ 97.9; α 2.1
		185	(1/2+)	-19.76 (5)	19.5 $\pm$ 0.5 s		ϵ
		185m	(9/2-)	-19.3 (5)	1.93 $\pm$ 0.08 s		α ; IT
		186	(7+)	-19.87 (3)	27.5 $\pm$ 1 s		$\alpha \approx 6.0E-3$; ϵ 100
		186m	(10-)	-19.5 (3)	2.9 $\pm$ 0.2 s		IT 100
		187	(1/2+)	-22.443 (8)	$\approx$ 51 s		ϵ 100; $\alpha \approx 0.03$
		187m	(9/2-)	-22.109 (8)	15.60 $\pm$ 0.12 s		$\epsilon < 99.90$; IT < 99.90;
							α 0.15
		188	(2-)	-22.35 (3)	71 $\pm$ 2 s		ϵ 100; ϵ 100
		188m	(9-)	-22.08 (3)	41 $\pm$ 4 ms		ϵ ; IT 100
		189	(1/2+)	-24.602 (11)	2.3 $\pm$ 0.2 m		ϵ 100
		189m	(9/2-)	-24.344 (11)	1.4 $\pm$ 0.1 m		$\epsilon < 100.00$; IT < 4.00
		190	2(-)	-24.311 (14)	2.6 $\pm$ 0.3 m		ϵ 100; ϵ 100
		192	(2-)	-25.87 (3)	9.6 $\pm$ 0.4 m		ϵ 100
		192m	(7+)	-25.72 (3)	10.8 $\pm$ 0.2 m		ϵ 100
		193	1/2(+)	-27.3 (8)	21.6 $\pm$ 0.8 m		ϵ 100
		193m	(9/2-)	-26.93 (8)	2.11 $\pm$ 0.15 m		IT ≤ 75.00 ; $\epsilon \geq 25.00$
		194	2-	-26.83 (14)	33.0 $\pm$ 0.5 m		ϵ 100; $\alpha < 1.0E-7$; ϵ 100
		195	1/2+	-28.155 (14)	1.16 $\pm$ 0.05 h		ϵ 100
		195m	9/2-	-27.673 (14)	3.6 $\pm$ 0.4 s		IT 100
		196	2-	-27.497 (12)	1.84 $\pm$ 0.03 h		ϵ 100
		196m	(7+)	-27.102 (12)	1.41 $\pm$ 0.02 h		ϵ 96.2; IT 3.8
		197	1/2+	-28.341 (16)	2.84 $\pm$ 0.04 h		ϵ 100
		197m	9/2-	-27.733 (16)	0.54 $\pm$ 0.01 s		IT 100
		198	2-	-27.49 (8)	5.3 $\pm$ 0.5 h		ϵ 100
		198m	7+	-26.95 (8)	1.87 $\pm$ 0.03 h		ϵ 55.9; IT 44.1
		198m2	(10-)	-26.75 (8)	32.1 $\pm$ 1 ms		IT 100
		199	1/2+	-28.06 (3)	7.42 $\pm$ 0.08 h		ϵ 100
		199m	9/2-	-27.31 (3)	28.4 $\pm$ 0.2 ms		IT 100
		200	2-	-27.047 (6)	26.1 $\pm$ 0.1 h		ϵ 100
		200m	7+	-26.294 (6)	34.0 $\pm$ 0.9 ms		IT 100
		201	1/2+	-27.183 (15)	3.0421 $\pm$ 0.0017 d		ϵ 100
		201m	(9/2-)	-26.264 (15)	2.01 $\pm$ 0.07 ms		IT 100
		202	2-	-25.985 (14)	12.31 $\pm$ 0.08 d		ϵ 100
		203	1/2+	-25.762 (13)	stable	29.524% $\pm$ 0.001%	
		204	2-	-24.3468 (13)	3.783 $\pm$ 0.012 y		β^- 97.08; ϵ 2.92
		205	1/2+	-23.8215 (13)	stable	70.48% $\pm$ 0.01%	
		206	0-	-22.254 (14)	4.202 $\pm$ 0.011 m		β^- 100
		206m	(12-)	-19.6109 (14)	3.74 $\pm$ 0.03 m		IT 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
80	Hg	197	3/2+	-31.1409 (7)	stable	100%	
		197m	11/2-	-30.7317 (7)	7.73 ± 0.06 s		IT 100
		198	2-	-29.5819 (7)	2.6948 ± 0.0012 d		β ⁻ 100
		198m	(12-)	-28.7702 (7)	2.272 ± 0.016 d		IT 100
		199	3/2+	-29.0948 (7)	3.139 ± 0.007 d		β ⁻ 100
		200	(1-)	-27.27 (5)	48.4 ± 0.3 m		β ⁻ 100
		200m	12-	-26.31 (5)	18.7 ± 0.5 h		β ⁻ 84; IT 16
		201	3/2+	-26.401 (3)	26.0 ± 0.8 m		β ⁻ 100
		202	(1-)	-24.4 (17)	28.4 ± 1.2 s		β ⁻ 100
		203	3/2+	-23.143 (3)	60 ± 6 s		β ⁻ 100
		204	(2-)	-20.75 (20)	39.8 ± 0.9 s		β ⁻ 100
		205	(3/2+)	-18.9 (3)	32.5 ± 1.4 s		β ⁻ 100
		205m	(11/2-)	-18 (3)	6 ± 2 s		IT ; β ⁻
		174	0+	-6.646 (20)	2.1 +1.8-0.7 ms		α 99.6
		175	(7/2-)	-7.97 (7)	10.6 ± 0.4 ms		α 100
		176	0+	-11.778 (12)	20.3 ± 1.4 ms		α 94
		177	(7/2-)	-12.78 (8)	118 ± 8 ms		α 100
		178	0+	-16.311 (12)	266.5 ± 2.4 ms		α ≈ 70.00; ε ≈ 30.00
		179	(7/2-)	-16.92 (3)	1.05 ± 0.03 s		ε ≈ 0.15; α 55; ε 45
		180	0+	-20.251 (13)	2.58 ± 0.01 s		ε 52; α 48
		181	1/2-	-20.661 (15)	3.6 ± 0.1 s		ε 73; α 27; ε 0.01; ε α 9e-06
		182	0+	-23.577 (10)	10.83 ± 0.06 s		ε 84.8; α 15.2
		183	1/2-	-23.806 (7)	9.4 ± 0.7 s		ε 0.00026; ε 88.3; α 11.7
		184	0+	-26.349 (10)	30.87 ± 0.26 s		ε 98.89; α 1.11
		185	1/2-	-26.176 (16)	49.1 ± 1 s		ε 94; α 6
		185m	13/2+	-26.076 (16)	21.6 ± 1.5 s		IT 54; ε 46; α ≈ 0.03
		186	0+	-28.54 (11)	1.38 ± 0.06 m		ε 99.98; α 0.02
		187	3/2(-)	-28.118 (14)	2.4 ± 0.3 m		ε 100; α < 3.7E-4; ε 100; α < 3.7E-4
		188	0+	-30.202 (12)	3.25 ± 0.15 m		ε 100; α 3.7E-05
		189	3/2-	-29.63 (3)	7.6 ± 0.1 m		ε 100; α < 3.0E-5; ε 100; α < 3.0E-5
		190	0+	-31.371 (16)	20.0 ± 0.5 m		α < 3.4E-7; ε 100
		191	3/2(-)	-30.594 (23)	49 ± 10 m		ε 100; α 5e-06; ε 100
		192	0+	-32.012 (16)	4.85 ± 0.2 h		ε 100
		193	3/2(-)	-31.063 (16)	3.80 ± 0.15 h		ε 100
		193m	13/2(+)	-30.922 (16)	11.8 ± 0.2 h		ε 92.8; IT 7.2
		194	0+	-32.193 (13)	444 ± 77 y		ε 100
		195	1/2-	-31 (23)	10.53 ± 0.03 h		ε 100
		195m	13/2+	-30.824 (23)	41.6 ± 0.8 h		ε 45.8; IT 54.2
		196	0+	-31.827 (3)	stable	0.15% ± 0.01%	
		197	1/2-	-30.541 (3)	64.14 ± 0.05 h		ε 100
		197m	13/2+	-30.242 (3)	23.8 ± 0.1 h		IT 91.4; ε 8.6
		198	0+	-30.9548 (5)	stable	9.97% ± 0.2%	
		199	1/2-	-29.5464 (4)	stable	16.87% ± 0.22%	
		199m	13/2+	-29.0139 (4)	42.67 ± 0.09 m		IT 100
		200	0+	-29.5035 (4)	stable	23.1% ± 0.19%	
		201	3/2-	-27.6629 (6)	stable	13.18% ± 0.09%	
		202	0+	-27.3456 (6)	stable	29.86% ± 0.26%	
		203	5/2-	-25.2698 (17)	46.594 ± 0.012 d		β ⁻ 100
		204	0+	-24.6902 (5)	stable	6.87% ± 0.15%	
		205	1/2-	-22.288 (4)	5.14 ± 0.09 m		β ⁻ 100
		205m	13/2+	-20.731 (4)	1.09 ± 0.04 ms		IT 100

Continued on next page

Table 4.1 – Continued from previous page

Nuclide	Decay Mode	T _{1/2}	XR ID	E [keV]	Emission Prob.
65Zn	EC	244.26(26)	CuKa CuKx CuKβ	1332.502(5)	0.99983(6)
				8.03 - 8.05	0.341(6)
				8.03 - 8.91	0.387(6)
				8.91	0.046(1)
75Se	EC	119.64(24)	AsKa AsKx AsKβ	1115.546(4)	0.5060(24)
				10.51 - 10.54	0.493(11)
				10.51 - 11.95	0.568(13)
				11.72 - 11.95	0.075(2)
85Sr	EC	64.849(4)	RbKx RbKa RbKβ	96.7344(10)	0.0341(4)
				121.1171(14)	0.171(1)
				136.0008(6)	0.588(3)
				264.6580(17)	0.590(2)
88Y	EC	106.63(25)	SrKx SrKa SrKβ	279.5431(22)	0.250(1)
				400.6593(13)	0.115(1)
				13.34 - 15.29	0.587(4)
				13.34 - 13.40	0.500(3)
93mNb	IT	5890(50)	NbKx NbKa NbKβ	14.96 - 15.29	0.087(2)
				514.0076(22)	0.984(4)
				14.10 - 16.19	0.616(7)
				14.10 - 14.17	0.522(6)
94Nb	β ⁻	7.3(9) × 106		15.83 - 16.19	0.094(2)
				898.042(4)	0.940(3)
				1836.063(13)	0.9936(3)
95Nb	β ⁻	34.975(7)		16.52 - 19.07	0.1104(35)
				16.52 - 16.62	0.0925(30)
				18.62 - 19.07	0.0179(7)
109Cd	EC	462.6(7)	AgKa AgKx AgKβ	702.645(6)	0.9979(5)
				871.119(4)	0.9986(5)
				21.99 - 22.16	0.821(9)
				21.99 - 25.60	0.994(10)
111In	EC	2.8047(5)	CdKa CdKx CdKβ	24.93 - 25.60	0.173(3)
				88.0341(11)	0.0363(2)
				22.98 - 23.17	0.684(5)
				22.98 - 26.80	0.830(5)
113Sn	EC	115.09(4)	InKx InKa InKβ	26.09 - 26.80	0.146(3)
				171.28(3)	0.9078(10)
				245.35(4)	0.9416(6)
113Sn	EC	115.09(4)	InKx InKa InKβ	24.00 - 28.02	0.968(6)
				24.00 - 24.21	0.796(6)
				27.27 - 28.02	0.172(3)

Continued on next page

Table 4.1 – Continued from previous page

Nuclide	Decay Mode	T _{1/2}	XR ID	E [keV]	Emission Prob.
125Sb	β^-	1007.7(6)		391.702(4)	0.6489(13)
				176.313(1)	0.0685(7)
				380.452(8)	0.01518(16)
				427.875(6)	0.297(3)
				463.365(5)	0.1048(11)
				600.600(4)	0.1773(18)
				606.718(3)	0.0500(5)
125I	EC	59.43(6)	TeKa TeKx TeK β	635.954(5)	0.1121(12)
				27.20 - 27.47	1.135(21)
				27.20 - 31.88	1.390(25)
				30.98 - 31.88	0.255(6)
				35.4919(5)	0.0658(8)
134Cs	β^-	754.28(22)		475.364(3)	0.0149(2)
				563.240(4)	0.0836(3)
				569.328(3)	0.1539(6)
				604.720(3)	0.9763(6)
				795.859(5)	0.854(3)
				801.948(5)	0.0869(3)
				1038.610(7)	0.00990(5)
				1167.968(5)	0.01792(7)
				1365.185(7)	0.03016(11)
137Cs	β^-	1.102(6) $\times$ 10 ⁴	BaKa BaKx BaK β	31.82 - 32.19	0.0566(16)
				31.82 - 37.45	0.0700(20)
				36.36 - 37.45	0.0134(5)
				661.660(3)	0.851(2)
133Ba	EC	3862(15)	CsKa CsKx CsK β	30.63 - 30.97	0.980(14)
				30.63 - 36.01	1.210(16)
				34.97 - 36.01	0.230(5)
				80.998(5)	0.3411(28)
				276.398(1)	0.07147(30)
				302.853(1)	0.1830(6)
				356.017(2)	0.6194(14)
				383.851(3)	0.08905(29)
139Ce	EC	137.64(23)	LaKa LaKx LaK β	33.03 - 33.44	0.643(18)
				33.03 - 38.93	0.797(22)
				37.78 - 38.93	0.154(5)
				165.857(6)	0.7987(6)
152Eu	EC	4933(11)	SmKx (Sm+Gd)Kx SmKa GdKa GdKx SmK β GdK β	39.52 - 46.82	0.740(12)
				39.52 - 50.21	0.748(12)
				39.52 - 40.12	0.591(12)
				42.31 - 43.00	0.00648(22)
				42.31 - 50.21	0.00824(28)
				45.38 - 46.82	0.149(3)
				48.65 - 50.21	0.00176(18)
				121.7824(4)	0.2837(13)

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J π	Δ [MeV]	T _{1/2} , Γ	Abundance	Decay Mode
79	Au	194	0+	-34.7625 (9)	stable	32.86% $\pm$ 0.4%	IT 100
		195	1/2-	-32.7962 (9)	stable	33.78% $\pm$ 0.24%	
		195m	13/2+	-32.5369 (9)	4.010 $\pm$ 0.005 d		
		196	0+	-32.6468 (9)	stable	25.21% $\pm$ 0.34%	β^- 100
		197	1/2-	-30.4219 (9)	19.8915 $\pm$ 0.0019 h		
		197m	13/2+	-30.0223 (9)	95.41 $\pm$ 0.18 m		
		198	0+	-29.9056 (22)	stable	7.36% $\pm$ 0.13%	β^- 100
		199	5/2-	-27.3903 (22)	30.80 $\pm$ 0.21 m		
		199m	(13/2)+	-26.9663 (22)	13.6 $\pm$ 0.4 s		
		200	0+	-26.601 (20)	12.6 $\pm$ 0.3 h		β^- 100
		201	(5/2-)	-23.74 (5)	2.5 $\pm$ 0.1 m		β^- 100
		202	0+	-22.6 (20)	44 $\pm$ 15 h		β^- 100
		203	(1/2-)	-19.7 (3)	10 $\pm$ 3 s		β^- 100
		204	0+	-18.1 (4)	10.3 $\pm$ 1.4 s		β^- 100
		171m	(11/2-)	-7.317 (21)	1.02 $\pm$ 0.1 ms		α 54; p 46
		172	0	-9.37 (8)	22 +6-4 ms		α 100; ϵ ; p ; p < 0.02; ϵ ; α 100
		173	(1/2+)	-12.822 (24)	25 $\pm$ 1 ms		α 94; ϵ ; p
		173m	(11/2-)	-12.608 (24)	14.0 $\pm$ 0.9 ms		α 92; p ; ϵ
		174	0	-14.24 (9)	139 $\pm$ 3 ms		α > 0.00
		177	(1/2+,3/2+)	-21.547 (11)	1.53 $\pm$ 0.07 s		α 40; ϵ
		177m	11/2-	-21.389 (11)	1.00 $\pm$ 0.2 s		α 66; ϵ
		178	0	-22.33 (6)	2.6 $\pm$ 0.5 s		α $\geq$ 40.00; ϵ $\leq$ 60.00
		179	(1/2+,3/2+)	-24.98 (13)	7.1 $\pm$ 0.3 s		ϵ 78; α 22
		180	0	-25.596 (21)	8.1 $\pm$ 0.3 s		ϵ $\leq$ 98.20; α $\geq$ 1.80
		181	(3/2-)	-27.871 (20)	13.7 $\pm$ 1.4 s		ϵ 97.3; α 2.7
		182	(2+)	-28.301 (20)	15.5 $\pm$ 0.4 s		ϵ 99.87; α 0.13
		183	(5/2-)	-30.187 (10)	42.8 $\pm$ 1 s		α 0.55; ϵ 99.45
		184	5+	-30.319 (22)	20.6 $\pm$ 0.9 s		ϵ 100; α $\leq$ 0.02
		184m	2+	-30.25 (22)	47.6 $\pm$ 1.4 s		ϵ 70; IT 30; α $\leq$ 0.02
		185	5/2-	-31.87 (3)	4.25 $\pm$ 0.06 m		ϵ 99.74; α 0.26; ϵ < 100.00; IT
		186	3-	-31.715 (21)	10.7 $\pm$ 0.5 m		α 0.0008; ϵ 100
		187	1/2(+)	-33.01 (3)	8.3 $\pm$ 0.2 m		ϵ 100; α 0.003
		187m	9/2(-)	-32.88 (3)	2.3 $\pm$ 0.1 s		IT 100
		188	1(-)	-32.301 (20)	8.84 $\pm$ 0.06 m		ϵ 100
		189	1/2+	-33.582 (20)	28.7 $\pm$ 0.3 m		ϵ 100; α < 3.0E-5
		189m	11/2-	-33.335 (20)	4.59 $\pm$ 0.11 m		ϵ 100
		190	1-	-32.883 (16)	42.8 $\pm$ 1 m		ϵ 100; α < 1.0E-6; IT 100
		191	3/2+	-33.81 (4)	3.18 $\pm$ 0.08 h		ϵ 100
		191m	(11/2-)	-33.55 (4)	0.92 $\pm$ 0.11 s		IT 100
		192	1-	-32.776 (16)	4.94 $\pm$ 0.09 h		ϵ 100
		192m	(5)+	-32.64 (16)	29 $\pm$ 0 ms		IT 100
		192m2	(11-)	-32.344 (16)	160 $\pm$ 20 ms		IT 100
		193	3/2+	-33.406 (9)	17.65 $\pm$ 0.15 h		ϵ 100
		193m	11/2-	-33.116 (9)	3.9 $\pm$ 0.3 s		IT 99.97; ϵ $\approx$ 0.03
		194	1-	-32.262 (10)	38.02 $\pm$ 0.1 h		ϵ 100
		194m	(5+)	-32.154 (10)	600 $\pm$ 8 ms		IT 100
		194m2	(11-)	-31.786 (10)	420 $\pm$ 10 ms		IT 100
		195	3/2+	-32.5694 (14)	186.098 $\pm$ 0.047 d		ϵ 100
		195m	11/2-	-32.2508 (14)	30.5 $\pm$ 0.2 s		IT 100
		196	2-	-31.14 (3)	6.1669 $\pm$ 6.0E-4 d		ϵ 93; β^- 7
		196m	5+	-31.055 (3)	8.1 $\pm$ 0.2 s		IT 100
		196m2	12-	-30.544 (3)	9.6 $\pm$ 0.1 h		IT 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
78	Pt	190	4-	-36.7555 (20)	11.78 ± 0.1 d		ε 100
		190m	(1-)	-36.7294 (20)	1.120 ± 0.003 h		IT 100
		190m2	(11)-	-36.3791 (20)	3.087 ± 0.012 h		ε 91.4; IT 8.6
		191	3/2+	-36.7107 (19)	stable	37.3% ± 0.2%	
		191m	11/2-	-36.5394 (19)	4.899 ± 0.023 s		IT 100
		191m2	0	-34.664 (19)	5.5 ± 0.7 s		IT 100
		192	4+	-34.8375 (19)	73.829 ± 0.011 d		β ⁻ 95.24; ε 4.76
		192m	1-	-34.7808 (19)	1.45 ± 0.05 m		β ⁻ 0.02; IT 99.98
		192m2	(11-)	-34.6694 (19)	241 ± 9 y		IT 100
		193	3/2+	-34.5382 (19)	stable	62.7% ± 0.2%	
		193m	11/2-	-34.458 (19)	10.53 ± 0.04 d		IT 100
		194	1-	-32.5337 (19)	19.28 ± 0.13 h		β ⁻ 100
		194m	4+	-32.3866 (19)	31.85 ± 0.24 ms		IT 100
		194m2	(10,11)	-32.3437 (19)	171 ± 11 d		β ⁻ 100
		195	3/2+	-31.6942 (19)	2.5 ± 0.2 h		β ⁻ 100
		195m	11/2-	-31.5942 (19)	3.8 ± 0.2 h		β ⁻ 95; IT 5
		196	(0-)	-29.44 (4)	52 ± 1 s		β ⁻ 100
		196m	(10,11-)	-29.03 (4)	1.40 ± 0.02 h		β ⁻ 100; IT < 0.30
		197	3/2+	-28.266 (20)	5.8 ± 0.5 m		β ⁻ 100
		197m	11/2-	-28.151 (20)	8.9 ± 0.3 m		β ⁻ 99.75; IT 0.25
		198	0	-25.82 (20)	8 ± 1 s		β ⁻ 100
		199	0	-24.4 (4)	6 +5-4 s		β ⁻
		202	(1,-2-)	-17 (4)	11 ± 3 s		β ⁻ 100
		168	0+	-11.04 (21)	2.02 ± 0.1 ms		α 100
		169	(7/2-)	-12.36 (20)	7.0 ± 0.2 ms		α 100
		170	0+	-16.304 (19)	13.8 ± 0.5 ms		α 98; ε
		171	(7/2-)	-17.47 (7)	45.5 ± 2.5 ms		α 90; ε 10
		172	0+	-21.103 (11)	97.6 ± 1.3 ms		ε 6; α 94
		173	(5/2-)	-21.94 (6)	382 ± 2 ms		α 100; ε ?
		174	0+	-25.313 (11)	0.889 ± 0.017 s		α 76; ε 24
		175	7/2-	-25.69 (19)	2.53 ± 0.06 s		α 64; ε 36
		176	0+	-28.935 (13)	6.33 ± 0.15 s		ε 60; α 40
		177	5/2-	-29.371 (15)	10.6 ± 0.4 s		α 5.7; ε 94.3
		178	0+	-31.999 (11)	20.7 ± 0.7 s		ε 92.3; α 7.7
		179	1/2-	-32.27 (8)	21.2 ± 0.4 s		ε 99.76; α 0.24
		180	0+	-34.436 (11)	56 ± 2 s		ε 100; α ≈ 0.30
		181	1/2-	-34.375 (15)	52.0 ± 2.2 s		ε 100; α ≈ 0.08
		182	0+	-36.17 (16)	2.67 ± 0.12 m		ε 99.96; α 0.04
		183	1/2-	-35.773 (16)	6.5 ± 1 m		ε 100; α ≈ 1.3E-3
		183m	(7/2)-	-35.738 (16)	43 ± 5 s		ε 100; α < 4.0E-4; IT
		184	0+	-37.332 (18)	17.3 ± 0.2 m		ε 100; α ≈ 1.0E-3
		184m	8-	-35.492 (18)	1.01 ± 0.05 ms		IT 100
		185	9/2+	-36.68 (4)	70.9 ± 2.4 m		ε < 100.00
		185m	1/2-	-36.58 (4)	33.0 ± 0.8 m		ε 99; IT < 2.00
		186	0+	-37.864 (22)	2.08 ± 0.05 h		ε 100; α ≈ 1.4E-4
		187	3/2-	-36.71 (3)	2.35 ± 0.03 h		ε 100
		188	0+	-37.829 (6)	10.2 ± 0.3 d		ε 100; α 2.6e-05
		189	3/2-	-36.485 (11)	10.87 ± 0.12 h		ε 100
		190	0+	-37.325 (6)	6.5E+11 ± 0.3E+11 y	0.012% ± 0.002%	α 100
		191	3/2-	-35.701 (5)	2.83 ± 0.02 d		ε 100
		192	0+	-36.292 (3)	stable	0.782% ± 0.024%	
		193	1/2-	-34.4816 (20)	50 ± 6 y		ε 100
		193m	13/2+	-34.3318 (20)	4.33 ± 0.03 d		IT 100

Continued on next page

Table 4.1 – Continued from previous page

Nuclide	Decay Mode	T _{1/2}	XR ID	E [keV]	Emission Prob.
154Eu	β ⁻	3136.8(29)	GdKx GdKa GdKβ	244.6989(10)	0.0753(4)
				344.2811(19)	0.2657(11)
				411.126(3)	0.02238(10)
				443.965(4)	0.03125(14)
				778.903(6)	0.1297(6)
				867.390(6)	0.04214(25)
				964.055(4)	0.1463(6)
				1085.842(4)	0.1013(5)
				1089.767(14)	0.01731(9)
				1112.087(6)	0.1354(6)
				1212.970(13)	0.01412(8)
				1299.152(9)	0.01626(11)
				1408.022(4)	0.2085(9)
				42.31 - 50.21	0.256(6)
				42.31 - 43.00	0.205(6)
155Eu	β ⁻	1770(50)	GdKx GdKa GdKβ	48.65 - 50.21	0.051(2)
				123.071(1)	0.412(5)
				247.930(1)	0.0695(9)
				591.762(5)	0.0499(6)
				692.425(4)	0.0180(3)
				723.305(5)	0.202(2)
				756.804(5)	0.0458(6)
				873.190(5)	0.1224(15)
				996.262(6)	0.1048(13)
				1004.725(7)	0.182(2)
198Au	β ⁻	2.6943(8)	HgKx HgKa HgKβ	1274.436(6)	0.350(4)
				1494.048(9)	0.0071(2)
				1596.495(18)	0.0181(2)
				68.89 - 82.78	0.0280(10)
				68.89 - 70.82	0.0219(8)
204Hg	β ⁻	46.595(13)	TlLx TlKa2 TlKx TlKa1 TlKβ'1 TlKβ'2	80.12 - 82.78	0.0061(3)
				411.8044(11)	0.9557(47)
				8.95 - 14.40	0.060(12)
				70.83 0.038(2)	
				70.83 - 85.19	0.130(4)
				72.87 0.064(2)	
				82.43 0.022(1)	
207Bi	EC	1.16(7) × 104	PbLx PbKx PbKa2 PbKa1 PbKβ'1 PbKβ'2	85.19 0.0063(3)	
				279.1967(12)	0.8148(8)
				9.19 - 14.91	0.325(13)
				72.80 - 87.63	0.777(26)
				72.8	0.226(12)
				74.97	0.382(20)
				84.79	0.130(10)
				87.63	0.039(3)
				569.702(2)	0.9774(3)
				1063.662(4)	0.745(2)

Continued on next page

Table 4.1 – Continued from previous page

Nuclide	Decay Mode	T _{1/2}	XR ID	E [keV]	Emission Prob.
228Th	α	698.2(6)		1770.237(9)	0.0687(4)
				84.373(3)	0.0122(2)
				238.632(2) *	0.435(4)
				240.987(6) *	0.0410(5)
				277.358(10) *	0.0230(3)
				300.094(10) *	0.0325(3)
				510.77(10) *	0.0818(10)
				583.191(2) *	0.306(2)
				727.330(9) *	0.0669(9)
				860.564(5) *	0.0450(4)
				1620.735(10) *	0.0149(5)
				2614.533(13) *	0.3586(6)
				* Indicates daughter in equilibrium with the parent radionuclide	
239Np	β^-	2.35(4)		106.123(2)	0.267(4)
				228.183(1)	0.1112(15)
				277.599(2)	0.1431(20)
241Am	α	$1.5785(24) \times 10^5$	NpLl NpLa NpL β' NpLh	11.871	0.0085(3)
				13.927	0.132(4)
				17.611	0.194(6)
				-20.997	0.049(2)
				26.345(1)	0.024(1)
				59.537(1)	0.360(4)
243Am	α	$2.69(8) \times 10^6$		43.53(1)	0.0594(11)
				74.66(1)	0.674(10)

Table 8.1 – Continued from previous page

Z	El	A	J π	Δ [MeV]	T _{1/2} , Γ	Abundance	Decay Mode
77	Ir	188	0+	-41.1392 (15)	stable	13.24% $\pm$ 0.08%	
		189	3/2-	-38.9883 (16)	stable	16.15% $\pm$ 0.05%	
		189m	9/2-	-38.9575 (16)	5.81 $\pm$ 0.06 h		IT 100
		190	0+	-38.7093 (16)	stable	26.26% $\pm$ 0.02%	
		190m	(10)-	-37.0039 (16)	9.9 $\pm$ 0.1 m		IT 100
		191	9/2-	-36.3967 (16)	15.4 $\pm$ 0.1 d		β^- 100
		191m	3/2-	-36.3223 (16)	13.10 $\pm$ 0.05 h		IT 100
		192	0+	-35.884 (3)	stable	40.78% $\pm$ 0.19%	
		192m	(10)-	-33.868 (3)	5.9 $\pm$ 0.1 s		IT > 87.00; β^- < 13.00
		193	3/2-	-33.396 (3)	30.11 $\pm$ 0.01 h		β^- 100
		194	0+	-32.437 (3)	6.0 $\pm$ 0.2 y		β^- 100
		195	0	-29.7 (5)	$\approx$ 9 m		β^-
		196	0+	-28.28 (4)	34.9 $\pm$ 0.2 m		β^- 100
		197	0	-25.31 (20)	2.8 $\pm$ 0.6 m		β^- 100
		199	0	-20.5 (4)	5 +4-2 s		β^- 100
		200	0+	-18.9 (5)	6 +4-3 s		β^- 100
		166	(2-)	-13.2 (20)	10.5 $\pm$ 2.2 ms		α 93; p 7
		166m	(9+)	-13.03 (20)	15.1 $\pm$ 0.9 ms		α 98.2; p 1.8
		167	1/2+	-17.078 (19)	35.2 $\pm$ 2 ms		p 32; ϵ 20; α 48
		167m	11/2-	-16.903 (19)	25.7 $\pm$ 0.8 ms		α 80; ϵ 20; p 0.4
		168	0	-18.72 (7)	222 +60-40 ms		$\alpha \leq 100.00$; ϵ ; p; α 77; $\epsilon \leq 23.00$; p
		169	(1/2+)	-22.083 (24)	0.353 $\pm$ 0.004 s		α 45; ϵ ; p
		169m	(11/2-)	-21.93 (24)	0.281 $\pm$ 0.004 s		α 72; ϵ ; p
		170	(3-)	-23.36 (9)	0.87 +0.18-0.12 s		ϵ 94.8; α 5.2; α 38; IT ≤ 62.00 ; $\epsilon \leq 62.00$
		171	(1/2+)	-26.43 (4)	3.2 +1.3-0.7 s		$\alpha > 0.00$; p; ϵ ; α 58; p ≤ 42.00 ; $\epsilon \leq 42.00$
		172	(3+)	-27.38 (3)	4.4 $\pm$ 0.3 s		ϵ 98; $\alpha \approx 2.00$
		172m	(7+)	-27.24 (3)	2.0 $\pm$ 0.1 s		ϵ 77; α 23
		173	(3/2+, 5/2+)	-30.27 (12)	9.0 $\pm$ 0.8 s		$\epsilon > 93.00$; $\alpha < 7.00$
		173m	(11/2-)	-30.044 (12)	2.4 $\pm$ 0.9 s		ϵ ; α 7
		174	(3+)	-30.87 (3)	7.9 $\pm$ 0.6 s		ϵ 99.5; α 0.5
		174m	(7+)	-30.68 (3)	4.9 $\pm$ 0.3 s		ϵ 97.5; α 2.5
		175	(5/2-)	-33.386 (13)	9 $\pm$ 2 s		ϵ 99.15; α 0.85
		176	0	-33.861 (20)	8.7 $\pm$ 0.5 s		α 3.1; ϵ 96.9
		177	5/2-	-36.047 (20)	30 $\pm$ 2 s		ϵ 99.94; α 0.06
		178	0	-36.252 (20)	12 $\pm$ 2 s		ϵ 100
		179	(5/2-)	-38.077 (11)	79 $\pm$ 1 s		ϵ 100
		180	(4,5)	-37.977 (22)	1.5 $\pm$ 0.1 m		ϵ 100
		181	5/2-	-39.47 (3)	4.90 $\pm$ 0.15 m		ϵ 100
		182	3+	-39.052 (21)	15 $\pm$ 1 m		ϵ 100
		183	5/2-	-40.2 (3)	57 $\pm$ 4 m		ϵ 100
		184	5-	-39.61 (3)	3.09 $\pm$ 0.03 h		ϵ 100
		185	5/2-	-40.34 (3)	14.4 $\pm$ 0.1 h		ϵ 100
		186	5+	-39.173 (17)	16.64 $\pm$ 0.03 h		ϵ 100; $\epsilon \approx 75.00$; IT ≈ 25.00
		187	3/2+	-39.532 (6)	10.5 $\pm$ 0.3 h		ϵ 100
		187m	9/2-	-39.346 (6)	30.3 $\pm$ 0.6 ms		IT 100
		188	1-	-38.351 (10)	41.5 $\pm$ 0.5 h		ϵ 100
		188m	0	-37.428 (10)	4.2 $\pm$ 0.2 ms		ϵ ?; IT
		189	3/2+	-38.457 (13)	13.2 $\pm$ 0.1 d		ϵ 100
		189m	11/2-	-38.084 (13)	13.3 $\pm$ 0.3 ms		IT 100
		189m2	(25/2)+	-36.123 (13)	3.7 $\pm$ 0.2 ms		IT 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
76	Os	176	(3+)	-45.06 (3)	5.3 ± 0.3 m		ε 100
		177	5/2-	-46.27 (3)	14 ± 1 m		ε 100
		178	(3+)	-45.65 (3)	13.2 ± 0.2 m		ε 100
		179	5/2+	-46.585 (24)	19.5 ± 0.1 m		ε 100
		180	(1)-	-45.837 (21)	2.44 ± 0.06 m		ε 100
		181	5/2+	-46.523 (13)	19.9 ± 0.7 h		ε 100
		182	7+	-45.45 (10)	64.0 ± 0.5 h		ε 100; ε 100
		183	5/2+	-45.811 (8)	70.0 ± 1.4 d		ε 100
		183m	(25/2)+	-43.903 (8)	1.04 ± 0.04 ms		IT 100
		184	3(-)	-44.225 (4)	35.4 ± 0.7 d		ε 100
		184m	8(+)	-44.037 (4)	169 ± 8 d		IT 74.5; ε 25.5
		185	5/2+	-43.8225 (12)	stable	37.4% ± 0.02%	
		186	1-	-41.9306 (12)	3.7186 ± 5.0E-4 d		ε 7.47; β ⁻ 92.53
		186m	(8+)	-41.7816 (12)	2.0E+5 ± 0 y		IT 100
		187	5/2+	-41.2184 (15)	4.33E+10 ± 0.07E+10 y	62.6% ± 0.02%	β ⁻ 100; α < 1.0E-4
		188	1-	-39.0189 (15)	17.003 ± 0.003 h		β ⁻ 100
		188m	(6)-	-38.8468 (15)	18.59 ± 0.04 m		IT 100
		189	5/2+	-37.981 (8)	24.3 ± 0.4 h		β ⁻ 100
		190	(2)-	-35.57 (15)	3.1 ± 0.3 m		β ⁻ 100
		190m	(6-)	-35.36 (15)	3.2 ± 0.2 h		β ⁻ 54.4; IT 45.6
		191	(3/2+, 1/2+)	-34.352 (10)	9.8 ± 0.5 m		β ⁻ 100
		192	0	-31.77 (20)	16 ± 1 s		β ⁻ 100
		194	0	-27.4 (3)	5 ± 1 s		β ⁻ 100; β ⁻ 100; β ⁻ 100
		195	0	-25.6 (4)	6 ± 1 s		β ⁻
		196	0	-22.5 (5)	3 +1-2 s		β ⁻ 100
		162	0+	-14.5 (5)	2.1 ± 0.1 ms		α ≈ 99.00
		163	(7/2-)	-16.1 (4)	5.5 ± 0.6 ms		α 100; ε
		164	0+	-20.46 (21)	21 ± 1 ms		α 98; ε 2
		165	(7/2-)	-21.65 (20)	71 ± 3 ms		α > 60.00; ε < 40.00
		166	0+	-25.437 (18)	199 ± 3 ms		α 72; ε 18
		167	(7/2-)	-26.5 (7)	0.81 ± 0.06 s		α 57; ε 43
		168	0+	-29.992 (10)	2.1 ± 0.1 s		ε 43; ε 57
		169	(5/2-)	-30.72 (3)	3.43 ± 0.14 s		ε 86.3; α 13.7
		170	0+	-33.921 (11)	7.37 ± 0.18 s		ε 90.5; α 9.5
		171	(5/2-)	-34.293 (19)	8.3 ± 0.2 s		ε 98.2; α 1.8
		172	0+	-37.245 (13)	19.2 ± 0.9 s		ε 99.8; α 0.2
		173	(5/2-)	-37.438 (15)	22.4 ± 0.9 s		ε ; α 0.4
		174	0+	-39.997 (11)	44 ± 4 s		ε 99.98; α 0.02
		175	(5/2-)	-40.111 (13)	1.4 ± 0.1 m		ε 100
		176	0+	-42.1 (3)	3.6 ± 0.5 m		ε 100
		177	1/2-	-41.949 (16)	3.0 ± 0.2 m		ε 100
		178	0+	-43.547 (16)	5.0 ± 0.4 m		ε 100; α
		179	1/2-	-43.02 (18)	6.5 ± 0.3 m		ε 100
		180	0+	-44.355 (20)	21.5 ± 0.4 m		ε 100
		181	1/2-	-43.55 (3)	105 ± 3 m		ε 100
		181m	7/2-	-43.5 (3)	2.7 ± 0.1 m		ε 100; IT ≤ 3.00
		182	0+	-44.609 (22)	21.84 ± 0.2 h		ε 100
		183	9/2+	-43.66 (5)	13.0 ± 0.5 h		ε 100
		183m	1/2-	-43.49 (5)	9.9 ± 0.3 h		ε 85; IT 15
		184	0+	-44.2566 (13)	> 5.6E13 y	0.02% ± 0.01%	α
		185	1/2-	-42.8098 (13)	93.6 ± 0.5 d		ε 100
		186	0+	-43.0023 (15)	2.0E+15 ± 1.1E+15 y	1.59% ± 0.03%	α 100
		187	1/2-	-41.2209 (15)	stable	1.96% ± 0.02%	


Continued on next page

Chapter 5

Beta decay


Source: Meyerhof, W. Elements of Nuclear Physics. McGraw-Hill, 1967.

5.1 Energetics of beta decay




	β ⁻ decay
	$(A, Z) \rightarrow (A, Z+1) + \beta^- + \bar{\nu}$
Atomic mass (Mass Excess Δ)	$M_A(A, Z) = M_A(A, Z+1) + m_e + Q - m_e$ $Q = \Delta(A, Z) - \Delta(A, Z+1)$

* * *



	β ⁺ decay
	$(A, Z) \rightarrow (A, Z-1) + \beta^+ + \nu$
Atomic mass (Mass Excess Δ)	$M_A(A, Z) = M_A(A, Z-1) + m_e + Q + m_e$ $Q = \Delta(A, Z) - \Delta(A, Z-1) - 2m_e$

* * *



	EC decay
	$(A, Z) + e^- \rightarrow (A, Z-1) + \nu$
Atomic mass (Mass Excess Δ)	$M_A(A, Z) + m_e = M_A(A, Z-1) + Q + m_e$ $Q = \Delta(A, Z) - \Delta(A, Z-1)$

Table 8.1 – Continued from previous page

Z	El	A	J π	Δ [MeV]	T $_{1/2}$, Γ	Abundance	Decay Mode
75	Re	163	7/2-	-34.91 (5)	2.67 $\pm$ 0.1 s		ϵ 86; α 14
		164	0+	-38.235 (10)	6.3 $\pm$ 0.2 s		ϵ 96.2; α 3.8
		165	(5/2-)	-38.861 (25)	5.1 $\pm$ 0.5 s		ϵ 100; α < 0.20
		166	0+	-41.886 (10)	19.2 $\pm$ 0.6 s		ϵ 99.96; α 0.04
		167	(+)	-42.089 (19)	19.9 $\pm$ 0.5 s		ϵ 99.96; α 0.04
		168	0+	-44.897 (15)	50.9 $\pm$ 1.9 s		ϵ 100; α 0.0032
		169	(5/2-)	-44.918 (15)	74 $\pm$ 6 s		ϵ 100
		170	0+	-47.294 (15)	2.42 $\pm$ 0.04 m		ϵ 100
		171	(5/2-)	-47.09 (3)	2.38 $\pm$ 0.04 m		ϵ 100
		172	0+	-49.1 (3)	6.6 $\pm$ 0.9 m		ϵ 100
		173	5/2-	-48.73 (3)	7.6 $\pm$ 0.2 m		ϵ 100
		174	0+	-50.23 (3)	33.2 $\pm$ 2.1 m		ϵ 100
		175	(1/2-)	-49.63 (3)	35.2 $\pm$ 0.6 m		ϵ 100
		176	0+	-50.64 (3)	2.5 $\pm$ 0.1 h		ϵ 100
		177	1/2-	-49.7 (3)	132 $\pm$ 2 m		ϵ 100
		178	0+	-50.411 (15)	21.6 $\pm$ 0.3 d		ϵ 100
		179	7/2-	-49.296 (15)	37.05 $\pm$ 0.16 m		ϵ 100
		179m	1/2-	-49.074 (15)	6.40 $\pm$ 0.07 m		IT 99.71; ϵ 0.29
		180	0+	-49.6365 (24)	$\geq$ 6.6E+17 y	0.12% $\pm$ 0.01%	2 ϵ 100
		181	9/2+	-48.253 (5)	121.2 $\pm$ 0.2 d		ϵ 100
		182	0+	-48.2475 (8)	stable	26.5% $\pm$ 0.16%	
		183	1/2-	-46.3671 (8)	> 1.3E+19 y	14.31% $\pm$ 0.04%	α
		183m	11/2+	-46.0576 (8)	5.2 $\pm$ 0.3 s		IT 100
		184	0+	-45.7075 (9)	stable	30.64% $\pm$ 0.02%	
		185	3/2-	-43.3899 (9)	75.1 $\pm$ 0.3 d		β^- 100
		185m	11/2+	-43.1925 (9)	1.67 $\pm$ 0.03 m		IT 100
		186	0+	-42.5109 (15)	> 2.3E+19 y	28.43% $\pm$ 0.19%	2 β^-
		186m	(16+)	-38.9681 (15)	> 3 ms		IT
		187	3/2-	-39.9061 (15)	24.000 $\pm$ 0.004 h		β^- 100
		188	0+	-38.67 (3)	69.78 $\pm$ 0.05 d		β^- 100
		189	(3/2-)	-35.48 (20)	10.7 $\pm$ 0.5 m		β^- 100
		190	0+	-34.3 (16)	30.0 $\pm$ 1.5 m		β^- 100
		190m	(10-)	-31.92 (16)	$\leq$ 3.1 ms		IT 100
		161m	11/2-	-20.75 (21)	14.7 $\pm$ 0.3 ms		α 93; p 7
		162	(2-)	-22.35 (20)	107 $\pm$ 13 ms		α 94; ϵ 6
		162m	(9+)	-22.18 (20)	77 $\pm$ 9 ms		α 91; ϵ 9
		163	1/2+	-26.008 (19)	390 $\pm$ 72 ms		ϵ 68; α 32
		163m	11/2-	-25.893 (19)	214 $\pm$ 5 ms		α 66; ϵ 34
		164	0	-27.52 (7)	0.85 $\pm$ 0.14-0.11 s		$\alpha \approx$ 58.00; $\epsilon \approx$ 42.00
		164m	0	-27.45 (7)	0.86 $\pm$ 0.15-0.11 s		IT ; $\alpha \approx$ 3.00
		165	(1/2+)	-30.649 (25)	$\approx$ 1 s		α ; ϵ
		165m	(11/2-)	-30.601 (25)	2.1 $\pm$ 0.3 s		ϵ 87; α 13
		166	0	-31.89 (7)	2.25 $\pm$ 0.21 s		ϵ > 76.00; α < 24.00
		167	(9/2-)	-34.84 (5)	5.9 $\pm$ 0.3 s		$\alpha \approx$ 1.00; $\epsilon \approx$ 99.00; α 100
		168	(7+)	-35.79 (3)	4.4 $\pm$ 0.1 s		ϵ 100; $\alpha \approx$ 5.0E-3
		169	(9/2-)	-38.41 (11)	8.1 $\pm$ 0.5 s		ϵ 100; α < 0.01; ϵ ; IT ; $\alpha \approx$ 0.20
		170	(5+)	-38.92 (3)	9.2 $\pm$ 0.2 s		ϵ 100
		171	(9/2-)	-41.25 (3)	15.2 $\pm$ 0.4 s		ϵ 100
		172	(2)	-41.52 (5)	55 $\pm$ 5 s		ϵ 100; ϵ 100
		173	(5/2-)	-43.55 (3)	1.98 $\pm$ 0.26 m		ϵ 100
		174	(LE 4)	-43.67 (3)	2.40 $\pm$ 0.04 m		ϵ 100
		175	(5/2-)	-45.29 (3)	5.89 $\pm$ 0.05 m		ϵ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
		157	1/2+	-29.63 (21)	10.1 ± 0.4 ms		α 96.6; p 3.4
		157m	11/2-	-29.61 (21)	4.3 ± 0.1 ms		α 100
		157m2	(25/2-)	-28.04 (21)	1.7 ± 0.1 ms		α 100
		158	(2-)	-31.02 (20)	55 ± 15 ms		α ≈ 91.00; ε ≈ 9.00
		158m	(9+)	-30.88 (20)	36.7 ± 1.5 ms		α 95; ε 5
		159	1/2+	-34.445 (20)	0.83 ± 0.18 s		ε 66; α 34
		159m	11/2-	-34.381 (20)	0.56 ± 0.06 s		α 55; ε 45
		160	0	-35.87 (7)	1.55 ± 0.04 s		ε 66; α 34;
		162	0	-39.78 (5)	3.57 ± 0.12 s		ε 99.93; α 0.07
		163	0	-42.54 (4)	10.6 ± 1.8 s		ε ≈ 99.80; α ≈ 0.20
		164	(3+)	-43.28 (3)	14.2 ± 0.3 s		ε 100
		165	0	-45.854 (16)	31.0 ± 1.5 s		ε 100
		166	(2)+	-46.1 (3)	34.4 ± 0.5 s		ε 100
		167	(3/2+)	-48.35 (3)	80 ± 4 s		ε 100
		168	(2-,3+)	-48.39 (3)	2.0 ± 0.1 m		ε 100
		169	(5/2+)	-50.29 (3)	4.9 ± 0.4 m		ε 100
		170	(3+)	-50.14 (3)	6.76 ± 0.06 m		ε 100
		171	(5/2-)	-51.72 (3)	23.3 ± 0.3 m		ε 100
		172	(3+)	-51.33 (3)	36.8 ± 0.3 m		ε 100
		173	5/2-	-52.4 (3)	3.14 ± 0.13 h		ε 100
		174	3+	-51.74 (3)	1.14 ± 0.08 h		ε 100
		175	7/2+	-52.41 (3)	10.5 ± 0.2 h		ε 100
		176	(1)-	-51.37 (3)	8.09 ± 0.05 h		ε 100
		177	7/2+	-51.719 (4)	56.56 ± 0.06 h		ε 100
		178	(1+)	-50.503 (15)	9.31 ± 0.03 m		ε 100; ε 100
		178m	15-	-49.035 (15)	58 ± 4 ms		IT 100
		178m2	(21-)	-47.6 (15)	290 ± 12 ms		IT 100
		179	7/2+	-50.3617 (21)	1.82 ± 0.03 y		ε 100
		179m	(25/2+)	-49.0445 (21)	9.0 ± 0.2 ms		IT 100
		179m2	(37/2+)	-47.7222 (21)	54.1 ± 1.7 ms		IT 100
		180	1+	-48.9365 (23)	8.154 ± 0.006 h		ε 86; β ⁻ 14
		180m	9-	-48.8594 (23)	> 1.2E+15 y	0.01201% ± 0.00032%	ε ?; β ⁻ ?
		181	7/2+	-48.4419 (19)	stable	99.98799% ± 0.00032%	
		182	3-	-46.4335 (19)	114.74 ± 0.12 d		β ⁻ 100
		182m	5+	-46.4172 (19)	283 ± 3 ms		IT 100
		182m2	10-	-45.9139 (19)	15.84 ± 0.1 m		IT 100
		183	7/2+	-45.2964 (19)	5.1 ± 0.1 d		β ⁻ 100
		184	(5-)	-42.84 (3)	8.7 ± 0.1 h		β ⁻ 100
		185	(7/2+)	-41.396 (14)	49.4 ± 1.5 m		β ⁻ 100
		185m	(21/2)	-40.138 (14)	> 1 ms		
		186	(2-,3-)	-38.61 (6)	10.5 ± 0.3 m		β ⁻ 100; β ⁻ 100
		187	(7/2+)	-36.77 (20)	2.3 ± 0.6 m		β ⁻ 100
		187m	(27/2-)	-34.98 (20)	22 ± 9 s		β ⁻ ?; IT ?
		187m2	(41/2+)	-33.83 (20)	> 5 m		β ⁻ ?; IT ?
		188	0	-33.66 (20)	19.6 ± 2 s		β ⁻
		190	0	-28.7 (4)	5.3 ± 0.7 s		β ⁻ 100
		192	(1,2)	-23.1 (6)	2.2 ± 0.7 s		β ⁻ 100
74	W	157	(7/2-)	-19.3 (5)	275 ± 40 ms		ε
		158	0+	-23.7 (5)	1.25 ± 0.21 ms		α 100
		159	0	-25.2 (4)	7.3 ± 2.7 ms		α ≈ 99.90; ε ≈ 0.10
		160	0+	-29.36 (21)	91 ± 5 ms		α 87
		161	0	-30.41 (20)	409 ± 18 ms		α 73; ε 27
		162	0+	-34.001 (18)	1.36 ± 0.07 s		ε 54.8; α 45.2

Continued on next page

Chapter 6

CSDA Range for protons

In the following figures range of protons in Carbon, Aluminum, Iron, Copper, Tin, Lead and Uranium. The range was computed using the *continuous slowing down approximation* (CSDA) which constitutes an upper bound of the real range.

The range for a different heavy charged particle i in the same materials can be approximated as:

$$R_i \simeq \frac{M_i}{z_i^2 M_p} R_{p^+} \bigg|_{E_{p^+} = \frac{M_p}{M} E_i} \quad (6.1)$$

Sources:

NIST PSTAR Database (<http://physics.nist.gov/PhysRefData/Star/Text/PSTAR.html>)


Figure 6.1: Mass attenuation (μ/ρ) and mass energy absorption coefficients (μ_{en}/ρ) for Nitrogen, $Z = 7$.

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
72	Hf	179m	1/2+	-48.467 (5)	3.1 ± 0.9 ms		IT 100
		180	5+	-46.68 (7)	5.7 ± 0.1 m		β ⁻ 100
		181	(7/2+)	-44.7 (3)	3.5 ± 0.3 m		β ⁻ 100
		182	0	-41.88 (20)	2.0 ± 0.2 m		β ⁻ 100
		183	(7/2+)	-39.5 (3)	58 ± 4 s		β ⁻ 100
		184	(3+)	-36.4 (4)	19 ± 2 s		β ⁻ 100
		154	0+	-32.7 (5)	2 ± 1 s		ε 100; α ?
		155	0	-34.1 (4)	0.84 ± 0.03 s		ε 100
		156	0+	-37.85 (21)	23 ± 1 ms		α 100
		157	7/2-	-38.75 (20)	110 ± 6 ms		α 86; ε 14
		158	0+	-42.103 (17)	2.85 ± 0.07 s		ε 55.7; α 44.3
		159	7/2-	-42.853 (17)	5.6 ± 0.4 s		α 35; ε 65
		160	0+	-45.938 (9)	13.6 ± 0.2 s		ε 99.3; α 0.7
		161	0	-46.316 (23)	18.2 ± 0.5 s		ε > 99.87; α < 0.13
		162	0+	-49.167 (9)	39.4 ± 0.9 s		ε 99.99; α 0.008
		163	0	-49.29 (3)	40.0 ± 0.6 s		ε 100; α < 1.0E-4
		164	0+	-51.829 (19)	111 ± 8 s		ε 100
		165	(5/2-)	-51.64 (3)	76 ± 4 s		ε 100
		166	0+	-53.86 (3)	6.77 ± 0.3 m		ε 100
		167	(5/2-)	-53.47 (3)	2.05 ± 0.05 m		ε 100
		168	0+	-55.36 (3)	25.95 ± 0.2 m		ε 100
		169	5/2-	-54.72 (3)	3.24 ± 0.04 m		ε 100
		170	0+	-56.25 (3)	16.01 ± 0.13 h		ε 100
		171	7/2+	-55.43 (3)	12.1 ± 0.4 h		ε 100
		171m	1/2-	-55.41 (3)	29.5 ± 0.9 s		IT ≤ 100.00; ε
		172	0+	-56.403 (24)	1.87 ± 0.03 y		ε 100
		173	1/2-	-55.41 (3)	23.6 ± 0.1 h		ε 100
		174	0+	-55.845 (3)	2.0E+15 ± 0.4E+15 y	0.16% ± 0.01%	α 100
		175	5/2(-)	-54.483 (3)	70 ± 2 d		ε 100
		176	0+	-54.5769 (21)	stable	5.26% ± 0.07%	
		177	7/2-	-52.885 (21)	stable	18.6% ± 0.09%	
		177m	23/2+	-51.5695 (21)	1.09 ± 0.05 s		IT 100
		177m2	37/2-	-50.145 (21)	51.4 ± 0.5 m		IT 100
		178	0+	-52.4396 (21)	stable	27.28% ± 0.07%	
		178m	8-	-51.2922 (21)	4.0 ± 0.2 s		IT 100
		178m2	16+	-49.9935 (21)	31 ± 1 y		IT 100
		179	9/2+	-50.4673 (21)	stable	13.62% ± 0.02%	
		179m	1/2-	-50.0923 (21)	18.67 ± 0.04 s		IT 100
		179m2	25/2-	-49.3616 (21)	25.05 ± 0.25 d		IT 100
		180	0+	-49.7838 (21)	stable	35.08% ± 0.16%	
		180m	8-	-48.6423 (21)	5.47 ± 0.04 h		IT 99.7; β ⁻ 0.3
		181	1/2-	-47.4072 (21)	42.39 ± 0.06 d		β ⁻ 100
		181m	(25/2-)	-45.6653 (21)	1.5 ± 0.5 ms		IT 100
		182	0+	-46.054 (6)	8.90E+6 ± 0.09E+6 y		β ⁻ 100
		182m	(8-)	-44.881 (6)	61.5 ± 1.5 m		β ⁻ 54; IT 46
		183	(3/2-)	-43.29 (3)	1.018 ± 0.002 h		β ⁻ 100
		184	0+	-41.5 (4)	4.12 ± 0.05 h		β ⁻ 100
		184m	(8-)	-40.23 (4)	48 ± 10 s		IT 100
		185	0	-38.36 (20)	3.5 ± 0.6 m		β ⁻ 100
		186	0+	-36.4 (3)	2.6 ± 1.2 m		β ⁻ 100
73	Ta	155	11/2-	-24 (5)	2.9 ± 1.5-1.1 ms		p 100
		156	(2-)	-25.8 (4)	144 ± 24 ms		p 100; ε
		156m	9+	-25.7 (4)	0.36 ± 0.04 s		ε 95.8; p 4.2

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
71	Lu	176	0+	-53.4885 (23)	stable	12.996% ± 0.083%	IT 100
		176m	8-	-52.4387 (23)	11.4 ± 0.3 s		β ⁻ 100
		177	(9/2+)	-50.9836 (23)	1.911 ± 0.003 h		IT 100
		177m	(1/2-)	-50.6521 (23)	6.41 ± 0.02 s		β ⁻ 100
		178	0+	-49.693 (10)	74 ± 3 m		β ⁻ 100
		179	(1/2-)	-46.4 (3)	8.0 ± 0.4 m		β ⁻ 100
		180	0+	-44.4 (4)	2.4 ± 0.5 m		β ⁻ 100
		150	(2+)	-24.6 (5)	45 ± 3 ms	p 70.9; ε 29.1	
		151	11/2-	-30.1 (4)	80.6 ± 2 ms	p 63.4; ε 36.6	
		152	(4-,5-,6-)	-33.42 (20)	0.7 ± 0.1 s	ε 100; ε _p 15	
		153	11/2-	-38.41 (21)	0.9 ± 0.2 s	α ≈ 70.00; ε ≈ 30.00	
		155	11/2-	-42.55 (20)	68 ± 1 ms	α 90; ε 10	
		155m	1/2+	-42.53 (20)	138 ± 8 ms	α 76; ε 24	
		155m2	(25/2-)	-40.769 (20)	2.69 ± 0.03 ms	α 100	
		156	(2-)	-43.75 (7)	494 ± 12 ms	α ≈ 95.00; ε ≈ 5.00; α 100	
		157	(1/2+,3/2+)	-46.459 (15)	6.8 ± 1.8 s	α > 0.00	
		157m	(11/2-)	-46.433 (15)	4.79 ± 0.12 s	ε 94; α 6	
		158	0	-47.213 (15)	10.6 ± 0.3 s	ε 99.09; α 0.91	
		159	0	-49.71 (4)	12.1 ± 1 s	ε 100; α 0.1	
		160	0	-50.27 (6)	36.1 ± 0.3 s	ε 100; α ≤ 1.0E-4; ε ≤ 100.00; α	
		161	1/2+	-52.56 (3)	77 ± 2 s	ε 100	
		161m	(9/2-)	-52.4 (3)	7.3 ± 0.4 ms	IT	
		162	1-	-52.84 (8)	1.37 ± 0.02 m	ε ≤ 100.00; ε ≤ 100.00; ε ≤ 100.00	
		163	1/2(+)	-54.79 (3)	3.97 ± 0.13 m	ε 100	
		164	1(-)	-54.64 (3)	3.14 ± 0.03 m	ε 100	
		165	1/2+	-56.44 (3)	10.74 ± 0.1 m	ε 100	
		166	6-	-56.02 (3)	2.65 ± 0.1 m	ε 100	
		166m	3(-)	-55.99 (3)	1.41 ± 0.1 m	ε 58; IT 42	
		166m2	0-	-55.98 (3)	2.12 ± 0.1 m	ε > 80.00; IT < 20.00	
		167	7/2+	-57.5 (3)	51.5 ± 1 m	ε 100; ε ; IT	
		168	6(-)	-57.07 (5)	5.5 ± 0.1 m	ε 100	
		168m	3+	-56.87 (5)	6.7 ± 0.4 m	IT < 0.80; ε > 99.60	
		169	7/2+	-58.083 (4)	34.06 ± 0.05 h	ε 100	
		169m	1/2-	-58.054 (4)	160 ± 10 s	IT 100	
		170	0+	-57.305 (17)	2.012 ± 0.02 d	ε 100	
		170m	(4-)	-57.212 (17)	0.67 ± 0.1 s	IT 100	
		171	7/2+	-57.829 (3)	8.24 ± 0.03 d	ε 100	
		171m	1/2-	-57.757 (3)	79 ± 2 s	IT 100	
		172	4-	-56.737 (3)	6.70 ± 0.03 d	ε 100	
		172m	1-	-56.695 (3)	3.7 ± 0.5 m	IT 100	
		173	7/2+	-56.8811 (22)	1.37 ± 0.01 y	ε 100	
		174	(1-)	-55.5707 (22)	3.31 ± 0.05 y	ε 100	
		174m	(6-)	-55.3999 (22)	142 ± 2 d	IT 99.38; ε 0.62	
		175	7/2+	-55.1661 (19)	stable	97.401% ± 0.013%	
		176	7-	-53.3828 (19)	3.76E+10 ± 0.07E+10 y	2.599% ± 0.013%	β ⁻ 100
		176m	1-	-53.26 (19)	3.664 ± 0.019 h		β ⁻ 99.9; ε 0.09
		177	7/2+	-52.3843 (20)	6.647 ± 0.004 d		β ⁻ 100
		177m	23/2-	-51.4141 (20)	160.44 ± 0.06 d		β ⁻ 78.6; IT 21.4
		177m2	(39/2-)	-49.6443 (20)	6 +3-2 m		IT ?; β ⁻ 100
		178	1(+)	-50.338 (3)	28.4 ± 0.2 m		β ⁻ 100
		178m	(9-)	-50.214 (3)	23.1 ± 0.3 m		β ⁻ 100
		179	7/2+	-49.059 (5)	4.59 ± 0.06 h		β ⁻ 100

Continued on next page

Chapter 7

How to compute number densities

Definitions:

N_i : number density of the element (isotope or molecule) i . Units: molecules/cm³, atoms/cm³

ρ_i : density of i . Units: grams/cm³

n_i : number of moles of the molecule or atom i . Unit: mol.

m_i : mass of i . Unit: grams.

M_i : atomic weight of i . Units: atomic mass unit (u) or grams/mol.

By definition, atomic weight is:

$$M_i \equiv \frac{m_i}{n_i}$$

then, the moles number of i is:

$$n_i = \frac{m_i}{M_i}$$

In one mole of matter there are $N_A = 6.0221 \cdot 10^{23}$ particles. Then, the atomic density of i is:

$$N_i = \frac{\rho_i N_A}{M_i} \quad (7.1)$$

For doing this we need to know the density of i and its average atomic weight. As we usually work with mixtures, compounds or solutions we will learn how to compute this.

The weight fraction of i is:

$$w_i \equiv \frac{m_i}{\sum_j m_j}$$

and the mole or atomic fraction:

$$y_i \equiv \frac{n_i}{\sum_j n_j}$$

In general, the isotopic abundance is commonly written as an atomic fraction, and the enrichment is written as mass weight fraction (wt%).

Using these definitions, we can now calculate the average atomic weight for mixtures or compounds.

$$\bar{M} = \frac{m_{\text{total}}}{n_{\text{total}}} = \frac{\sum_j n_j M_j}{n_{\text{total}}} = \frac{n_{\text{total}} \sum_j y_j M_j}{n_{\text{total}}} = \sum_j y_j M_j \quad (7.2)$$

or also:

$$\bar{M} = \frac{m_{\text{total}}}{n_{\text{total}}} = \frac{m_{\text{total}}}{\sum_j m_j / M_j} = \frac{m_{\text{total}}}{m_{\text{total}} \sum_j w_j / M_j} = \frac{1}{\sum_j w_j / M_j} \quad (7.3)$$

In the case we need to convert from weight fraction to atomic fraction or viceversa, we can do:

$$w_i = \frac{m_i}{m_{\text{total}}} = \frac{n_i M_i}{\sum_j n_j M_j} = \frac{n_{\text{total}} y_i M_i}{n_{\text{total}} \sum_j y_j M_j} = \frac{y_i M_i}{\sum_j y_j M_j} = \frac{y_i M_i}{\bar{M}} \quad (7.4)$$

$$y_i = \frac{n_i}{n_{\text{total}}} = \frac{m_i / M_i}{\sum_j m_j / M_j} = \frac{m_{\text{total}} w_i / M_i}{m_{\text{total}} \sum_j w_j / M_j} = \frac{w_i / M_i}{\sum_j w_j / M_j} = \frac{w_i \bar{M}}{M_i}$$

Example:

UO₂ with 3% enrichment, and $\rho = 10 \text{ g/cm}^3$.

We can calculate the isotopic masses of ²³⁵U and ²³⁸U using the mass delta from the Nuclear Wallet Card.

$$M_i = A + \Delta / 931.5 \frac{\text{MeV}/c^2}{\text{g/mol}}$$

$$M_{235} = 235 \text{ g/mol} + \frac{40.914 \text{ MeV}/c^2}{931.5 \frac{\text{MeV}/c^2}{\text{g/mol}}} = 235.0439 \text{ g/mol}$$

$$M_{238} = 238 \text{ g/mol} + \frac{47.304 \text{ MeV}/c^2}{931.5 \frac{\text{MeV}/c^2}{\text{g/mol}}} = 238.0508 \text{ g/mol}$$

and the atomic weight for the oxygen is obtained from Nuclear Wallet Card, Appendix-I.

$$M_O = 15.9994 \text{ g/mol} \quad M_{235} = 235.0439 \text{ g/mol} \quad M_{238} = 238.0508 \text{ g/mol}$$

$$\bar{M}_U = \frac{1}{\varepsilon/M_{235} + (1-\varepsilon)/M_{238}} = \frac{1}{0.03/235.0439 \text{ g/mol} + 0.97/238.0508 \text{ g/mol}} = 237.9595 \text{ g/mol}$$

$$M_{\text{UO}_2} = M_U + 2M_O = 237.9595 \text{ g/mol} + 2 \cdot 15.999 \text{ g/mol} = 269.9583 \text{ g/mol}$$

Here, the small fraction of ²³⁴U present -if any- was neglected. For low enriched uranium this is appropriate, but it might be important to take it into account if the enrichment is high.

Now, the number density of molecules of UO₂ is:

$$N_{\text{UO}_2} = \frac{10 \text{ g/cm}^3 \cdot 6.0221 \cdot 10^{23} \text{ 1/mol}}{269.9583 \text{ g/mol}} = 2.2308 \cdot 10^{22} \text{ 1/cm}^3$$

For each molecule of UO₂ there is one atom of uranium and two of oxygen, then

$$N_U = N_{\text{UO}_2} = 2.2308 \cdot 10^{22} \text{ 1/cm}^3$$

$$N_O = 2N_{\text{UO}_2} = 4.4615 \cdot 10^{22} \text{ 1/cm}^3$$

Then, to calculate the amount of ²³⁵U and ²³⁸U we need the atomic fraction of ²³⁵U:

$$y_{235} = \frac{\varepsilon \bar{M}_U}{M_{235}} = \frac{0.03 \cdot 237.9595 \text{ g/mol}}{235.0439 \text{ g/mol}} = 3.04\%$$

and using that:

$$N_{235} = y_{235} N_U = 3.04\% \cdot 2.2308 \cdot 10^{22} \text{ 1/cm}^3 = 6.7753 \cdot 10^{20} \text{ 1/cm}^3$$

$$N_{238} = (1 - y_{235}) N_U = (1 - 3.04\%) \cdot 2.2308 \cdot 10^{22} \text{ 1/cm}^3 = 2.1630 \cdot 10^{22} \text{ 1/cm}^3$$

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} ·Γ	Abundance	Decay Mode
		158	2-	-58.7 (3)	3.98 ± 0.06 m		ε 100; ε ?
		159	5/2+	-60.57 (3)	9.13 ± 0.16 m		ε 100
		160	1-	-60.3 (3)	9.4 ± 0.3 m		ε 100
		160m	5	-60.23 (3)	74.5 ± 1.5 s		IT 85; ε 15
		161	7/2+	-61.9 (3)	30.2 ± 0.8 m		ε 100
		162	1-	-61.47 (3)	21.70 ± 0.19 m		ε 100; IT 81; ε 19
		163	1/2+	-62.727 (6)	1.810 ± 0.005 h		ε 100
		164	1+	-61.904 (24)	2.0 ± 0.1 m		ε 100; IT ≈ 80.00; ε ≈ 20.00
		165	1/2+	-62.929 (3)	30.06 ± 0.03 h		ε 100
		166	2+	-61.887 (12)	7.70 ± 0.03 h		ε 100
		166m	(6-)	-61.778 (12)	340 ± 25 ms		IT 100
		167	1/2+	-62.5429 (23)	9.25 ± 0.02 d		ε 100
		168	3+	-61.312 (3)	93.1 ± 0.2 d		ε 99.99; β ⁻ 0.01
		169	1/2+	-61.2745 (21)	stable	100%	
		170	1-	-59.7952 (21)	128.6 ± 0.3 d		β ⁻ 99.87; ε 0.13
		171	1/2+	-59.2103 (23)	1.92 ± 0.01 y		β ⁻ 100
		172	2-	-57.374 (6)	63.6 ± 0.2 h		β ⁻ 100
		173	(1/2+)	-56.253 (5)	8.24 ± 0.08 h		β ⁻ 100
		174	(4-)	-53.86 (4)	5.4 ± 0.1 m		β ⁻ 100
		174m	0+	-53.61 (4)	2.29 ± 0.01 s		IT 99; β ⁻ < 1.00
		175	(1/2+)	-52.31 (5)	15.2 ± 0.5 m		β ⁻ 100
		176	(4+)	-49.37 (10)	1.9 ± 0.1 m		β ⁻ 100
		177	(7/2-)	-47.5 (3)	90 ± 6 s		β ⁻ 100
70	Yb	149	(1/2+,3/2+)	-33.2 (5)	0.7 ± 0.2 s		εp 100; ε 100
		151	(1/2+)	-41.5 (3)	1.6 ± 0.1 s		ε 100; εp > 0.00; ε 100; IT ≈ 0.40; εp
		152	0+	-46.31 (21)	3.03 ± 0.06 s		ε 100; εp
		153	7/2-	-47.06 (20)	4.2 ± 0.2 s		ε 40; α 60
		154	0+	-49.932 (17)	0.409 ± 0.002 s		α 92.6; ε 7.4
		155	(7/2-)	-50.503 (17)	1.793 ± 0.019 s		α 89; ε 11
		156	0+	-53.265 (9)	26.1 ± 0.7 s		ε 90; α 10
		157	7/2-	-53.43 (10)	38.6 ± 1 s		ε 99.5; α 0.5
		158	0+	-56.009 (8)	1.49 ± 0.13 m		α ≈ 2.1E-3; ε 100
		159	5/2(-)	-55.836 (18)	1.67 ± 0.09 m		ε 100
		160	0+	-58.163 (16)	4.8 ± 0.2 m		ε 100
		161	3/2-	-57.838 (15)	4.2 ± 0.2 m		ε 100
		162	0+	-59.825 (15)	18.87 ± 0.19 m		ε 100
		163	3/2-	-59.298 (15)	11.05 ± 0.35 m		ε 100
		164	0+	-61.016 (15)	75.8 ± 1.7 m		ε 100
		165	5/2-	-60.29 (3)	9.9 ± 0.3 m		ε 100
		166	0+	-61.594 (7)	56.7 ± 0.1 h		ε 100
		167	5/2-	-60.589 (5)	17.5 ± 0.2 m		ε 100
		168	0+	-61.5804 (21)	stable	0.123% ± 0.003%	
		169	7/2+	-60.3761 (21)	32.018 ± 0.005 d		ε 100
		169m	1/2-	-60.3519 (21)	46 ± 2 s		IT 100
		170	0+	-60.7636 (21)	stable	2.982% ± 0.039%	
		171	1/2-	-59.3068 (21)	stable	14.09% ± 0.14%	
		171m	7/2+	-59.2115 (21)	5.25 ± 0.24 ms		IT 100
		172	0+	-59.255 (21)	stable	21.68% ± 0.13%	
		173	5/2-	-57.551 (21)	stable	16.103% ± 0.063%	
		174	0+	-56.9443 (21)	stable	32.026% ± 0.08%	
		175	(7/2-)	-54.6954 (21)	4.185 ± 0.001 d		β ⁻ 100
		175m	1/2-	-54.1805 (21)	68.2 ± 0.3 ms		IT 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
68	Er	172	0	-51.48 (20)	25 ± 3 s		β ⁻ 100
		145m	(11/2-)	-39.2 (4)	1.0 ± 0.3 s		ε 100; εp
		146	0+	-44.322 (7)	1.7 ± 0.6 s		εp 100; ε 100
		147	(1/2+)	-46.61 (4)	2.5 ± 0.2 s		ε 100; εp > 0.00; ε 100; εp > 0.00
		148	0+	-51.479 (10)	4.6 ± 0.2 s		ε 100
		149	(1/2+)	-53.74 (3)	4 ± 2 s		ε 100; εp 7
		149m	(11/2-)	-53 (3)	8.9 ± 0.2 s		ε 96.5; IT 3.5; εp 0.18
		150	0+	-57.831 (17)	18.5 ± 0.7 s		ε 100
		151	(7/2-)	-58.266 (16)	23.5 ± 2 s		ε 100
		151m	(27/2-)	-55.68 (16)	0.58 ± 0.02 s		IT 95.3; ε 4.7
		152	0+	-60.5 (9)	10.3 ± 0.1 s		α 90; ε 10
		153	(7/2-)	-60.476 (9)	37.1 ± 0.2 s		α 53; ε 47
		154	0+	-62.606 (5)	3.73 ± 0.09 m		ε 99.53; α 0.47
		155	7/2-	-62.209 (6)	5.3 ± 0.3 m		α 0.02; ε 99.98
		156	0+	-64.213 (24)	19.5 ± 1 m		ε 100; α 1.7e-05
		157	3/2-	-63.41 (3)	18.65 ± 0.1 m		ε 100
		157m	(9/2+)	-63.26 (3)	76 ± 6 ms		IT 100
		158	0+	-65.3 (3)	2.29 ± 0.06 h		ε 100
		159	3/2-	-64.56 (4)	36 ± 1 m		ε 100
		160	0+	-66.058 (25)	28.58 ± 0.09 h		ε 100
		161	3/2-	-65.199 (9)	3.21 ± 0.03 h		ε 100
		162	0+	-66.3329 (19)	stable	0.139% ± 0.005%	
		163	5/2-	-65.166 (5)	75.0 ± 0.4 m		ε 100
		164	0+	-65.941 (3)	stable	1.601% ± 0.003%	
		165	5/2-	-64.52 (3)	10.36 ± 0.04 h		ε 100
		166	0+	-64.9245 (21)	stable	33.503% ± 0.036%	
		167	7/2+	-63.2897 (21)	stable	22.869% ± 0.009%	
		167m	1/2-	-63.0819 (21)	2.269 ± 0.006 s		IT 100
		168	0+	-62.9897 (21)	stable	26.978% ± 0.018%	
		169	1/2-	-60.9216 (21)	9.392 ± 0.018 d		β ⁻ 100
		170	0+	-60.108 (24)	stable	14.91% ± 0.036%	
		171	5/2-	-57.7183 (24)	7.516 ± 0.002 h		β ⁻ 100
		172	0+	-56.483 (4)	49.3 ± 0.3 h		β ⁻ 100
		173	(7/2-)	-53.65 (20)	1.4 ± 0.1 m		β ⁻ 100
		174	0+	-51.9 (3)	3.2 ± 0.2 m		β ⁻ 100
		175	(9/2+)	-48.7 (4)	1.2 ± 0.3 m		β ⁻ 100
69	Tm	146	(5-)	-31.2 (4)	80 ± 10 ms		p; ε
		146m	(8+)	-31.1 (4)	200 ± 10 ms		p; ε
		147	11/2-	-35.974 (7)	0.58 ± 0.03 s		ε 85; p 15
		148	(10+)	-38.765 (10)	0.7 ± 0.2 s		ε 100
		149	(11/2-)	-43.9 (3)	0.9 ± 0.2 s		ε 100; εp 0.2
		150	(6-)	-46.49 (20)	2.20 ± 0.06 s		ε 100
		150m	(10+)	-45.82 (20)	5.2 ± 0.3 ms		IT 100
		151	(11/2-)	-50.778 (20)	4.17 ± 0.11 s		ε 100; ε 100
		152	(2-)	-51.77 (7)	8.0 ± 1 s		ε 100; ε 100
		153	(11/2-)	-53.991 (14)	1.48 ± 0.01 s		α 91; ε 9
		153m	(1/2+)	-53.948 (14)	2.5 ± 0.2 s		α 92; ε 8
		154	(2-)	-54.427 (14)	8.1 ± 0.3 s		α 54; ε 46; α 58; ε 42; IT
		155	11/2-	-56.626 (10)	21.6 ± 0.2 s		ε 99.11; α 0.89
		155m	1/2+	-56.585 (10)	45 ± 3 s		ε > 98.00; α < 2.00
		156	2-	-56.84 (15)	83.8 ± 1.8 s		ε 99.94; α 0.06
		157	1/2+	-58.71 (3)	3.63 ± 0.09 m		ε 100

Continued on next page

Another way to solve it:

Because the enrichment is a weight fraction, we could convert everything to mass fraction. The atomic fraction of uranium and oxygen in the uranium dioxide are:

$$y_U = \frac{1}{1+2} = \frac{1}{3}$$

$$y_O = \frac{2}{1+2} = \frac{2}{3}$$

and, using (7.4):

$$w_U = \frac{y_U \cdot \bar{M}_U}{y_U \cdot \bar{M}_U + y_O \cdot \bar{M}_O} = \frac{1/3 \cdot 237.9595 \text{ g/mol}}{1/3 \cdot 237.9595 \text{ g/mol} + 2/3 \cdot 15.9994 \text{ g/mol}} = 88.147\%$$

Then, the weight fraction of ²³⁵U respect to the total amount is:

$$w_{235} = \varepsilon \cdot w_U = 2.644\%$$

for ²³⁸U:

$$w_{238} = (1 - \varepsilon) \cdot w_U = 85.502\%$$

and for oxygen:

$$w_O = 1 - w_U = 11.853\%$$

finally we just do:

$$N_{235} = \frac{w_{235} \rho N_A}{M_{235}} = 6.7753 \cdot 10^{20} \text{ 1/cm}^3$$

$$N_{238} = \frac{w_{238} \rho N_A}{M_{238}} = 2.1630 \cdot 10^{22} \text{ 1/cm}^3$$

$$N_O = \frac{w_O \rho N_A}{M_O} = 4.4615 \cdot 10^{22} \text{ 1/cm}^3$$

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
67	Ho	168	0+	-58.56 (14)	8.7 ± 0.3 m		β ⁻ 100
		169	(5/2)-	-55.6 (3)	39 ± 8 s		β ⁻ 100
		140	(6-,0-,8+)	-29.2 (5)	6 ± 3 ms		p 100
		141	7/2-	-34.3 (5)	4.1 ± 0.3 ms		p 100
		142	(7-,8+)	-37.2 (5)	0.4 ± 0.1 s		ε 100; εp > 0.00
		144	(5-)	-44.609 (8)	0.7 ± 0.1 s		ε 100; εp
		145	(11/2-)	-49.12 (7)	2.4 ± 0.1 s		ε 100
		146	(10+)	-51.238 (7)	3.6 ± 0.3 s		ε 100
		147	(11/2-)	-55.757 (5)	5.8 ± 0.4 s		ε 100
		148	(1+)	-57.99 (8)	2.2 ± 1.1 s		ε 100; ε 100; εp 0.08
		148m	(10+)	-57.3 (8)	2.35 ± 0.04 ms		IT 100
		149	(11/2-)	-61.664 (14)	21.1 ± 0.2 s		ε 100
		149m	(1/2+)	-61.616 (14)	56 ± 3 s		ε 100
		150	2-	-61.946 (14)	72 ± 4 s		ε 100
		150m	(9+)	-61.446 (14)	24.1 ± 0.5 s		ε 100;
		151	(11/2-)	-63.623 (8)	35.2 ± 0.1 s		ε 78; α 22
		151m	(1/2+)	-63.582 (8)	47.2 ± 1.3 s		α 80; ε 20
		152	2-	-63.608 (13)	161.8 ± 0.3 s		ε 88; α 12
		152m	9+	-63.448 (13)	50.0 ± 0.4 s		ε 89.2; α 10.8
		153	11/2-	-65.013 (5)	2.01 ± 0.03 m		ε 99.95; α 0.05
		153m	1/2+	-64.944 (5)	9.3 ± 0.5 m		ε 99.82; α 0.18
		154	2-	-64.639 (8)	11.76 ± 0.19 m		α 0.02; ε 99.98; ε 100; α < 1.0E-3
		155	5/2+	-66.04 (18)	48 ± 1 m		ε 100
		156	4-	-65.47 (6)	56 ± 1 m		ε 100
		156m	1-	-65.42 (6)	9.5 ± 1.5 s		IT 100; ε 75; IT 25
		157	7/2-	-66.832 (23)	12.6 ± 0.2 m		ε 100
		158	5+	-66.18 (3)	11.3 ± 0.4 m		ε 100
		158m	2-	-66.12 (3)	28 ± 2 m		IT > 81.00; ε < 19.00
		158m2	(9+)	-66 (3)	21.3 ± 2.3 m		ε ≥ 93.00; IT ≤ 7.00
		159	7/2-	-67.328 (3)	33.05 ± 0.11 m		ε 100
		159m	1/2+	-67.123 (3)	8.30 ± 0.08 s		IT 100
		160	5+	-66.381 (15)	25.6 ± 0.3 m		ε 100
		160m	2-	-66.321 (15)	5.02 ± 0.05 h		IT 73; ε 27
		160m2	(9+)	-66.211 (15)	3 ± 0 s		IT 100
		161	7/2-	-67.196 (3)	2.48 ± 0.05 h		ε 100
		161m	1/2+	-66.985 (3)	6.76 ± 0.07 s		IT 100
		162	1+	-66.04 (4)	15.0 ± 1 m		ε 100
		162m	6-	-65.934 (4)	67.0 ± 0.7 m		IT 62; ε 38
		163	7/2-	-66.3769 (19)	4570 ± 25 y		ε 100
		163m	1/2+	-66.079 (19)	1.09 ± 0.03 s		IT 100
		164	1+	-64.9801 (23)	29 ± 1 m		ε 60; β ⁻ 40
		164m	6-	-64.8403 (23)	37.5 +1.5-0.5 m		IT 100
		165	7/2-	-64.8977 (20)	stable	100%	
		166	0-	-63.07 (20)	26.824 ± 0.012 h		β ⁻ 100
		166m	7-	-63.064 (20)	1.20E3 ± 0.18E3 y		β ⁻ 100
		167	7/2-	-62.28 (6)	3.003 ± 0.018 h		β ⁻ 100
		168	3+	-60.06 (3)	2.99 ± 0.07 m		β ⁻ 100
		168m	(6+)	()	132 ± 4 s		IT ≥ 99.50; β ⁻ ≤ 0.50
		169	7/2-	-58.796 (20)	4.72 ± 0.1 m		β ⁻ 100
		170	(6+)	-56.24 (5)	2.76 ± 0.05 m		β ⁻ 100
		170m	(1+)	-56.12 (5)	43 ± 2 s		β ⁻ 100
		171	(7/2-)	-54.5 (6)	53 ± 2 s		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
66	Dy	155	3/2+	-71.247 (12)	5.32 ± 0.06 d		ε 100
		156	3-	-70.09 (4)	5.35 ± 0.1 d		ε 100
		156m	(7-)	-70.04 (4)	24.4 ± 1 h		IT 100
		156m2	(0+)	-70.002 (4)	5.3 ± 0.2 h		IT < 100.00; ε > 0.00
		157	3/2+	-70.7629 (17)	71 ± 7 y		ε 100
		158	3-	-69.4697 (19)	180 ± 11 y		ε 83.4; β ⁻ 16.6
		158m	0-	-69.3594 (19)	10.70 ± 0.17 s		ε < 0.01; IT 100; β ⁻ < 0.60
		159	3/2+	-69.5315 (18)	stable	100%	
		160	3-	-67.8354 (18)	72.3 ± 0.2 d		β ⁻ 100
		161	3/2+	-67.4607 (19)	6.89 ± 0.02 d		β ⁻ 100
		162	1-	-65.67 (4)	7.60 ± 0.15 m		β ⁻ 100
		163	3/2+	-64.594 (4)	19.5 ± 0.3 m		β ⁻ 100
		164	(5+)	-62.08 (10)	3.0 ± 0.1 m		β ⁻ 100
		165	(3/2+)	-60.66 (20)	2.11 ± 0.1 m		β ⁻ 100
		166	(2-)	-57.88 (7)	25.1 ± 2.1 s		β ⁻ 100
		167	(3/2+)	-55.9 (4)	19.4 ± 2.7 s		β ⁻ 100
		168	(4-)	-52.6 (5)	8.2 ± 1.3 s		β ⁻ 100
		139	(7/2+)	-37.6 (5)	0.6 ± 0.2 s		ε ; ep
		141	(9/2-)	-45.2 (3)	0.9 ± 0.2 s		ε 100; ep
		142	0+	-49.9 (7)	2.3 ± 0.3 s		ep 0.06; ε 100
		143	(1/2+)	-52.169 (13)	5.6 ± 1 s		ε 100; ep
		143m	(11/2-)	-51.858 (13)	3.0 ± 0.3 s		ε 100; ep
		144	0+	-56.57 (7)	9.1 ± 0.4 s		ε 100; ep
		145	(1/2+)	-58.243 (7)	6 ± 2 s		ε 100; ep ≈ 50.00
		145m	(11/2-)	-58.124 (7)	14.1 ± 0.7 s		ep ≈ 50.00; ε 100
		146	0+	-62.555 (7)	29 ± 3 s		ε 100
		146m	(10+)	-59.619 (7)	150 ± 20 ms		IT 100
		147	(1/2+)	-64.195 (8)	67 ± 7 s		ε 100; ep 0.05
		147m	(11/2-)	-63.444 (8)	55.2 ± 0.5 s		ε 68.9; IT 31.1
		148	0+	-67.86 (9)	3.3 ± 0.2 m		ε 100
		149	(7/2-)	-67.703 (9)	4.20 ± 0.14 m		ε 100
		149m	(27/2-)	-65.042 (9)	0.490 ± 0.015 s		IT 99.3; ε 0.7
		150	0+	-69.311 (5)	7.17 ± 0.05 m		ε 64; α 36
		151	7/2(-)	-68.752 (4)	17.9 ± 0.3 m		ε 94.4; α 5.6
		152	0+	-70.118 (5)	2.38 ± 0.02 h		ε 99.9; α 0.1
		153	7/2(-)	-69.143 (4)	6.4 ± 0.1 h		ε 99.99; α 0.0094
		154	0+	-70.393 (8)	3.0E+6 ± 1.5E+6 y		α 100
		155	3/2-	-69.152 (12)	9.9 ± 0.2 h		ε 100
		156	0+	-70.522 (6)	stable	0.056% ± 0.003%	
		157	3/2-	-69.42 (6)	8.14 ± 0.04 h		ε 100
		157m	11/2-	-69.221 (6)	21.6 ± 1.6 ms		IT 100
		158	0+	-70.405 (3)	stable	0.095% ± 0.003%	
		159	3/2-	-69.1661 (21)	144.4 ± 0.2 d		ε 100
		160	0+	-69.6711 (19)	stable	2.329% ± 0.018%	
		161	5/2+	-68.0541 (19)	stable	18.889% ± 0.042%	
		162	0+	-68.1798 (19)	stable	25.475% ± 0.036%	
		163	5/2-	-66.3795 (19)	stable	24.896% ± 0.042%	
		164	0+	-65.9663 (19)	stable	28.26% ± 0.054%	
		165	7/2+	-63.6109 (19)	2.334 ± 0.001 h		β ⁻ 100
		165m	1/2-	-63.5027 (19)	1.257 ± 0.006 m		IT 97.76; β ⁻ 2.24
		166	0+	-62.5831 (20)	81.6 ± 0.1 h		β ⁻ 100
		167	(1/2-)	-59.93 (6)	6.20 ± 0.08 m		β ⁻ 100

Continued on next page

Chapter 8

Ground and isomeric states properties

The properties of ground and isomeric states for all nuclides included in NuDat 2.6 are listed in the following table. For each state the following data is given:

- Atomic number (Z), chemical symbol and mass number (A).
- Spin and parity ($J\pi$).
- Mass excess: $\Delta = M - A$, where M is the mass a neutral atom. Mass excess is given in MeV; to convert to atomic mass units, the relationship $1 \text{ u} = 931.494 \text{ MeV}/c^2$ can be used.
- Half life ($T_{1/2}$) or level width (Γ)
- Abundance (isotope atom fraction) of natural occurring nuclides.
- Decay modes, followed by emission probability in %:
 - β⁻: β⁻ decay.
 - ε: electron capture, β⁺ decay, or EC + β⁺.
 - IT: isomeric transition (γ emission or conversion electron).
 - n, p, α, ...: n, p, α, ... emission.
 - SF: spontaneous fission.
 - β - p, β - α, β - n, ...: delayed p, α, n, ... emission following β⁻ decay.
 - ε - p, ε - α, ε - n, ...: delayed p, α, n, ... emission following β⁺ or EC decay.
 - ¹²C, ²⁴Ne, ...: ¹²C, ²⁴Ne, ... nuclei emission.

Source:

IAEA NuDat 2.6 <http://www-nds.iaea.org/nudat2/>.

Table 8.1: Ground and isomeric states properties (Adapted from IAEA NuDat 2.6).

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
0	n	1	1/2+	8.0713 (5)	10.183 ± 0.017 m		β ⁻ 100%
1	H	1	1/2+	7.2889 (10)	stable	99.9885% ± 0.007%	
		2	1+	13.1357 (15)	stable	0.0115% ± 0.007%	
		3	1/2+	14.9498 (22)	12.32 ± 0.02 y		β ⁻ 100%
2	He	3	1/2+	14.9312 (23)	stable	0.000134% ± 3e-06%	
		4	0+	2.4249 (6)	stable	99.999866% ± 3e-06%	
		6	0+	17.5928 (4)	801 ± 10 ms		β ⁻ 100%
		8	0+	31.6096 (18)	119.1 ± 1.2 ms		β ⁻ 100%; β ⁻ n 16%
3	Li	6	1+	14.0868 (15)	stable	7.59% ± 0.04%	
		7	3/2-	14.907 (4)	stable	92.41% ± 0.04%	
		8	2+	20.9457 (5)	839.9 ± 0.9 ms		β ⁻ 100%; β ⁻ α 100%
		9	3/2-	24.9549 (9)	178.3 ± 0.4 ms		β ⁻ 100%; β ⁻ n 50.8%
		11	3/2-	40.7284 (11)	8.75 ± 0.14 ms		β ⁻ α, n 0.027%; β ⁻ 100%; β ⁻ n 83%; β ⁻ 2n 4.1%
4	Be	7	3/2-	15.7689 (7)	53.24 ± 0.04 d		ε 100
		9	3/2-	11.3484 (8)	stable	100%	
		10	0+	12.6074 (8)	1.387E+6 ± 0.012E+6 y		β ⁻ 100
		11	1/2+	20.1771 (24)	13.81 ± 0.08 s		β ⁻ 100; β ⁻ α 3.1
		12	0+	25.077 (4)	21.49 ± 0.03 ms		β ⁻ 100; β ⁻ n ≤ 1.00
		14	0+	39.95 (13)	4.35 ± 0.17 ms		β ⁻ 100; β ⁻ n 81; β ⁻ 2n 5
5	B	8	2+	22.9215 (10)	770 ± 3 ms		ε 100; ε α 100
		10	3+	12.0507 (4)	stable	19.9% ± 0.7%	
		11	3/2-	8.6679 (4)	stable	80.1% ± 0.7%	
		12	1+	13.3688 (14)	20.20 ± 0.02 ms		β ⁻ 100; β ⁻ 3α 1.58
		13	3/2-	16.5621 (11)	17.33 ± 0.17 ms		β ⁻ 100
		14	2-	23.664 (21)	12.5 ± 0.5 ms		β ⁻ 100
		15	0	28.964 (22)	9.93 ± 0.07 ms		β ⁻ 100; β ⁻ n 93.6; β ⁻ 2n 0.4
		17	(3/2-)	43.77 (17)	5.08 ± 0.05 ms		β ⁻ 100; β ⁻ n 63; β ⁻ 2n 11; β ⁻ 3n 3.5; β ⁻ 4n 0.4
6	C	19	(3/2-)	58.8 (4)	2.92 ± 0.13 ms		β ⁻ 100; β ⁻ n 72; β ⁻ 2n 16
		9	(3/2-)	28.9094 (21)	126.5 ± 0.9 ms		ε 100; ε p 61.6; ε α 38.4
		10	0+	15.6986 (4)	19.308 ± 0.004 s		ε 100
		11	3/2-	10.6503 (10)	20.334 ± 0.024 m		ε 100
		12	0+	0 ()	stable	98.93% ± 0.08%	
		13	1/2-	3.125 (21)	stable	1.07% ± 0.08%	
		14	0+	3.0198 (4)	5700 ± 30 y		β ⁻ 100
		15	1/2+	9.8731 (8)	2.449 ± 0.005 s		β ⁻ 100
		16	0+	13.694 (4)	0.747 ± 0.008 s		β ⁻ 100; β ⁻ n 99
		17	3/2+	21.032 (17)	193 ± 13 ms		β ⁻ 100; β ⁻ n 32
		18	0+	24.92 (3)	92 ± 2 ms		β ⁻ n 31.5; β ⁻ 100
		19	1/2+	32.41 (10)	49 ± 4 ms		β ⁻ ; β ⁻ n 61
		20	0+	37.56 (24)	14 +6-5 ms		β ⁻ 100; β ⁻ n 72
		22	0+	52.1 (5)	6.1 +1.4-1.2 ms		β ⁻ 100; β ⁻ n 61; β ⁻ 2n < 37.00
7	N	12	1+	17.338 (10)	11.000 ± 0.016 ms		ε 100
		13	1/2-	5.3454 (3)	9.965 ± 0.004 m		ε 100
		14	1+	2.8634 (19)	stable	99.636% ± 0.02%	
		15	1/2-	0.1014 (6)	stable	0.364% ± 0.02%	
		16	2-	5.684 (3)	7.13 ± 0.02 s		β ⁻ 100; β ⁻ α 0.0012
		17	1/2-	7.87 (15)	4.173 ± 0.004 s		β ⁻ 100; β ⁻ n 95.1
		18	1-	13.113 (19)	620 ± 8 ms		β ⁻ α 12.2; β ⁻ n 7; β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
		143	(1/2)+	-68.23 (20)	39 ± 2 s		ε 100
		143m	(11/2-)	-68.08 (20)	110.0 ± 1.4 s		ε 100
		144	0+	-71.76 (3)	4.47 ± 0.06 m		ε 100
		145	1/2+	-72.927 (19)	23.0 ± 0.4 m		ε 100
		145m	11/2-	-72.178 (19)	85 ± 3 s		IT 94.3; ε 5.7
		146	0+	-76.087 (4)	48.27 ± 0.1 d		ε 100
		147	7/2-	-75.357 (3)	38.06 ± 0.12 h		ε 100
		148	0+	-76.2696 (25)	70.9 ± 1 y		α 100
		149	7/2-	-75.127 (4)	9.28 ± 0.1 d		α 0.00043; ε 100
		150	0+	-75.763 (6)	1.79E+6 ± 0.08E+6 y		α 100
		151	7/2-	-74.188 (3)	123.9 ± 1 d		ε 100; α ≈ 8.0E-7
		152	0+	-74.7065 (17)	1.08E14 ± 0.08E14 y	0.2% ± 0.01%	α 100
		153	3/2-	-72.8821 (17)	240.4 ± 1 d		ε 100
		154	0+	-73.7055 (17)	stable	2.18% ± 0.03%	
		155	3/2-	-72.0694 (17)	stable	14.8% ± 0.12%	
		155m	11/2-	-71.9484 (17)	31.97 ± 0.27 ms		IT 100
		156	0+	-72.5345 (17)	stable	20.47% ± 0.09%	
		157	3/2-	-70.823 (17)	stable	15.65% ± 0.02%	
		158	0+	-70.6891 (17)	stable	24.84% ± 0.07%	
		159	3/2-	-68.5609 (17)	18.479 ± 0.004 h		β ⁻ 100
		160	0+	-67.9409 (18)	> 3.1E+19 y	21.86% ± 0.19%	2β ⁻
		161	5/2-	-65.505 (20)	3.66 ± 0.05 m		β ⁻ 100
		162	0+	-64.28 (4)	8.4 ± 0.2 m		β ⁻ 100
		163	(5/2- 7/2+)	-61.47 (7)	68 ± 3 s		β ⁻ 100
		164	0+	-59.9 (4)	45 ± 3 s		β ⁻ 100
		165	0	-56.6 (5)	10.3 ± 1.6 s		β ⁻ 100
		166	0+	-54.5 (6)	4.8 ± 1 s		β ⁻ 100
65	Tb	139	0	-48 (3)	1.6 ± 0.2 s		ε ; ε p ?
		140	(7+)	-50.5 (8)	2.0 ± 0.5 s		ε p 0.26; ε 100
		141	(5/2-)	-54.54 (11)	3.5 ± 0.2 s		ε 100; ε 100
		142	1+	-56.6 (7)	597 ± 17 ms		ε 100; ε p 0.0022
		142m	5-	-56.3 (7)	303 ± 17 ms		IT 100
		143	(11/2-)	-60.42 (5)	12 ± 1 s		ε 100; ε
		144	1+	-62.37 (3)	≈ 1 s		ε 100
		144m	(6-)	-61.97 (3)	4.25 ± 0.15 s		IT 66; ε 34
		146	1+	-67.76 (4)	8 ± 4 s		ε 100; ε 100
		146m	(10+)	-66.98 (4)	1.18 ± 0.02 ms		IT 100
		147	(1/2+)	-70.743 (8)	1.64 ± 0.03 h		ε 100
		147m	(11/2-)	-70.692 (8)	1.83 ± 0.06 m		ε 100
		148	2-	-70.54 (13)	60 ± 1 m		ε 100
		148m	(9+)	-70.45 (13)	2.20 ± 0.05 m		ε 100
		149	1/2+	-71.489 (4)	4.118 ± 0.025 h		α 16.7; ε 83.3
		149m	11/2-	-71.453 (4)	4.16 ± 0.04 m		ε 99.98; α 0.02
		150	(2-)	-71.105 (7)	3.48 ± 0.16 h		ε 100; α < 0.05
		150m	9+	-70.631 (7)	5.8 ± 0.2 m		ε
		151	1/2(+)	-71.623 (4)	17.609 ± 0.014 h		ε 99.99; α 0.0095
		151m	(11/2-)	-71.523 (4)	25 ± 3 s		IT 93.4; ε 6.6
		152	2-	-70.72 (4)	17.5 ± 0.1 h		α < 7.0E-7; ε 100
		152m	8+	-70.21 (4)	4.2 ± 0.1 m		IT 78.8; ε 21.2
		153	5/2+	-71.313 (4)	2.34 ± 0.01 d		ε 100
		154	0	-70.15 (5)	21.5 ± 0.4 h		ε 100; β ⁻ < 0.10; ε 98.2; IT 1.8; ε 78.2; IT 21.8; β ⁻ < 0.10

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
63	Eu	157	(3/2-)	-66.73 (5)	8.03 ± 0.07 m		β ⁻ 100
		158	0+	-65.2 (8)	5.30 ± 0.03 m		β ⁻ 100
		159	5/2-	-62.25 (7)	11.37 ± 0.15 s		β ⁻ 100
		160	0+	-60.42 (20)	9.6 ± 0.3 s		β ⁻ 100
		161	0	-56.75 (14)	4.8 ± 0.4 s		β ⁻ 100
		162	0+	-54.8 (5)	2.4 ± 0.5 s		β ⁻ 100
		131	3/2+	-38.7 (4)	17.8 ± 1.9 ms		p 89; ε 11
		134	0	-49.72 (20)	0.5 ± 0.2 s		ε 100; εp > 0.00
		135	0	-54.1 (3)	1.5 ± 0.2 s		ε 100; εp
		136	(7+)	-56.1 (20)	3.3 ± 0.3 s		ε 100; εp 0.09; ε 100; εp 0.09
		137	(11/2-)	-60.02 (20)	11 ± 2 s		ε 100
		138	(6-)	-61.75 (3)	12.1 ± 0.6 s		ε 100
		139	(11/2)-	-65.398 (13)	17.9 ± 0.6 s		ε 100
		140	1+	-66.99 (5)	1.51 ± 0.02 s		ε 100; IT 100; ε < 1.00
		141	5/2+	-69.926 (13)	40.7 ± 0.7 s		ε 100
		141m	11/2-	-69.829 (13)	2.7 ± 0.3 s		IT 87; ε 13
		142	1+	-71.31 (3)	2.34 ± 0.12 s		ε 100; ε 100
		143	5/2+	-74.242 (11)	2.59 ± 0.02 m		ε 100
		144	1+	-75.619 (11)	10.2 ± 0.1 s		ε 100
		145	5/2+	-77.992 (4)	5.93 ± 0.04 d		ε 100
		146	4-	-77.117 (6)	4.61 ± 0.03 d		ε 100
		147	5/2+	-77.544 (3)	24.1 ± 0.6 d		ε 100; α 0.0022
		148	5-	-76.299 (10)	54.5 ± 0.5 d		ε 100; α 9.4e-07
		149	5/2+	-76.44 (4)	93.1 ± 0.4 d		ε 100
		150	5-	-74.791 (6)	36.9 ± 0.9 y		ε 100
		150m	0-	-74.75 (6)	12.8 ± 0.1 h		ε 11; IT ≤ 5.0E-8; β ⁻ 89
		151	5/2+	-74.6517 (18)	≥ 1.7E+18 y	47.81% ± 0.03%	α
		152	3-	-72.8871 (18)	13.528 ± 0.014 y		ε 72.1; β ⁻ 27.9
		152m	0-	-72.8415 (18)	9.3116 ± 0.0013 h		β ⁻ 72; ε 28
		152m2	8-	-72.7392 (18)	96 ± 1 m		IT 100
		153	5/2+	-73.3661 (18)	stable	52.19% ± 0.06%	
		154	3-	-71.737 (18)	8.601 ± 0.01 y		ε 0.02; β ⁻ 99.98
		154m	8-	-71.5916 (18)	46.3 ± 0.4 m		IT 100
		155	5/2+	-71.8169 (18)	4.753 ± 0.014 y		β ⁻ 100
		156	0+	-70.085 (6)	15.19 ± 0.08 d		β ⁻ 100
		157	5/2+	-69.46 (5)	15.18 ± 0.03 h		β ⁻ 100
		158	(1-)	-67.2 (8)	45.9 ± 0.2 m		β ⁻ 100
		159	5/2+	-66.046 (7)	18.1 ± 0.1 m		β ⁻ 100
		160	1	-63.25 (6)	38 ± 4 s		β ⁻ 100
		161	0	-61.8 (6)	26 ± 3 s		β ⁻ 100
		162	0	-58.69 (6)	10.6 ± 1 s		β ⁻ 100
		163	0	-56.8 (10)	7.7 ± 0.4 s		β ⁻ 100
		164	0	-53.4 (4)	4.2 ± 0.2 s		β ⁻ 100
		165	0	-50.8 (5)	2.3 ± 0.2 s		β ⁻ 100
64	Gd	135	(5/2+)	-44 (5)	1.1 ± 0.2 s		ε 100; εp 18
		137	(7/2)	-51.2 (4)	2.2 ± 0.2 s		ε 100; εp
		138	0+	-55.66 (20)	4.7 ± 0.9 s		ε 100
		139	(9/2-)	-57.63 (20)	5.8 ± 0.9 s		εp > 0.00; ε > 0.00; εp > 0.00; ε > 0.00
		140	0+	-61.78 (3)	15.8 ± 0.4 s		ε 100
		141	1/2+	-63.224 (20)	14 ± 4 s		ε 100; εp 0.03
		141m	11/2-	-62.846 (20)	24.5 ± 0.5 s		ε 89; IT 11
		142	0+	-66.96 (3)	70.2 ± 0.6 s		ε 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
8	O	19	0	15.857 (16)	336 ± 3 ms		β ⁻ 100; β ⁻ n 41.8
		20	2-	21.77 (6)	136 ± 3 ms		β ⁻ 100; β ⁻ n 42.9
		21	(1/2-)	25.25 (10)	83 ± 8 ms		β ⁻ 100; β ⁻ n 90.5
		22	(0-,1-)	32.04 (19)	20 ± 2 ms		β ⁻ 100; β ⁻ n 33; β ⁻ 2n 12
		23	0	38.4 (3)	14.5 ± 1.4 ms		β ⁻ 100; β ⁻ n; β ⁻ 2n
		13	(3/2-)	23.115 (10)	8.58 ± 0.05 ms		ε 100; εp 100
		14	0+	8.0074 (11)	70.620 ± 0.015 s		ε 100
		15	1/2-	2.8556 (5)	122.24 ± 0.16 s		ε 100
		16	0+	-4.737 (16)	stable	99.757% ± 0.016%	
		17	5/2+	-0.8087 (6)	stable	0.038% ± 0.001%	
		18	0+	-0.7828 (7)	stable	0.205% ± 0.014%	
		19	5/2+	3.334 (3)	26.88 ± 0.05 s		β ⁻ 100
		20	0+	3.7961 (9)	13.51 ± 0.05 s		β ⁻ 100
		21	(5/2+)	8.062 (12)	3.42 ± 0.1 s		β ⁻ 100
		22	0+	9.28 (6)	2.25 ± 0.09 s		β ⁻ 100; β ⁻ n < 22.00
		23	1/2+	14.62 (9)	97 ± 8 ms		β ⁻ 100; β ⁻ n 7
		24	0+	18.5 (11)	65 ± 5 ms		β ⁻ n 58; β ⁻ 100
9	F	17	5/2+	1.9517 (25)	64.49 ± 0.16 s		ε 100
		18	1+	0.8731 (5)	109.77 ± 0.05 m		ε 100
		19	1/2+	-1.4874 (9)	stable	100%	
		20	2+	-0.0174 (3)	11.07 ± 0.06 s		β ⁻ 100
		21	5/2+	-0.0476 (18)	4.158 ± 0.02 s		β ⁻ 100
		22	(4+)	2.793 (12)	4.23 ± 0.04 s		β ⁻ n 11; β ⁻ n < 11.00
		23	5/2+	3.31 (10)	2.23 ± 0.14 s		β ⁻ 100
		24	(1,2,3)+	7.56 (7)	390 ± 70 ms		β ⁻ 100; β ⁻ n < 5.90
		25	5/2+	11.36 (8)	80 ± 9 ms		β ⁻ 100; β ⁻ n 23.1
		26	(1+)	18.67 (8)	9.7 ± 0.7 ms		β ⁻ n 11; β ⁻ 100
		27	(5/2+)	24.63 (19)	5.0 ± 0.2 ms		β ⁻ 100; β ⁻ n 77
		29	(5/2+)	40 (6)	2.5 ± 0.3 ms		β ⁻ 100; β ⁻ n 100
10	Ne	17	1/2-	16.5004 (4)	109.2 ± 0.6 ms		εp 100; εα; ε 100
		18	0+	5.3176 (4)	1.6670 ± 0.0017 s		ε 100
		19	1/2+	1.752 (16)	17.22 ± 0.02 s		ε 100
		20	0+	-7.0419 (16)	stable	90.48% ± 0.03%	
		21	3/2+	-5.7317 (4)	stable	0.27% ± 0.01%	
		22	0+	-8.0247 (18)	stable	9.25% ± 0.03%	
		23	5/2+	-5.154 (10)	37.24 ± 0.12 s		β ⁻ 100
		24	0+	-5.9516 (5)	3.38 ± 0.02 m		β ⁻ 100
		25	1/2+	-2.06 (4)	602 ± 8 ms		β ⁻ 100
		26	0+	0.479 (18)	197 ± 1 ms		β ⁻ n 0.13; β ⁻ 100
		27	(3/2+)	7.04 (7)	31.5 ± 1.3 ms		β ⁻ 100; β ⁻ n 2
		28	0+	11.29 (10)	18.9 ± 0.4 ms		β ⁻ 100; β ⁻ n 12; β ⁻ 3.6
		29	(3/2+)	18.4 (10)	14.8 ± 0.3 ms		β ⁻ 100; β ⁻ n 28; β ⁻ 2n 4
		30	0+	23 (3)	7.3 ± 0.3 ms		β ⁻ n 13; β ⁻ 8.9; β ⁻ 100
		31	0	30.8 (16)	3.4 ± 0.8 ms		β ⁻ 100; β ⁻ n
		32	0+	37 (5)	3.5 ± 0.9 ms		β ⁻ 100; β ⁻ n
11	Na	20	2+	6.8502 (10)	447.9 ± 2.3 ms		ε 100; εα 20.05
		21	3/2+	-2.1846 (3)	22.49 ± 0.04 s		ε 100
		22	3+	-5.1815 (17)	2.6027 ± 0.001 y		ε 100
		23	3/2+	-9.5298 (18)	stable	100%	
		24	4+	-8.4179 (4)	14.997 ± 0.012 h		β ⁻ 100
		24m	1+	-7.9457 (4)	20.18 ± 0.1 ms		IT 99.95; β ⁻ ≈ 0.05
		25	5/2+	-9.3578 (12)	59.1 ± 0.6 s		β ⁻ 100
		26	3+	-6.861 (4)	1.07128 ± 2.5E-4 s		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
12	Mg	27	5/2+	-5.518 (4)	301 ± 6 ms		β ⁻ n 0.13; β ⁻ 100
		28	1+	-0.988 (10)	30.5 ± 0.4 ms		β ⁻ 100; β ⁻ n 0.58
		29	3/2+	2.67 (12)	44.9 ± 1.2 ms		β ⁻ 100; β ⁻ n 21.5
		30	2+	8.374 (23)	48 ± 2 ms		β ⁻ 100; β ⁻ n 30; β ⁻ 2n 1.15; β ⁻ α 5.5e-05
		31	3/2(+)	12.54 (10)	17.0 ± 0.4 ms		β ⁻ n 37; β ⁻ 2n 0.87; β ⁻ 3n < 0.05; β ⁻ 100
		32	(3-,4-)	18.81 (12)	13.2 ± 0.4 ms		β ⁻ 100; β ⁻ n 24; β ⁻ 2n 8
		33	(3/2+)	24 (6)	8.0 ± 0.4 ms		β ⁻ 100; β ⁻ n 47; β ⁻ 2n 13
		34	0	31.3 (5)	5.5 ± 1 ms		β ⁻ n ≈ 15.00; β ⁻ 100; β ⁻ 2n ≈ 50.00
		35	0	37.8 (6)	1.5 ± 0.5 ms		β ⁻ 100; β ⁻ n
		20	0+	17.56 (3)	90.8 ± 2.4 ms		ε 100; ε p ≈ 27.00
		21	5/2+	10.913 (16)	122 ± 3 ms		ε α < 0.50; ε 100; ε p 32.6
		22	0+	-0.3999 (3)	3.8755 ± 0.0012 s		ε 100
		23	3/2+	-5.4732 (7)	11.317 ± 0.011 s		ε 100
		24	0+	-13.9335 (13)	stable	78.99% ± 0.04%	
		25	5/2+	-13.1927 (5)	stable	10% ± 0.01%	
		26	0+	-16.2145 (3)	stable	11.01% ± 0.03%	
		27	1/2+	-14.5866 (5)	9.458 ± 0.012 m		β ⁻ 100
		28	0+	-15.0186 (20)	20.915 ± 0.009 h		β ⁻ 100
		29	3/2+	-10.603 (11)	1.30 ± 0.12 s		β ⁻ 100
		30	0+	-8.892 (13)	335 ± 17 ms		β ⁻ 100
		31	1/2(+)	-3.19 (17)	232 ± 15 ms		β ⁻ 100; β ⁻ n 1.7
		32	0+	-0.912 (18)	86 ± 5 ms		β ⁻ 100; β ⁻ n 5.5
		33	3/2-	4.947 (22)	90.5 ± 1.6 ms		β ⁻ 100; β ⁻ n 14
		34	0+	8.56 (9)	20 ± 10 ms		β ⁻ 100; β ⁻ n
		35	(7/2-)	15.64 (18)	70 ± 40 ms		β ⁻ 100; β ⁻ n 52
13	Al	36	0+	20.4 (5)	3.9 ± 1.3 ms		β ⁻ n; β ⁻ 100
		22	4+	18.2 (4)	91.1 ± 0.5 ms		ε 2p 1.1; ε α 0.04; ε 100; ε p 54.5
		23	5/2+	6.748 (3)	446 ± 6 ms		ε 100; ε p 1.22
		24	4+	-0.0489 (10)	2.053 ± 0.004 s		ε 100; ε p 0.0016; ε α 0.04
		24m	1+	0.3768 (10)	130 ± 3 ms		IT 82.5; ε 17.5; ε α 0.03
		25	5/2+	-8.9161 (5)	7.183 ± 0.012 s		ε 100
		26	5+	-12.2101 (6)	7.17E+5 ± 0.24E+5 y		ε 100
		26m	0+	-11.9818 (6)	6.3464 ± 7.0E-4 s		ε 100
		27	5/2+	-17.1967 (10)	stable	100%	
		28	3+	-16.8504 (12)	2.2414 ± 0.0012 m		β ⁻ 100
		29	5/2+	-18.2153 (12)	6.56 ± 0.06 m		β ⁻ 100
		30	3+	-15.872 (14)	3.62 ± 0.06 s		β ⁻ 100
		31	(3/2,5/2)+	-14.955 (20)	644 ± 25 ms		β ⁻ 100
		32	1+	-11.06 (9)	33.0 ± 0.2 ms		β ⁻ 100; β ⁻ n 0.7
		33	(5/2)+	-8.44 (7)	41.7 ± 0.2 ms		β ⁻ n 8.5; β ⁻ 100
		34	0	-3.05 (6)	42 ± 6 ms		β ⁻ 100; β ⁻ n 27
		35	0	-0.22 (7)	37.2 ± 0.8 ms		β ⁻ 100; β ⁻ n 38
		36	0	5.95 (10)	90 ± 40 ms		β ⁻ 100; β ⁻ n < 31.00
		37	0	9.81 (12)	10.7 ± 1.3 ms		β ⁻ 100
		38	0	16.21 (25)	7.6 ± 0.6 ms		β ⁻ ; β ⁻ n
		39	0	21 (6)	7.6 ± 1.6 ms		β ⁻ n; β ⁻
14	Si	22	0+	33 (4)	29 ± 2 ms		ε 100; ε p 32
		23	(5/2)+	23.1 (4)	42.3 ± 0.4 ms		ε 100; ε p 71; ε 2p 3.6
		24	0+	10.755 (19)	140.5 ± 1.5 ms		ε 100; ε p 45
		25	5/2+	3.827 (10)	220 ± 3 ms		ε 100; ε p 35

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
		142m	(8)-	-80.27 (3)	2.0 ± 0.2 ms		IT 100
		143	5/2+	-82.96 (3)	265 ± 7 d		ε 100
		144	5-	-81.416 (3)	363 ± 14 d		ε 100
		145	5/2+	-81.267 (3)	17.7 ± 0.4 y		ε 100; α 2.8e-07
		146	3-	-79.454 (4)	5.53 ± 0.05 y		ε 66; β ⁻ 34
		147	7/2+	-79.0416 (18)	2.6234 ± 2.0E-4 y		β ⁻ 100
		148	1-	-76.865 (6)	5.368 ± 0.002 d		β ⁻ 100
		148m	5-,6-	-76.727 (6)	41.29 ± 0.11 d		β ⁻ 95.8; IT 4.2
		149	7/2+	-76.063 (3)	53.08 ± 0.05 h		β ⁻ 100
		150	(1-)	-73.596 (20)	2.68 ± 0.02 h		β ⁻ 100
		151	5/2+	-73.389 (5)	28.40 ± 0.04 h		β ⁻ 100
		152	1+	-71.26 (3)	4.12 ± 0.08 m		β ⁻ 100
		152m	(8)	-71.11 (3)	13.8 ± 0.2 m		β ⁻ 100; IT ≥ 0.00; β ⁻ 100
		153	5/2-	-70.678 (11)	5.25 ± 0.02 m		β ⁻ 100
		154	(3,4)	-68.49 (4)	2.68 ± 0.07 m		β ⁻ 100; β ⁻ 100
		155	5/2-	-66.97 (3)	41.5 ± 0.2 s		β ⁻ 100
		156	4-	-64.21 (3)	26.70 ± 0.1 s		β ⁻ 100
		157	(5/2-)	-62.37 (11)	10.56 ± 0.1 s		β ⁻ 100
		158	0	-59.12 (11)	4.8 ± 0.5 s		β ⁻ 100
		159	0	-56.82 (15)	1.5 ± 0.2 s		β ⁻ 100
62	Sm	129	(1/2+,3/2+)	-41.3 (7)	0.55 ± 0.1 s		ε 100; ε p > 0.00
		131	0	-49.6 (3)	1.2 ± 0.2 s		ε 100; ε p > 0.00
		132	0+	-54.7 (3)	4.0 ± 0.3 s		ε 100; ε p
		133	(5/2+)	-56.83 (20)	2.89 ± 0.16 s		ε 100; ε p > 0.00; ε; IT; ε p
		134	0+	-61.22 (20)	9.5 ± 0.8 s		ε 100
		135	(3/2+,5/2+)	-62.86 (15)	10.3 ± 0.5 s		ε p 0.02; ε 100
		136	0+	-66.811 (12)	47 ± 2 s		ε 100
		137	(9/2-)	-68.03 (4)	45 ± 1 s		ε 100
		138	0+	-71.498 (12)	3.1 ± 0.2 m		ε 100
		139	1/2+	-72.38 (11)	2.57 ± 0.1 m		ε 100
		139m	11/2-	-71.923 (11)	10.7 ± 0.6 s		IT 93.7; ε 6.3
		140	0+	-75.456 (12)	14.82 ± 0.12 m		ε 100
		141	1/2+	-75.934 (9)	10.2 ± 0.2 m		ε 100
		141m	11/2-	-75.758 (9)	22.6 ± 0.2 m		ε 99.69; IT 0.31
		142	0+	-78.987 (4)	72.49 ± 0.05 m		ε 100
		143	3/2+	-79.517 (3)	8.75 ± 0.06 m		ε 100
		143m	11/2-	-78.763 (3)	66 ± 2 s		IT 99.76; ε 0.24
		143m2	23/2(-)	-76.723 (3)	30 ± 3 ms		IT 100
		144	0+	-81.9657 (25)	stable	3.07% ± 0.07%	
		145	7/2-	-80.6515 (25)	340 ± 3 d		ε 100
		146	0+	-80.996 (3)	10.3E+7 ± 0.5E+7 y		α 100
		147	7/2-	-79.2657 (18)	1.060E11 ± 0.011E11 y	14.99% ± 0.18%	α 100
		148	0+	-79.3358 (18)	7E+15 ± 3E+15 y		α 100
		149	7/2-	-77.135 (18)	stable	13.82% ± 0.07%	
		150	0+	-77.0504 (17)	stable	7.38% ± 0.01%	
		151	5/2-	-74.5755 (17)	90 ± 8 y		β ⁻ 100
		152	0+	-74.7622 (17)	stable	26.75% ± 0.16%	
		153	3/2+	-72.5593 (17)	46.284 ± 0.004 h		β ⁻ 100
		153m	11/2-	-72.4609 (17)	10.6 ± 0.3 ms		IT 100
		154	0+	-72.4549 (19)	stable	22.75% ± 0.29%	
		155	3/2-	-70.1905 (19)	22.3 ± 0.2 m		β ⁻ 100
		156	0+	-69.363 (9)	9.4 ± 0.2 h		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
61	Pm	128	0+	-60.07 (20)	5 ± 0 s		ε 100; ep
		129	(5/2+)	-62.23 (20)	4.9 ± 0.2 s		ε > 0.00; ep > 0.00
		130	0+	-66.6 (3)	21 ± 3 s		ε 100
		131	(5/2+)	-67.77 (3)	25.4 ± 0.9 s		ε 100; ep > 0.00
		132	0+	-71.426 (24)	94 ± 8 s		ε 100
		133	(7/2+)	-72.33 (5)	70 ± 10 s		ε 100
		133m	(1/2+)	-72.2 (5)	≈ 70 s		ε ; IT
		134	0+	-75.646 (12)	8.5 ± 1.5 m		ε 100
		135	9/2(-)	-76.214 (19)	12.4 ± 0.6 m		ε 100
		135m	(1/2+)	-76.149 (19)	5.5 ± 0.5 m		ε > 99.97; IT < 0.03
		136	0+	-79.199 (12)	50.65 ± 0.33 m		ε 100
		137	1/2+	-79.584 (12)	38.5 ± 1.5 m		ε 100
		137m	11/2-	-79.065 (12)	1.60 ± 0.15 s		IT 100
		138	0+	-82.018 (12)	5.04 ± 0.09 h		ε 100
		139	3/2+	-82.01 (3)	29.7 ± 0.5 m		ε 100
		139m	11/2-	-81.78 (3)	5.50 ± 0.2 h		ε 88.2; IT 11.8
		140	0+	-84.25 (3)	3.37 ± 0.02 d		ε 100
		141	3/2+	-84.193 (4)	2.49 ± 0.03 h		ε 100
		141m	11/2-	-83.436 (4)	62.0 ± 0.8 s		IT 100; ε < 0.05
		142	0+	-85.9493 (18)	stable	27.152% ± 0.04%	
		143	7/2-	-84.0015 (18)	stable	12.174% ± 0.026%	
		144	0+	-83.7473 (18)	2.29E+15 ± 0.16E+15 y	23.798% ± 0.019%	α 100
		145	7/2-	-81.4312 (18)	stable	8.293% ± 0.012%	
		146	0+	-80.9252 (18)	stable	17.189% ± 0.032%	
		147	5/2-	-78.146 (18)	10.98 ± 0.01 d		β ⁻ 100
		148	0+	-77.4068 (24)	stable	5.756% ± 0.021%	
		149	5/2-	-74.3743 (24)	1.728 ± 0.001 h		β ⁻ 100
		150	0+	-73.683 (3)	0.79E19 ± 0.07E19 y	5.638% ± 0.028%	
		151	3/2+	-70.946 (3)	12.44 ± 0.07 m		β ⁻ 100
		152	0+	-70.152 (25)	11.4 ± 0.2 m		β ⁻ 100
		153	(3/2)-	-67.34 (3)	31.6 ± 1 s		β ⁻ 100
		154	0+	-65.68 (11)	25.9 ± 0.2 s		β ⁻ 100
		155	0	-62.47 (15)	8.9 ± 0.2 s		β ⁻ 100
		156	0+	-60.52 (20)	5.06 ± 0.13 s		β ⁻ 100
		128	0	-47.6 (5)	1.0 ± 0.3 s		ε 100; α ; ep
		129	(5/2-)	-52.5 (4)	2.4 ± 0.9 s		ε 100
		130	(4,5,6)	-55.2 (3)	2.6 ± 0.2 s		ε 100; ep
		131	(11/2-)	-59.59 (20)	6.3 ± 0.8 s		ε 100
		132	(3+)	-61.64 (20)	6.2 ± 0.6 s		ε 100; ep ≈ 5.0E-5
		133	(3/2+)	-65.41 (5)	13.5 ± 2.1 s		ε 100
		133m	(11/2-)	-65.28 (5)	< 8.8 s		IT ; ε
		134	(2+)	-66.74 (6)	≈ 5 s		ε 100; ε 100
		135	(3/2+,5/2+)	-69.98 (6)	49 ± 3 s		ε 100
		135m	(11/2-)	-69.91 (6)	45 ± 4 s		ε 100
		136	(5-)	-71.2 (8)	107 ± 6 s		ε 100; ε 100
		137	11/2-	-74.073 (13)	2.4 ± 0.1 m		ε 100
		138	0	-74.94 (3)	10 ± 2 s		ε 100
		138m	0	-74.92 (3)	3.24 ± 0.05 m		ε
		139	(5/2)+	-77.5 (14)	4.15 ± 0.05 m		ε 100
		139m	(11/2)-	-77.312 (14)	180 ± 20 ms		IT 99.94; ε 0.06
		140	1+	-78.21 (4)	9.2 ± 0.2 s		ε 100; ε 100
		141	5/2+	-80.523 (14)	20.90 ± 0.05 m		ε 100
		142	1+	-81.16 (3)	40.5 ± 0.5 s		ε 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
15	P	26	0+	-7.1409 (11)	2.229 ± 0.003 s		ε 100
		27	5/2+	-12.3843 (14)	4.15 ± 0.04 s		ε 100
		28	0+	-21.4927 (4)	stable	92.223% ± 0.019%	
		29	1/2+	-21.895 (5)	stable	4.685% ± 0.008%	
		30	0+	-24.4329 (22)	stable	3.092% ± 0.011%	
		31	3/2+	-22.949 (4)	157.3 ± 0.3 m		β ⁻ 100
		32	0+	-24.0776 (3)	153 ± 19 y		β ⁻ 100
		33	3/2+	-20.5143 (7)	6.11 ± 0.21 s		β ⁻ 100
		34	0+	-19.957 (14)	2.77 ± 0.2 s		β ⁻ 100
		35	0	-14.36 (4)	0.78 ± 0.12 s		β ⁻ 100; β ⁻ n < 5.00
		36	0+	-12.42 (6)	0.45 ± 0.06 s		β ⁻ 100; β ⁻ n < 10.00
		37	(7/2-)	-6.59 (8)	90 ± 60 ms		β ⁻ 100; β ⁻ n 17
		39	0	2.32 (9)	47.5 ± 2 ms		β ⁻ ; β ⁻ n
		40	0+	5.43 (23)	33.0 ± 1 ms		β ⁻ ; β ⁻ n
		41	0	12.1 (4)	20.0 ± 2.5 ms		β ⁻ ; β ⁻ n ?
		42	0+	16.6 (5)	12.5 ± 3.5 ms		β ⁻ 100; β ⁻ n
		26	(3+)	10.97 (20)	43.7 ± 0.6 ms		ε 100; ep
		27	1/2+	-0.72 (3)	260 ± 80 ms		ep 0.07; ε 100
		28	3+	-7.149 (11)	270.3 ± 0.5 ms		ε 100; ep 0.0013; εα 0.00086
		29	1/2+	-16.9526 (6)	4.142 ± 0.015 s		ε 100
		30	1+	-20.2006 (3)	2.498 ± 0.004 m		ε 100
		31	1/2+	-24.4405 (7)	stable	100%	
		32	1+	-24.3048 (4)	14.262 ± 0.014 d		β ⁻ 100
		33	1/2+	-26.3373 (11)	25.35 ± 0.11 d		β ⁻ 100
		34	1+	-24.5486 (8)	12.43 ± 0.08 s		β ⁻ 100
		35	1/2+	-24.8578 (19)	47.3 ± 0.7 s		β ⁻ 100
		36	4-	-20.251 (13)	5.6 ± 0.3 s		β ⁻ 100
		37	0	-19 (4)	2.31 ± 0.13 s		β ⁻ 100
		38	(0-4-)	-14.64 (7)	0.64 ± 0.14 s		β ⁻ 100; β ⁻ n 12
		39	(1/2+)	-12.8 (8)	0.28 ± 0.04 s		β ⁻ 100; β ⁻ n 26
		40	(2-3-)	-8.07 (11)	125 ± 25 ms		β ⁻ 100; β ⁻ n 15.8
		41	(1/2+)	-4.98 (8)	100 ± 5 ms		β ⁻ 100; β ⁻ n 30
		42	0	1.01 (21)	48.5 ± 1.5 ms		β ⁻ 100; β ⁻ n 50
		43	(1/2+)	4.7 (4)	36.5 ± 1.5 ms		β ⁻ 100; β ⁻ n 100
		44	0	10.4 (8)	18.5 ± 2.5 ms		β ⁻ ; β ⁻ n
		27	(5/2+)	17 (4)	15.5 ± 1.5 ms		ep 2.3; e2p 1.1; ε 100
		28	0+	4.07 (16)	125 ± 10 ms		ε 100; ep 20.7
		29	5/2+	-3.16 (5)	187 ± 4 ms		ε 100; ep 47
		30	0+	-14.062 (3)	1.178 ± 0.005 s		ε 100
		31	1/2+	-19.043 (10)	2.572 ± 0.013 s		ε 100
		32	0+	-26.0155 (13)	stable	94.99% ± 0.26%	
		33	3/2+	-26.5858 (14)	stable	0.75% ± 0.02%	
		34	0+	-29.9316 (6)	stable	4.25% ± 0.24%	
		35	3/2+	-28.8461 (4)	87.37 ± 0.04 d		β ⁻ 100
		36	0+	-30.6641 (19)	stable	0.01% ± 0.01%	
		37	7/2-	-26.8964 (20)	5.05 ± 0.02 m		β ⁻ 100
		38	0+	-26.861 (7)	170.3 ± 0.7 m		β ⁻ 100
		39	(7/2)-	-23.16 (5)	11.5 ± 0.5 s		β ⁻ 100
		40	0+	-22.93 (11)	8.8 ± 2.2 s		β ⁻ 100
		41	(7/2-)	-19.09 (6)	1.99 ± 0.05 s		β ⁻ 100; β ⁻ n
		42	0+	-17.68 (12)	1.03 ± 0.03 s		β ⁻ 100
		43	0	-12.07 (10)	0.28 ± 0.03 s		β ⁻ n 40; β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
17	Cl	44	0+	-9.1 (14)	100 ± 1 ms		β ⁻ 100; β ⁻ n 18
		45	0	-4 (7)	68 ± 2 ms		β ⁻ 100; β ⁻ n 54
		46	0+	0 (AP)	50 ± 8 ms		β ⁻ 100
		31	0	-7.07 (5)	150 ± 25 ms		ε 100; ε p 0.7
		32	1+	-13.3351 (9)	298 ± 1 ms		ε 100; ε α 0.05; ε p 0.03
		33	3/2+	-21.0032 (4)	2.511 ± 0.004 s		ε 100
		34	0+	-24.44 (7)	1.5264 ± 0.0014 s		ε 100
		34m	3+	-24.2936 (7)	32.00 ± 0.04 m		ε 55.4; IT 44.6
		35	3/2+	-29.0135 (4)	stable	75.76% ± 0.1%	
		36	2+	-29.5219 (4)	3.01E+5 ± 0.02E+5 y		β ⁻ 98.1; ε 1.9
		37	3/2+	-31.7615 (5)	stable	24.24% ± 0.1%	
		38	2-	-29.7981 (10)	37.24 ± 0.05 m		β ⁻ 100
		38m	5-	-29.1267 (10)	715 ± 3 ms		IT 100
		39	3/2+	-29.8002 (17)	56.2 ± 0.6 m		β ⁻ 100
		40	2-	-27.56 (3)	1.35 ± 0.02 m		β ⁻ 100
		41	(1/2+)	-27.31 (7)	38.4 ± 0.8 s		β ⁻ 100
		42	0	-24.91 (14)	6.8 ± 0.3 s		β ⁻ 100
		43	(1/2+)	-24.41 (21)	3.13 ± 0.09 s		β ⁻ 100
		44	(2-)	-20.61 (14)	0.56 ± 0.11 s		β ⁻ 100; β ⁻ n < 8.00
		45	(1/2+)	-18.36 (10)	413 ± 25 ms		β ⁻ 100; β ⁻ n 24
		46	0	-13.81 (16)	232 ± 2 ms		β ⁻ 100; β ⁻ n 60
		47	0	-10.1 (8)	101 ± 6 ms		β ⁻ 100; β ⁻ n > 0.00
18	Ar	31	5/2(+)	11.29 (21)	14.4 ± 0.6 ms		ε 100; ε p 62; ε 2p 8.5
		32	0+	-2.2003 (18)	100.5 ± 0.3 ms		ε 100; ε p 35.6
		33	1/2+	-9.3843 (4)	173.0 ± 2 ms		ε 100; ε p 38.7
		34	0+	-18.3773 (3)	844.5 ± 3.4 ms		ε 100
		35	3/2+	-23.0473 (7)	1.7756 ± 0.001 s		ε 100
		36	0+	-30.2315 (3)	stable	0.3336% ± 0.0021%	
		37	3/2+	-30.9476 (21)	35.04 ± 0.04 d		ε 100
		38	0+	-34.7147 (25)	stable	0.0629% ± 0.0007%	
		39	7/2-	-33.242 (5)	269 ± 3 y		β ⁻ 100
		40	0+	-35.0398 (22)	stable	99.6035% ± 0.0025%	
		41	7/2-	-33.0675 (3)	109.61 ± 0.04 m		β ⁻ 100
		42	0+	-34.423 (6)	32.9 ± 1.1 y		β ⁻ 100
		43	(5/2-)	-32.01 (5)	5.37 ± 0.06 m		β ⁻ 100
		44	0+	-32.6732 (16)	11.87 ± 0.05 m		β ⁻ 100
		45	5/2-, 7/2-	-29.7707 (5)	21.48 ± 0.15 s		β ⁻ 100
		46	0+	-29.73 (4)	8.4 ± 0.6 s		β ⁻ 100
		47	(3/2-)	-25.21 (9)	1.23 ± 0.03 s		β ⁻ 100; β ⁻ n < 0.20
		48	0+	-22.6 (7)	475 ± 40 ms		β ⁻ 100
		49	0	-16.8 (8)	170 ± 50 ms		β ⁻ 100; β ⁻ n 65
		50	0+	-12.8 (9)	85 ± 30 ms		β ⁻ 100; β ⁻ n 35
19	K	35	3/2+	-11.1729 (5)	178 ± 8 ms		ε 100; ε p 0.37
		36	2+	-17.4173 (3)	342 ± 2 ms		ε 100; ε p 0.05; ε α 0.0034
		37	3/2+	-24.8001 (9)	1.226 ± 0.007 s		ε 100
		38	3+	-28.8006 (25)	7.636 ± 0.018 m		ε 100
		38m	0+	-28.6702 (25)	924.3 ± 0.3 ms		ε 99.97; IT 0.03
		39	3/2+	-33.8071 (5)	stable	93.2581% ± 0.0044%	
		40	4-	-33.5354 (6)	1.248E+9 ± 0.003E+9 y		β ⁻ 89.28; ε 10.72
		41	3/2+	-35.5595 (4)	stable	6.7302% ± 0.0044%	
		42	2-	-35.022 (11)	12.321 ± 0.025 h		β ⁻ 100
		43	3/2+	-36.5753 (4)	22.3 ± 0.1 h		β ⁻ 100
		44	2-	-35.7814 (4)	22.13 ± 0.19 m		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
59	Pr	142	0+	-84.532 (3)	> 5E+16 y	11.114% ± 0.051%	2β ⁻
		143	3/2-	-81.605 (3)	33.039 ± 0.006 h		β ⁻ 100
		144	0+	-80.431 (3)	284.91 ± 0.05 d		β ⁻ 100
		145	(5/2-)	-77.09 (4)	3.01 ± 0.06 m		β ⁻ 100
		146	0+	-75.641 (18)	13.52 ± 0.13 m		β ⁻ 100
		147	(5/2-)	-72.014 (9)	56.4 ± 1 s		β ⁻ 100
		148	0+	-70.398 (11)	56 ± 1 s		β ⁻ 100
		149	(3/2-)	-66.67 (10)	5.3 ± 0.2 s		β ⁻ 100
		150	0+	-64.849 (12)	4.0 ± 0.6 s		β ⁻ 100
		151	(5/2+)	-61.225 (18)	1.76 ± 0.06 s		β ⁻ 100; β ⁻
		152	0+	-59.31 (20)	1.4 ± 0.2 s		β ⁻ 100
		121	(3/2)	-41.4 (7)	10 +6-3 ms		p 100
		122	0	-44.7 (5)	≈ 0.5 s		ε ?
		123	0	-50.1 (6)	≈ 0.8 s		ε ?
		124	0	-53 (6)	1.2 ± 0.2 s		ε p > 0.00; ε 100
		125	0	-57.7 (4)	3.3 ± 0.7 s		ε 100; ε p
		126	>3	-60.14 (20)	3.14 ± 0.22 s		ε 100; ε p
		127	0	-64.32 (20)	4.2 ± 0.3 s		ε 100
		128	4,5,6	-66.33 (3)	2.84 ± 0.09 s		ε 100
		129	(11/2-)	-69.77 (3)	30 ± 4 s		ε > 0.00
		130	(7,8)	-71.18 (6)	40 ± 4 s		ε 100; ε 100; ε 100
		131	(3/2+)	-74.3 (5)	1.51 ± 0.02 m		ε 100
		131m	(11/2-)	-74.15 (5)	5.73 ± 0.2 s		IT 96.4; ε 3.6
		132	(2+)	-75.21 (6)	1.6 ± 0.3 m		ε 100
		133	(3/2+)	-77.937 (12)	6.5 ± 0.3 m		ε 100
		133m	(11/2-)	-77.745 (12)	1.1 ± 0.2 s		IT 100
		134	(6-)	-78.51 (4)	≈ 11 m		ε 100; ε 100
		135	3/2(+)	-80.936 (12)	24 ± 1 m		ε 100
		136	2+	-81.329 (12)	13.1 ± 0.1 m		ε 100
		137	5/2+	-83.179 (11)	1.28 ± 0.03 h		ε 100
		138	1+	-83.127 (14)	1.45 ± 0.05 m		ε 100
		138m	7-	-82.763 (14)	2.12 ± 0.04 h		ε 100
60	Nd	139	5/2+	-84.821 (8)	4.41 ± 0.04 h		ε 100
		140	1+	-84.691 (6)	3.39 ± 0.01 m		ε 100
		141	5/2+	-86.0158 (22)	stable	100%	
		142	2-	-83.7877 (22)	19.12 ± 0.04 h		β ⁻ 99.98; ε 0.02
		142m	5-	-83.784 (22)	14.6 ± 0.5 m		IT 100
		143	7/2+	-83.0674 (23)	13.57 ± 0.02 d		β ⁻ 100
		144	0-	-80.75 (3)	17.28 ± 0.05 m		β ⁻ 100
		144m	3-	-80.691 (3)	7.2 ± 0.3 m		IT 99.93; β ⁻ 0.07
		145	7/2+	-79.626 (7)	5.984 ± 0.01 h		β ⁻ 100
		146	(2-)	-76.69 (4)	24.15 ± 0.18 m		β ⁻ 100
		147	(5/2+)	-75.444 (16)	13.4 ± 0.3 m		β ⁻ 100
		148	1-	-72.535 (15)	2.29 ± 0.02 m		β ⁻ 100
		148m	(4)	-72.445 (15)	2.01 ± 0.07 m		β ⁻ 100
		149	(5/2+)	-71.039 (10)	2.26 ± 0.07 m		β ⁻ 100
		150	(1-)	-68.299 (9)	6.19 ± 0.16 s		β ⁻ 100
		151	(3/2-)	-66.78 (12)	18.90 ± 0.07 s		β ⁻ 100
		152	(4+)	-63.758 (19)	3.57 ± 0.18 s		β ⁻ 100
		153	0	-61.581 (14)	4.28 ± 0.11 s		β ⁻ 100
		154	(3+)	-58.19 (15)	2.3 ± 0.1 s		β ⁻ 100
		125	(5/2)	-47.4 (4)	0.65 ± 0.15 s		ε 100; ε p > 0.00
		127	0	-55.3 (4)	1.8 ± 0.4 s		ε 100; ε p

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
58	Ce	129	3/2+	-81.326 (21)	11.6 ± 0.2 m		ε 100
		129m	11/2-	-81.154 (21)	0.56 ± 0.05 s		IT 100
		130	3(+)	-81.63 (3)	8.7 ± 0.1 m		ε 100
		131	3/2+	-83.77 (3)	59 ± 2 m		ε 100
		132	2-	-83.72 (4)	4.8 ± 0.2 h		ε 100
		132m	6-	-83.54 (4)	24.3 ± 0.5 m		IT 76; ε 24
		133	5/2+	-85.49 (3)	3.912 ± 0.008 h		ε 100
		134	1+	-85.219 (20)	6.45 ± 0.16 m		ε 100
		135	5/2+	-86.651 (10)	19.5 ± 0.2 h		ε 100
		136	1+	-86.04 (5)	9.87 ± 0.03 m		ε 100
		136m	(8+)	-85.81 (5)	114 ± 3 ms		IT 100
		137	7/2+	-87.106 (12)	6E+4 ± 2E+4 y		ε 100
		138	5+	-86.521 (3)	1.02E+11 ± 0.01E+11 y	0.08881% ± 0.00071%	ε 65.6; β ⁻ 34.4
		139	7/2+	-87.2282 (23)	stable	99.9119% ± 0.0071%	
		140	3-	-84.3179 (23)	1.67855 ± 1.2E-4 d		β ⁻ 100
		141	(7/2+)	-82.934 (4)	3.92 ± 0.03 h		β ⁻ 100
		142	2-	-80.022 (7)	91.1 ± 0.5 m		β ⁻ 100
		143	(7/2+)	-78.171 (7)	14.2 ± 0.1 m		β ⁻ 100
		144	(3-)	-74.833 (18)	40.8 ± 0.4 s		β ⁻ 100
		145	(5/2+)	-72.832 (12)	24.8 ± 2 s		β ⁻ 100
		146	2-	-69.05 (3)	6.27 ± 0.1 s		β ⁻ 100; β ⁻ 100
		147	(3/2+)	-66.678 (11)	4.06 ± 0.04 s		β ⁻ 100; β ⁻ n 0.04
		148	(2-)	-62.709 (19)	1.26 ± 0.08 s		β ⁻ 100; β ⁻ n 0.15
		149	(3/2-)	-60.22 (20)	1.05 ± 0.03 s		β ⁻ 100; β ⁻ n 1.43
		150	(3+)	-56.55 (20)	0.86 ± 0.05 s		β ⁻ 100; β ⁻ n 2.7
		121	(5/2)	-52.5 (5)	1.1 ± 0.1 s		ε 100; ε p ≈ 1.00
		123	(5/2)	-60.1 (3)	3.8 ± 0.2 s		ε 100; ε p > 0.00
		124	0+	-64.6 (3)	6 ± 2 s		ε 100
		125	(7/2-)	-66.66 (20)	9.7 ± 0.3 s		ε 100; ε p
		126	0+	-70.82 (3)	51.0 ± 0.3 s		ε 100
		127	(1/2+)	-71.98 (6)	34 ± 2 s		ε 100
		127m	(5/2+)	-71.97 (6)	28.6 ± 0.7 s		ε 100
		128	0+	-75.53 (3)	3.93 ± 0.02 m		ε 100
		129	5/2+	-76.29 (3)	3.5 ± 0.5 m		ε > 0.00
		130	0+	-79.42 (3)	22.9 ± 0.5 m		ε 100
		131	7/2+	-79.71 (3)	10.3 ± 0.3 m		ε 100
		131m	(1/2+)	-79.64 (3)	5.4 ± 0.4 m		ε 100; IT
		132	0+	-82.471 (20)	3.51 ± 0.11 h		ε 100
		132m	(8-)	-80.13 (20)	9.4 ± 0.3 ms		IT 100
		133	1/2+	-82.423 (16)	97 ± 4 m		ε 100
		133m	9/2-	-82.386 (16)	5.1 ± 0.3 h		ε; IT
		134	0+	-84.836 (20)	3.16 ± 0.04 d		ε 100
		135	1/2(+)	-84.625 (11)	17.7 ± 0.3 h		ε 100
		135m	(11/2-)	-84.179 (11)	20 ± 1 s		IT 100
		136	0+	-86.474 (12)	> 0.7E+14 y	0.185% ± 0.002%	2ε
		137	3/2+	-85.884 (12)	9.0 ± 0.3 h		ε 100
		137m	11/2-	-85.629 (12)	34.4 ± 0.3 h		IT 99.21; ε 0.79
		138	0+	-87.564 (10)	≥ 0.9E+14 y	0.251% ± 0.002%	2ε 100
		138m	7-	-85.435 (10)	8.65 ± 0.2 ms		IT 100
		139	3/2+	-86.95 (7)	137.641 ± 0.02 d		ε 100
		139m	11/2-	-86.196 (7)	54.8 ± 1 s		IT 100
		140	0+	-88.0786 (22)	stable	88.45% ± 0.051%	
		141	7/2-	-85.4354 (22)	32.508 ± 0.013 d		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
20	Ca	45	3/2+	-36.6156 (5)	17.81 ± 0.61 m		β ⁻ 100
		46	(2-)	-35.4139 (7)	105 ± 10 s		β ⁻ 100
		47	1/2+	-35.709 (3)	17.50 ± 0.24 s		β ⁻ 100
		48	(2-)	-32.2852 (23)	6.8 ± 0.2 s		β ⁻ 100; β ⁻ n 1.14
		49	(1/2+,3/2+)	-29.612 (3)	1.26 ± 0.05 s		β ⁻ 100; β ⁻ n 86
		50	(0-,1-,2-)	-25.736 (10)	472 ± 4 ms		β ⁻ 100; β ⁻ n 29
		51	(1/2+,3/2+)	-21.6 (6)	365 ± 5 ms		β ⁻ n 47; β ⁻ 100
		52	(2-)	-16 (7)	118 ± 6 ms		β ⁻ 100; β ⁻ n ≈ 73.00
		53	(3/2+)	-11.1 (7)	30 ± 5 ms		β ⁻ 100; β ⁻ n ≈ 75.00; β ⁻ 2n < 10
		54	0	-4.3 (9)	10 ± 5 ms		β ⁻ 100; β ⁻ n > 0.00
		35	0	4.79 (20)	25.7 ± 0.2 ms		ε 100; ε p 95.9; ε 2p 4.1
		36	0+	-6.45 (4)	102 ± 2 ms		ε 100; ε p 54.3
		37	3/2+	-13.1357 (8)	181.1 ± 1 ms		ε 100; ε p 82.1
		38	0+	-22.0584 (3)	440 ± 12 ms		ε 100
		39	3/2+	-27.2827 (6)	859.6 ± 1.4 ms		ε 100
		40	0+	-34.8463 (21)	> 3.0E+21 y	96.94% ± 0.16%	2ε
		41	7/2-	-35.1379 (14)	1.02E+5 ± 0.07E+5 y		ε 100
		42	0+	-38.5472 (15)	stable	0.647% ± 0.023%	
		43	7/2-	-38.4089 (23)	stable	0.135% ± 0.01%	
		44	0+	-41.4688 (3)	stable	2.09% ± 0.11%	
		45	7/2-	-40.8123 (4)	162.61 ± 0.09 d		β ⁻ 100
		46	0+	-43.1399 (22)	> 0.28E+16 y	0.004% ± 0.003%	2β ⁻
		47	7/2-	-42.345 (22)	4.536 ± 0.003 d		β ⁻ 100
		48	0+	-44.2234 (22)	> 5.8E22 y	0.187% ± 0.021%	2β ⁻ 75
		49	3/2-	-41.2986 (22)	8.718 ± 0.006 m		β ⁻ 100
		50	0+	-39.588 (3)	13.9 ± 0.6 s		β ⁻ 100
		51	(3/2-)	-35.87 (9)	10.0 ± 0.8 s		β ⁻ 100; β ⁻ n
		52	0+	-32.5 (7)	4.6 ± 0.3 s		β ⁻ 100; β ⁻ n ≤ 2.00
		53	(3/2-,5/2-)	-27.5 (5)	90 ± 15 ms		β ⁻ 100; β ⁻ n > 30.00
		54	0+	-23 (7)	86 ± 7 ms		β ⁻ 100
		55	(5/2-)	-17 (8)	22 ± 2 ms		β ⁻ 100; β ⁻ n
		56	0+	-12.4 (9)	11 ± 2 ms		β ⁻ ; β ⁻ n ?
	Sc	40	4-	-20.523 (3)	182.3 ± 0.7 ms		ε 100; ε p 0.44; ε α 0.02
		41	7/2-	-28.6424 (8)	596.3 ± 1.7 ms		ε 100
		42	0+	-32.1211 (17)	681.3 ± 0.7 ms		ε 100
		42m	(7)+	-31.5048 (17)	61.7 ± 0.4 s		ε 100
		43	7/2-	-36.1881 (19)	3.891 ± 0.012 h		ε 100
		44	2+	-37.8163 (18)	3.97 ± 0.04 h		ε 100
		44m	6+	-37.5453 (18)	58.61 ± 0.1 h		IT 98.8; ε 1.2
		45	7/2-	-41.0703 (6)	stable	100%	
		45m	3/2+	-41.0579 (6)	318 ± 7 ms		IT 100
		46	4+	-41.7596 (6)	83.79 ± 0.04 d		β ⁻ 100
		46m	1-	-41.6171 (6)	18.75 ± 0.04 s		IT 100
		47	7/2-	-44.3367 (19)	3.3492 ± 6.0E-4 d		β ⁻ 100
		48	6+	-44.503 (5)	43.67 ± 0.09 h		β ⁻ 100
		49	7/2-	-46.56 (3)	57.18 ± 0.13 m		β ⁻ 100
		50	5+	-44.546 (15)	102.5 ± 0.5 s		β ⁻ 100
		50m	2+,3+	-44.289 (15)	0.35 ± 0.04 s		IT > 97.50; β ⁻ < 2.50
		51	(7/2-)	-43.227 (20)	12.4 ± 0.1 s		β ⁻ 100
		52	3(+)	-40.36 (19)	8.2 ± 0.2 s		β ⁻ 100
		53	(7/2-)	-37.5 (3)	2.4 ± 0.6 s		β ⁻ 100; β ⁻ n ?

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
22	Ti	54	(3)+	-33.7 (5)	526 ± 15 ms		β ⁻ 100
		55	(7/2)-	-29.6 (7)	96 ± 2 ms		β ⁻ 100; β ⁻ n 17
		56	(1+)	-24.5 (7)	26 ± 6 ms		β ⁻ 100; β ⁻ n ?; β ⁻ 100; β ⁻ n > 14.00
		57	(7/2-)	-20.1 (7)	22 ± 2 ms		β ⁻ 100; β ⁻ n
		58	0	-14.4 (8)	12 ± 5 ms		β ⁻ 100; β ⁻ n
		39	(3/2+)	2.2 (3)	31 +6-4 ms		ε 100; ε p 100
		40	0+	-8.85 (16)	52.4 ± 0.3 ms		ε ; ε p 97.5
		41	3/2+	-15.1 (4)	80.4 ± 0.9 ms		ε 100; ε p 100
		42	0+	-25.1046 (3)	199 ± 6 ms		ε 100
		43	7/2-	-29.321 (7)	509 ± 5 ms		ε 100
		44	0+	-37.5485 (7)	60.0 ± 1.1 y		ε 100
		45	7/2-	-39.0083 (8)	184.8 ± 0.5 m		ε 100
		46	0+	-44.127 (3)	stable	8.25% ± 0.03%	
		47	5/2-	-44.9364 (4)	stable	7.44% ± 0.02%	
		48	0+	-48.4917 (4)	stable	73.72% ± 0.03%	
		49	7/2-	-48.5628 (4)	stable	5.41% ± 0.02%	
		50	0+	-51.4307 (4)	stable	5.18% ± 0.02%	
		51	3/2-	-49.7318 (6)	5.76 ± 0.01 m		β ⁻ 100
		52	0+	-49.469 (7)	1.7 ± 0.1 m		β ⁻ 100
		53	(3/2)-	-46.83 (10)	32.7 ± 0.9 s		β ⁻ 100
		54	0+	-45.59 (12)	1.5 ± 0.4 s		β ⁻ 100
		55	(1/2)-	-41.67 (15)	1.3 ± 0.1 s		β ⁻ 100
		56	0+	-38.94 (20)	0.200 ± 0.005 s		β ⁻ n ; β ⁻ 100
		57	(5/2-)	-33.5 (5)	98 ± 5 ms		β ⁻ 100; β ⁻ n
		58	0+	-30.7 (5)	57 ± 10 ms		β ⁻ 100; β ⁻ n
		59	(5/2-)	-25 (5)	27.5 ± 2.5 ms		β ⁻ 100
		60	0+	-21.5 (6)	22.4 ± 2.5 ms		β ⁻
		61	(1/2-)	-15.5 (7)	15 ± 4 ms		β ⁻ 100; β ⁻ n
23	V	43	0	-18.02 (23)	79.3 ± 2.4 ms		ε 100
		44	(2+)	-24.12 (12)	111 ± 7 ms		ε 100; ε α ; ε 100
		45	7/2-	-31.88 (17)	547 ± 6 ms		ε 100
		46	0+	-37.0744 (3)	422.50 ± 0.11 ms		ε 100
		46m	3+	-36.2729 (3)	1.02 ± 0.07 ms		IT 100
		47	3/2-	-42.0056 (3)	32.6 ± 0.3 m		ε 100
		48	4+	-44.4764 (11)	15.9735 ± 0.0025 d		ε 100
		49	7/2-	-47.9609 (9)	330 ± 15 d		ε 100
		50	6+	-49.224 (9)	> 2.1E+17 y	0.25% ± 0.002%	ε > 92.90; β ⁻ < 7.10
		51	7/2-	-52.2039 (9)	stable	99.75% ± 0.002%	
		52	3+	-51.4438 (9)	3.743 ± 0.005 m		β ⁻ 100
		53	7/2-	-51.85 (3)	1.543 ± 0.014 m		β ⁻ 100
		54	3+	-49.892 (15)	49.8 ± 0.5 s		β ⁻ 100
		55	(7/2-)	-49.15 (10)	6.54 ± 0.15 s		β ⁻ 100; β ⁻ n
		56	1+	-46.08 (20)	0.216 ± 0.004 s		β ⁻ 100; β ⁻ n
		57	(7/2-)	-44.19 (23)	0.32 ± 0.03 s		β ⁻ 100; β ⁻ n
		58	(1+)	-40.21 (25)	191 ± 10 ms		β ⁻ 100; β ⁻ n
		59	(5/2-)	-37.1 (3)	97 ± 2 ms		β ⁻ 100; β ⁻ n < 3.00
		60	0	-32.6 (5)	68 ± 5 ms		β ⁻ ; β ⁻ n ; β ⁻ 100; β ⁻ n ; β ⁻ 100
		61	(3/2-)	-29.5 (3)	52.6 ± 4.2 ms		β ⁻ 100; β ⁻ n ≥ 6.00
		62	0	-24.6 (4)	33.5 ± 2 ms		β ⁻ 100; β ⁻ n
		63	7/2-	-21.1 (5)	19.2 ± 2.4 ms		β ⁻ 100; β ⁻ n ≈ 35.00
		64	0	-15.6 (5)	19 ± 8 ms		β ⁻ 100
24	Cr	42	0+	6.5 (3)	13.3 ± 1 ms		ε 100; ε p 94.4

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
		120	0+	-68.9 (3)	24 ± 2 s		ε 100
		121	5/2(+)	-70.74 (14)	29.7 ± 1.5 s		ε 100
		122	0+	-74.61 (3)	1.95 ± 0.15 m		ε 100
		123	5/2(+)	-75.655 (12)	2.7 ± 0.4 m		ε 100
		124	0+	-79.09 (12)	11.0 ± 0.5 m		ε 100
		125	1/2(+)	-79.668 (11)	3.3 ± 0.3 m		ε 100
		126	0+	-82.67 (12)	100 ± 2 m		ε 100
		127	1/2+	-82.815 (11)	12.7 ± 0.4 m		ε 100
		127m	7/2-	-82.735 (11)	1.9 ± 0.2 s		IT 100
		128	0+	-85.379 (5)	2.43 ± 0.05 d		ε 100
		129	1/2+	-85.064 (11)	2.23 ± 0.11 h		ε 100
		129m	7/2+	-85.056 (11)	2.16 ± 0.02 h		ε ≤ 100.00; IT
		130	0+	-87.262 (3)	stable	0.106% ± 0.001%	2ε
		130m	8-	-84.787 (3)	9.4 ± 0.4 ms		IT 100
		131	1/2+	-86.684 (3)	11.50 ± 0.06 d		ε 100
		131m	9/2-	-86.496 (3)	14.6 ± 0.2 m		IT 100
		132	0+	-88.4349 (11)	> 3.0E+21 y	0.101% ± 0.001%	2ε
		133	1/2+	-87.5535 (10)	10.551 ± 0.011 y		ε 100
		133m	11/2-	-87.2652 (10)	38.93 ± 0.1 h		IT 99.99; ε 0.01
		134	0+	-88.9501 (3)	stable	2.417% ± 0.018%	
		135	3/2+	-87.8508 (3)	stable	6.592% ± 0.012%	
		135m	11/2-	-87.5826 (3)	28.7 ± 0.2 h		IT 100
		136	0+	-88.8872 (3)	stable	7.854% ± 0.024%	
		136m	7-	-86.8567 (3)	0.3084 ± 0.0019 s		IT 100
		137	3/2+	-87.7215 (3)	stable	11.232% ± 0.024%	
		137m	11/2-	-87.0598 (3)	2.552 ± 0.001 m		IT 100
		138	0+	-88.2619 (3)	stable	71.698% ± 0.042%	
		139	7/2-	-84.914 (3)	83.06 ± 0.28 m		β ⁻ 100
		140	0+	-83.27 (8)	12.7527 ± 0.0023 d		β ⁻ 100
		141	3/2-	-79.733 (5)	18.27 ± 0.07 m		β ⁻ 100
		142	0+	-77.845 (6)	10.6 ± 0.2 m		β ⁻ 100
		143	5/2-	-73.937 (7)	14.5 ± 0.3 s		β ⁻ 100
		144	0+	-71.767 (7)	11.5 ± 0.2 s		β ⁻ 100
		145	5/2-	-67.516 (8)	4.31 ± 0.16 s		β ⁻ 100
		146	0+	-64.941 (20)	2.22 ± 0.07 s		β ⁻ 100
		147	(3/2-)	-60.264 (20)	0.894 ± 0.01 s		β ⁻ 100; β ⁻ n 0.06
		148	0+	-57.59 (6)	0.612 ± 0.017 s		β ⁻ 100; β ⁻ n 0.4
		149	0	-53.17 (20)	0.344 ± 0.007 s		β ⁻ 100; β ⁻ n 0.43
		150	0+	-50.3 (4)	0.3 ± 0 s		β ⁻ 100; β ⁻ n
57	La	117	(3/2+, 3/2-)	-46.5 (4)	23.5 ± 2.6 ms		p 93.9; ε 6.1
		117m	(9/2+)	-46.3 (4)	10 ± 5 ms		ε 2.6; p 97.4
		120	0	-57.7 (5)	2.8 ± 0.2 s		ε 100; ε p > 0.00
		121	0	-62.4 (5)	5.3 ± 0.2 s		ε 100
		122	0	-64.5 (3)	8.6 ± 0.5 s		ε 100; ε p
		123	0	-68.71 (20)	17 ± 3 s		ε 100
		124	(8-)	-70.26 (6)	29.21 ± 0.17 s		ε 100; ε 100
		125	(3/2+)	-73.76 (3)	64.8 ± 1.2 s		ε 100
		125m	0	-73.65 (3)	0.39 ± 0.04 s		
		126	(5+)	-74.97 (9)	54 ± 2 s		ε > 0.00; ε ; IT
		127	(11/2-)	-77.9 (3)	5.1 ± 0.1 m		ε 100
		127m	(3/2+)	-77.88 (3)	3.7 ± 0.4 m		ε 100; IT
		128	(5+)	-78.63 (5)	5.18 ± 0.14 m		ε 100; ε 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
		118	2	-68.409 (13)	14 ± 2 s		ε 100; ε _p < 0.04; εα < 2.4E-3; εα < 2.4E-3; ε 100; ε _p < 0.04
		119	9/2+	-72.305 (14)	43.0 ± 0.2 s		ε 100; ε 100
		120	2(+)	-73.889 (10)	61.3 ± 1.1 s		ε 100; εα 2e-05; ε _p 7e-06; ε 100
		121	3/2(+)	-77.1 (14)	155 ± 4 s		ε 100
		121m	9/2(+)	-77.032 (14)	122 ± 3 s		ε 83; IT 17
		122	1+	-78.14 (3)	21.18 ± 0.19 s		ε 100
		122m	(5)-	-78.01 (3)	0.36 ± 0.02 s		IT 100
		122m2	8(-)	-78 (3)	3.70 ± 0.11 m		ε 100
		123	1/2+	-81.044 (12)	5.88 ± 0.03 m		ε 100
		123m	(11/2)-	-80.887 (12)	1.64 ± 0.12 s		IT 100
		124	1+	-81.731 (8)	30.9 ± 0.4 s		ε 100
		124m	(7)+	-81.269 (8)	6.3 ± 0.2 s		IT 100
		125	1/2(+)	-84.088 (8)	46.7 ± 0.1 m		ε 100
		126	1+	-84.345 (12)	1.64 ± 0.02 m		ε 100
		127	1/2+	-86.24 (6)	6.25 ± 0.1 h		ε 100
		128	1+	-85.931 (5)	3.66 ± 0.02 m		ε 100
		129	1/2+	-87.499 (5)	32.06 ± 0.06 h		ε 100
		130	1+	-86.9 (8)	29.21 ± 0.04 m		ε 98.4; β ⁻ 1.6
		130m	5-	-86.736 (8)	3.46 ± 0.06 m		IT 99.84; ε 0.16
		131	5/2+	-88.059 (5)	9.689 ± 0.016 d		ε 100
		132	2+	-87.1557 (19)	6.480 ± 0.006 d		ε 98.13; β ⁻ 1.87
		133	7/2+	-88.0709 (8)	stable	100%	
		134	4+	-86.8911 (16)	2.0652 ± 4.0E-4 y		ε 0.0003; β ⁻ 100
		134m	8-	-86.7524 (16)	2.912 ± 0.002 h		IT 100
		135	7/2+	-87.5818 (10)	2.3E+6 ± 0.3E+6 y		β ⁻ 100
		135m	19/2-	-85.9489 (10)	53 ± 2 m		IT 100
		136	5+	-86.339 (19)	13.04 ± 0.03 d		β ⁻ 100
		136m	8-	-85.8211 (19)	17.5 ± 0.2 s		β ⁻ ; IT > 0.00
		137	7/2+	-86.5459 (4)	30.08 ± 0.09 y		β ⁻ 100
		138	3-	-82.887 (9)	33.41 ± 0.18 m		β ⁻ 100
		138m	6-	-82.807 (9)	2.91 ± 0.08 m		β ⁻ 19; IT 81
		139	7/2+	-80.701 (3)	9.27 ± 0.05 m		β ⁻ 100
		140	1-	-77.05 (8)	63.7 ± 0.3 s		β ⁻ 100
		141	7/2+	-74.48 (10)	24.84 ± 0.16 s		β ⁻ 100; β ⁻ n 0.04
		142	0-	-70.525 (11)	1.684 ± 0.014 s		β ⁻ 100; β ⁻ n 0.09
		143	3/2+	-67.675 (22)	1.791 ± 0.007 s		β ⁻ 100; β ⁻ n 1.64
		144	1(-)	-63.27 (3)	0.994 ± 0.006 s		β ⁻ 100; β ⁻ n 3.03; β ⁻
		145	3/2+	-60.056 (11)	0.587 ± 0.005 s		β ⁻ 100; β ⁻ n 14.7
		146	1-	-55.57 (4)	0.321 ± 0.002 s		β ⁻ 100; β ⁻ n 14.2
		147	(3/2+)	-52.02 (5)	0.230 ± 0.001 s		β ⁻ 100; β ⁻ n 28.5
		148	0	-47.3 (6)	146 ± 6 ms		β ⁻ 100; β ⁻ n 25.1
		149	0	-43.84 (20)	> 50 ms		β ⁻ ; β ⁻ n
		150	0	-39 (3)	> 50 ms		β ⁻ ; β ⁻ n
		151	0	-35.1 (4)	> 50 ms		β ⁻ ; β ⁻ n
56	Ba	114	0+	-45.96 (11)	0.43 +0.3-0.15 s		ε 99.1; ε _p 20; α 0.9; ¹² C < 0.0034
		115	(5/2+)	-49 (6)	0.45 ± 0.05 s		ε 100; ε _p > 15.00
		116	0+	-54.6 (4)	1.3 ± 0.2 s		ε 100; ε _p 3
		117	(3/2)	-57.5 (3)	1.75 ± 0.07 s		ε 100; εα > 0.00; ε _p > 0.00
		118	0+	-62.37 (20)	5.5 ± 0.2 s		ε 100; ε _p
		119	(5/2+)	-64.59 (20)	5.4 ± 0.3 s		ε 100; ε _p < 25.00

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
		43	(3/2+)	-1.94 (20)	20.6 ± 0.9 ms		ε 100; ε _p 81; ε _{2p} 7.1; ε _{3p} 0.08
		44	0+	-13.14 (20)	42.8 ± 0.6 ms		ε _p 14; ε 100
		45	(7/2-)	-19.4 (20)	60.9 ± 0.4 ms		ε 100; ε _p 34.4
		46	0+	-29.473 (20)	0.26 ± 0.06 s		ε 100
		47	3/2-	-34.558 (14)	500 ± 15 ms		ε 100
		48	0+	-42.822 (7)	21.56 ± 0.03 h		ε 100
		49	5/2-	-45.3329 (24)	42.3 ± 0.1 m		ε 100
		50	0+	-50.2619 (9)	> 1.3E+18 y	4.345% ± 0.013%	2ε
		51	7/2-	-51.4512 (9)	27.7025 ± 0.0024 d		ε 100
		52	0+	-55.418 (6)	stable	83.789% ± 0.018%	
		53	3/2-	-55.2858 (6)	stable	9.501% ± 0.017%	
		54	0+	-56.9336 (6)	stable	2.365% ± 0.007%	
		55	3/2-	-55.1086 (6)	3.497 ± 0.003 m		β ⁻ 100
		56	0+	-55.2812 (19)	5.94 ± 0.1 m		β ⁻ 100
		57	(3/2-)	-52.5241 (19)	21.1 ± 1 s		β ⁻ 100
		58	0+	-51.83 (20)	7.0 ± 0.3 s		β ⁻ 100
		59	(1/2-)	-47.89 (24)	1.05 ± 0.09 s		β ⁻ 100
		60	0+	-46.5 (21)	0.49 ± 0.01 s		β ⁻ 100
		61	(5/2-)	-42.2 (3)	243 ± 11 ms		β ⁻ 100; β ⁻ n
		62	0+	-40.4 (3)	206 ± 12 ms		β ⁻ 100; β ⁻ n
		63	1/2-	-35.6 (3)	129 ± 2 ms		β ⁻ 100; β ⁻ n
		64	0+	-33.3 (3)	42 ± 2 ms		β ⁻ 100
		65	(1/2-)	-27.8 (3)	28 ± 3 ms		β ⁻ 100
		66	0+	-24.3 (5)	23 ± 4 ms		β ⁻ 100
25	Mn	46	(4+)	-11.96 (11)	36.2 ± 0.4 ms		ε 100; ε _p 57
		47	(5/2-)	-22.26 (16)	88.0 ± 1.3 ms		ε 100; ε _p < 1.70
		48	4+	-29.32 (11)	158.1 ± 2.2 ms		ε 100; ε _p 0.28; εα < 6.0E-4
		49	5/2-	-37.615 (24)	382 ± 7 ms		ε 100
		50	0+	-42.6274 (9)	283.19 ± 0.1 ms		ε 100
		50m	5+	-42.4021 (9)	1.75 ± 0.03 m		ε 100
		51	5/2-	-48.2437 (9)	46.2 ± 0.1 m		ε 100
		52	6+	-50.7068 (19)	5.591 ± 0.003 d		ε 100
		52m	2+	-50.3291 (19)	21.1 ± 0.2 m		ε 98.25; IT 1.75
		53	7/2-	-54.689 (6)	3.74E+6 ± 0.04E+6 y		ε 100
		54	3+	-55.5565 (12)	312.12 ± 0.06 d		ε 100; β ⁻ < 2.9E-4
		55	5/2-	-57.7117 (4)	stable	100%	
		56	3+	-56.9108 (5)	2.5789 ± 1.0E-4 h		β ⁻ 100
		57	5/2-	-57.4861 (15)	85.4 ± 1.8 s		β ⁻ 100
		58	1+	-55.827 (3)	3.0 ± 0.1 s		β ⁻ 100
		58m	4+	-55.756 (3)	65.4 ± 0.5 s		β ⁻ ≈ 90.00; IT ≈ 10.00
		59	(5/2-)	-55.5252 (23)	4.59 ± 0.05 s		β ⁻ 100
		60	1+	-52.9678 (23)	0.28 ± 0.02 s		β ⁻ 100
		60m	4+	-52.6959 (23)	1.77 ± 0.02 s		β ⁻ 88.5; IT 11.5
		61	(5/2-)	-51.742 (23)	0.67 ± 0.04 s		β ⁻ 100
		62	(3+)	-48.181 (3)	671 ± 5 ms		β ⁻ 100; β ⁻ n; β ⁻ n;
		63	5/2-	-46.887 (4)	0.275 ± 0.004 s		β ⁻ 100; β ⁻ n
		64	(1+)	-42.989 (4)	90 ± 4 ms		β ⁻ 100; β ⁻ n 33
		65	(5/2-)	-40.967 (4)	84 ± 8 ms		β ⁻ 100
		66	0	-36.75 (11)	65 ± 2 ms		β ⁻ 100
		67	(5/2+)	-32.8 (4)	51 ± 4 ms		β ⁻ 100; β ⁻ n > 10.0
		68	(>3)	-28 (5)	28 ± 3 ms		β ⁻ n; β ⁻ 100
		69	5/2-	-24.4 (6)	18 ± 4 ms		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
26	Fe	45	(3/2+)	13.79 (20)	1.89 +0.49-0.21 ms		ε _{3p} 3.3; 2p 70; ε ≤ 30.00; ε _p 19; ε _{2p} 7.8
		46	0+	0.8 (4)	13.0 ± 2 ms		ε 100; ε _p 78.7
		47	(7/2-)	-6.6 (3)	21.9 ± 0.2 ms		ε 100; ε _p 88.4; ε _{2p}
		48	0+	-18.16 (7)	45.3 ± 0.6 ms		ε 100; ε _p 15.9
		49	(7/2-)	-24.82 (15)	64.7 ± 0.3 ms		ε 100; ε _p 56.7
		50	0+	-34.49 (6)	155 ± 11 ms		ε 100; ε _p ?
		51	5/2-	-40.221 (15)	305 ± 5 ms		ε 100
		52	0+	-48.333 (7)	8.275 ± 0.008 h		ε 100
		52m	12+	-41.375 (7)	45.9 ± 0.6 s		ε 100; IT < 4.0E-3
		53	7/2-	-50.9467 (17)	8.51 ± 0.02 m		ε 100
		53m	19/2-	-47.9063 (17)	2.54 ± 0.02 m		IT 100
		54	0+	-56.2538 (5)	stable	5.845% ± 0.035%	
		55	3/2-	-57.4806 (5)	2.744 ± 0.009 y		ε 100
		56	0+	-60.6063 (5)	stable	91.754% ± 0.036%	
		57	1/2-	-60.1811 (5)	stable	2.119% ± 0.01%	
		58	0+	-62.1544 (5)	stable	0.282% ± 0.004%	
		59	3/2-	-60.6641 (5)	44.495 ± 0.009 d		β ⁻ 100
		60	0+	-61.413 (3)	2.62E+6 ± 0.04E+6 y		β ⁻ 100
		61	3/2-,5/2-	-58.92 (3)	5.98 ± 0.06 m		β ⁻ 100
		62	0+	-58.878 (3)	68 ± 2 s		β ⁻ 100
		63	(5/2-)	-55.636 (4)	6.1 ± 0.6 s		β ⁻ 100
		64	0+	-54.969 (5)	2.0 ± 0.2 s		β ⁻ 100
		65	(1/2-)	-51.221 (7)	0.81 ± 0.05 s		β ⁻ 100
		65m	(9/2+)	-50.819 (7)	1.12 ± 0.15 s		β ⁻ 100
		66	0+	-50.068 (4)	440 ± 60 ms		β ⁻ 100
		67	(1/2-)	-45.7 (4)	0.40 ± 0.04 s		β ⁻ 100
		68	0+	-43.1 (7)	180 ± 19 ms		β ⁻ 100
		69	1/2-	-38.4 (5)	110 ± 6 ms		β ⁻ 100
		70	0+	-36.3 (6)	71 ± 10 ms		β ⁻ 100
		71	0	-31 (8)	28 ± 5 ms		β ⁻ 100; β ⁻ n
27	Co	50	(6+)	-17.19 (17)	38.8 ± 0.2 ms		ε 100; ε _p 70.5; ε _{2p}
		52	(6+)	-33.92 (7)	115 ± 23 ms		ε 100
		53	(7/2-)	-42.6585 (18)	240 ± 9 ms		ε 100
		53m	(19/2-)	-39.4615 (18)	247 ± 12 ms		ε ≈ 98.50; p ≈ 1.50
		54	0+	-48.0092 (5)	193.28 ± 0.07 ms		ε 100
		54m	7+	-47.8122 (5)	1.48 ± 0.02 m		ε 100
		55	7/2-	-54.0292 (5)	17.53 ± 0.03 h		ε 100
		56	4+	-56.0397 (6)	77.236 ± 0.026 d		ε 100
		57	7/2-	-59.3449 (6)	271.74 ± 0.06 d		ε 100
		58	2+	-59.8465 (12)	70.86 ± 0.06 d		ε 100
		58m	5+	-59.8215 (12)	9.10 ± 0.09 h		IT 100
		59	7/2-	-62.229 (5)	stable	100%	
		60	5+	-61.6496 (5)	1925.28 ± 0.14 d		β ⁻ 100
		60m	2+	-61.591 (5)	10.467 ± 0.006 m		IT 99.76; β ⁻ 0.24
		61	7/2-	-62.8975 (9)	1.650 ± 0.005 h		β ⁻ 100
		62	2+	-61.431 (20)	1.50 ± 0.04 m		β ⁻ 100
		62m	5+	-61.409 (20)	13.91 ± 0.05 m		β ⁻ > 99.00; IT < 1.00
		63	7/2-	-61.839 (20)	27.4 ± 0.5 s		β ⁻ 100
		64	1+	-59.792 (20)	0.30 ± 0.03 s		β ⁻ 100
		65	(7/2-)	-59.1851 (21)	1.16 ± 0.03 s		β ⁻ 100
		66	(3+)	-56.408 (14)	0.20 ± 0.02 s		β ⁻ 100
		67	(7/2-)	-55.322 (6)	0.425 ± 0.02 s		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
		111	(7/2+)	-54.39 (9)	0.81 ± 0.2 s		ε 90; α 10
		112	0+	-60.028 (8)	2.7 ± 0.8 s		ε 99.16; α 0.84
		113	(5/2+)	-62.204 (7)	2.74 ± 0.08 s		ε ; ε _p 7; α ≈ 0.01; εα ≈ 7.0E-3
		114	0+	-67.086 (11)	10.0 ± 0.4 s		ε 100
		115	(5/2+)	-68.657 (12)	18 ± 4 s		ε _p 0.34; α 0.0003; ε 100
		116	0+	-73.047 (13)	59 ± 2 s		ε 100
		117	5/2(+)	-74.185 (10)	61 ± 2 s		ε 100; ε _p 0.0029
		118	0+	-78.079 (10)	3.8 ± 0.9 m		ε 100
		119	(5/2+)	-78.794 (10)	5.8 ± 0.3 m		ε 100
		120	0+	-82.172 (12)	40 ± 1 m		ε 100
		121	5/2(+)	-82.473 (11)	40.1 ± 2 m		ε 100
		122	0+	-85.355 (11)	20.1 ± 0.1 h		ε 100
		123	(1/2+)	-85.249 (10)	2.08 ± 0.02 h		ε 100
		124	0+	-87.6612 (18)	≥ 1.6E+14 y	0.0952% ± 0.0003%	2ε
		125	1/2(+)	-87.1932 (18)	16.9 ± 0.2 h		ε 100
		125m	9/2(-)	-86.9406 (18)	57 ± 1 s		IT 100
		126	0+	-89.146 (4)	stable	0.089% ± 0.0002%	
		127	1/2+	-88.322 (4)	36.346 ± 0.003 d		ε 100
		127m	9/2-	-88.025 (4)	69.2 ± 0.9 s		IT 100
		128	0+	-89.8602 (11)	stable	1.9102% ± 0.0008%	
		129	1/2+	-88.696 (6)	stable	26.4006% ± 0.0082%	
		129m	11/2-	-88.4599 (6)	8.88 ± 0.02 d		IT 100
		130	0+	-89.8804 (9)	stable	4.071% ± 0.0013%	
		131	3/2+	-88.4136 (22)	stable	21.232% ± 0.03%	
		131m	11/2-	-88.2497 (22)	11.84 ± 0.04 d		IT 100
		132	0+	-89.2789 (5)	stable	26.9086% ± 0.0033%	
		132m	(10+)	-86.5267 (5)	8.39 ± 0.11 ms		IT 100
		133	3/2+	-87.6435 (24)	5.2475 ± 5.0E-4 d		β ⁻ 100
		133m	11/2-	-87.4103 (24)	2.198 ± 0.013 d		IT 100
		134	0+	-88.1245 (8)	> 5.8E+22 y	10.4357% ± 0.0021%	2β ⁻
		134m	7-	-86.1589 (8)	290 ± 17 ms		IT 100
		135	3/2+	-86.418 (5)	9.14 ± 0.02 h		β ⁻ 100
		135m	11/2-	-85.891 (5)	15.29 ± 0.05 m		IT > 99.40; β ⁻ < 0.60
		136	0+	-86.4291 (10)	> 2.4E+21 y	8.8573% ± 0.0044%	2β ⁻
		137	7/2-	-82.3833 (11)	3.818 ± 0.013 m		β ⁻ 100
		138	0+	-79.975 (3)	14.08 ± 0.08 m		β ⁻ 100
		139	3/2-	-75.6445 (21)	39.68 ± 0.14 s		β ⁻ 100
		140	0+	-72.9864 (23)	13.60 ± 0.1 s		β ⁻ 100
		141	5/2(-)	-68.197 (3)	1.73 ± 0.01 s		β ⁻ 100; β ⁻ n 0.04
		142	0+	-65.23 (3)	1.23 ± 0.02 s		β ⁻ 100; β ⁻ n 0.21
		143	5/2-	-60.203 (5)	0.511 ± 0.006 s		β ⁻ 100; β ⁻ n 1
		144	0+	-56.872 (5)	0.388 ± 0.007 s		β ⁻ 100; β ⁻ n 3
		145	0	-51.493 (11)	188 ± 4 ms		β ⁻ 100; β ⁻ n 5
		146	0+	-47.955 (24)	146 ± 6 ms		β ⁻ 100; β ⁻ n 6.9
		147	(3/2-)	-42.5 (4)	0.10 +0.1-0.05 s		β ⁻ ; β ⁻ n < 8.00
55	Cs	114	(1+)	-54.68 (7)	0.57 ± 0.02 s		ε 99.98; ε _p 8.7; εα 0.19; α 0.02
		115	0	-59.7 (3)	1.4 ± 0.8 s		ε 100; ε _p ≈ 0.07
		116	(1+)	-62.07 (10)	0.70 ± 0.04 s		εα 0.05; ε 100; ε _p 2.8
		116m	4+,5,6	-61.97 (10)	3.85 ± 0.13 s		ε 100; ε _p 0.51; εα 0.008
		117	(9/2+)	-66.49 (6)	8.4 ± 0.6 s		ε 100; ε

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
53	I	132	0+	-85.18 (7)	3.204 ± 0.013 d		β ⁻ 100
		133	(3/2+)	-82.944 (24)	12.5 ± 0.3 m		β ⁻ 100
		133m	(11/2-)	-82.61 (24)	55.4 ± 0.4 m		β ⁻ 83.5; IT 16.5
		134	0+	-82.559 (11)	41.8 ± 0.8 m		β ⁻ 100
		135	(7/2-)	-77.903 (15)	19.0 ± 0.2 s		β ⁻ 100
		136	0+	-74.479 (25)	17.63 ± 0.08 s		β ⁻ 100; β ⁻ n 1.31
		137	(7/2-)	-69.29 (12)	2.49 ± 0.05 s		β ⁻ 100; β ⁻ n 2.99
		138	0+	-65.76 (12)	1.4 ± 0.4 s		β ⁻ 100; β ⁻ n 6.3
		108	(1)	-52.65 (21)	36 ± 6 ms		α 91; ε 9; p < 1.00
		110	0	-60.46 (5)	0.65 ± 0.02 s		ε 83; α 17; ep 11; εα 1.1
		111	(5/2+)	-64.954 (5)	2.5 ± 0.2 s		α ≈ 0.10; ε 99.9
		112	0	-67.063 (10)	3.42 ± 0.11 s		ε 100; α ≈ 1.2E-3
		113	5/2+	-71.119 (8)	6.6 ± 0.2 s		ε 100; α 3.3e-07
		114	1+	-72.8 (3)	2.1 ± 0.2 s		ε 100; ep
		114m	(7)	-72.5 (3)	6.2 ± 0.5 s		ε 91; IT 9
		115	(5/2+)	-76.34 (3)	1.3 ± 0.2 m		ε 100
		116	1+	-77.49 (10)	2.91 ± 0.15 s		ε 100
		117	(5/2+)	-80.43 (3)	2.22 ± 0.04 m		ε 100
		118	2-	-80.971 (20)	13.7 ± 0.5 m		ε 100
		118m	(7-)	-80.867 (20)	8.5 ± 0.5 m		ε < 100.00; IT
		119	5/2+	-83.77 (3)	19.1 ± 0.4 m		ε 100
		120	2-	-83.755 (15)	81.6 ± 0.2 m		ε 100
		120m	(7-)	-83.435 (15)	53 ± 4 m		ε 100
		121	5/2+	-86.253 (5)	2.12 ± 0.01 h		ε 100
		122	1+	-86.082 (5)	3.63 ± 0.06 m		ε 100
		123	5/2+	-87.945 (4)	13.2235 ± 0.0019 h		ε 100
		124	2-	-87.367 (24)	4.1760 ± 3.0E-4 d		ε 100
		125	5/2+	-88.8385 (16)	59.407 ± 0.01 d		ε 100
		126	2-	-87.912 (4)	12.93 ± 0.05 d		ε 52.7; β ⁻ 47.3
		127	5/2+	-88.985 (4)	stable	100%	
		128	1+	-87.739 (4)	24.99 ± 0.02 m		β ⁻ 93.1; ε 6.9
		129	7/2+	-88.507 (3)	1.57E+7 ± 0.04E+7 y		β ⁻ 100
		130	5+	-86.936 (3)	12.36 ± 0.01 h		β ⁻ 100
		130m	2+	-86.896 (3)	8.84 ± 0.06 m		IT 84; β ⁻ 16
		131	7/2+	-87.4427 (6)	8.0252 ± 6.0E-4 d		β ⁻ 100
		132	4+	-85.698 (6)	2.295 ± 0.013 h		β ⁻ 100
		132m	(8-)	-85.578 (6)	1.387 ± 0.015 h		IT 86; β ⁻ 14
		133	7/2+	-85.886 (5)	20.83 ± 0.08 h		β ⁻ 100
		133m	(19/2-)	-84.252 (5)	9 ± 2 s		IT 100
		134	(4)+	-84.072 (8)	52.5 ± 0.2 m		β ⁻ 100
		134m	(8)-	-83.756 (8)	3.52 ± 0.04 m		IT 97.7; β ⁻ 2.3
		135	7/2+	-83.791 (7)	6.58 ± 0.03 h		β ⁻ 100
		136	(1-)	-79.572 (19)	83.4 ± 1 s		β ⁻ 100
		136m	(6-)	-78.932 (19)	46.9 ± 1 s		β ⁻ 100
		137	(7/2+)	-76.51 (3)	24.5 ± 0.2 s		β ⁻ 100; β ⁻ n 7.14
		138	(2-)	-71.9 (10)	6.23 ± 0.03 s		β ⁻ 100; β ⁻ n 5.56
		139	(7/2+)	-68.53 (12)	2.280 ± 0.011 s		β ⁻ 100; β ⁻ n 10
		140	(4-)	-63.6 (12)	0.86 ± 0.04 s		β ⁻ 100; β ⁻ n 9.3
		141	0	-60.3 (13)	0.43 ± 0.02 s		β ⁻ 100; β ⁻ n 21.2
		142	0	-55 (4)	222 ± 12 ms		β ⁻ 100; β ⁻ n ?
		143	0	-51.1 (4)	130 ± 45 ms		β ⁻ ?
54	Xe	109	(7/2+)	-45.9 (3)	13 ± 2 ms		α 100
		110	0+	-51.92 (10)	93 ± 3 ms		ep; α 64; ε

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
28	Ni	68	(7-)	-51.91 (13)	0.199 ± 0.021 s		β ⁻ 100; β ⁻ 100
		69	7/2-	-50 (3)	229 ± 24 ms		β ⁻ 100
		70	(6-)	-45.6 (8)	108 ± 7 ms		β ⁻ 100; β ⁻ 100
		71	(7/2-)	-43.9 (8)	80 ± 3 ms		β ⁻ 100; β ⁻ n ≤ 6.00
		72	(6-,7-)	-39.7 (6)	59.9 ± 1.7 ms		β ⁻ n ≥ 6.00; β ⁻ 100
		73	0	-37.2 (7)	41 ± 4 ms		β ⁻
		74	0+	-32.7 (8)	25 ± 5 ms		β ⁻ ; β ⁻ n ≈ 18.00
		48	0+	18 (5)	2.1 +1.4-0.6 ms		2p ≈ 70.00; ε
		49	0	8.7 (4)	7.5 ± 1 ms		ep 83; ε 100
		50	0+	-3.6 (3)	18.5 ± 1.2 ms		ε 100; ep 86.7; ε 2p
		51	(7/2-)	-11.5 (3)	23.8 ± 0.2 ms		ε; ep 87.2
		52	0+	-22.89 (20)	40.8 ± 0.2 ms		ε 100; ep 31.4
		53	(7/2-)	-29.7 (3)	55.2 ± 0.7 ms		ε 100; ep 23.4
		54	0+	-39.22 (5)	104 ± 7 ms		ε 100
		55	7/2-	-45.3351 (8)	204.7 ± 3.7 ms		ε 100
		56	0+	-53.9068 (5)	6.075 ± 0.01 d		ε 100
		57	3/2-	-56.0831 (7)	35.60 ± 0.06 h		ε 100
		58	0+	-60.2281 (5)	stable	68.077% ± 0.009%	
		59	3/2-	-61.156 (5)	7.6E+4 ± 0.5E+4 y		ε 100
		60	0+	-64.4725 (5)	stable	26.223% ± 0.008%	
		61	3/2-	-64.2212 (5)	stable	1.1399% ± 0.0013%	
		62	0+	-66.7458 (5)	stable	3.6346% ± 0.004%	
		63	1/2-	-65.5122 (5)	101.2 ± 1.5 y		β ⁻ 100
		64	0+	-67.0984 (5)	stable	0.9255% ± 0.0019%	
		65	5/2-	-65.1252 (6)	2.5175 ± 5.0E-4 h		β ⁻ 100
		66	0+	-66.0062 (14)	54.6 ± 0.3 h		β ⁻ 100
		67	(1/2-)	-63.743 (3)	21 ± 1 s		β ⁻ 100
		68	0+	-63.464 (3)	29 ± 2 s		β ⁻ 100
		69	9/2+	-59.979 (4)	11.2 ± 0.9 s		β ⁻ 100
		69m	1/2-	-59.658 (4)	3.5 ± 0.9 s		β ⁻ 100
		70	0+	-59.2136 (22)	6.0 ± 0.3 s		β ⁻ 100
		71	(9/2+)	-55.4059 (23)	2.56 ± 0.03 s		β ⁻ 100
		71m	(1/2-)	-54.9069 (23)	2.3 ± 0.3 s		β ⁻ 100
		72	0+	-54.2258 (23)	1.57 ± 0.05 s		β ⁻ 100
		73	(9/2+)	-50.1079 (25)	0.84 ± 0.03 s		β ⁻ 100
		74	0+	-48.7 (4)	0.68 ± 0.18 s		β ⁻ 100; β ⁻ n
		75	(7/2+)	-44.1 (4)	344 ± 25 ms		β ⁻ 100; β ⁻ n 10
		76	0+	-41.6 (5)	0.238 +0.015-0.018 s		β ⁻ 100; β ⁻ n
		77	0	-36.7 (5)	128 +36-32 ms		β ⁻ 100; β ⁻ n 30
		78	0+	-34.1 (8)	0.11 +0.1-0.06 s		β ⁻ n; β ⁻ 100
29	Cu	55	(3/2-)	-31.6 (3)	27 ± 8 ms		ε 100; ep 15
		56	(4+)	-38.2 (4)	93 ± 3 ms		ep 0.4; ε 100
		57	3/2-	-47.3082 (6)	196.3 ± 0.7 ms		ε 100
		58	1+	-51.6671 (7)	3.204 ± 0.007 s		ε 100
		59	3/2-	-56.3577 (6)	81.5 ± 0.5 s		ε 100
		60	2+	-58.3445 (16)	23.7 ± 0.4 m		ε 100
		61	3/2-	-61.9837 (10)	3.333 ± 0.005 h		ε 100
		62	1+	-62.7869 (7)	9.673 ± 0.008 m		ε 100
		63	3/2-	-65.5792 (5)	stable	69.15% ± 0.15%	
		64	1+	-65.424 (5)	12.701 ± 0.002 h		ε 61.5; β ⁻ 38.5
		65	3/2-	-67.2633 (7)	stable	30.85% ± 0.15%	
		66	1+	-66.2579 (7)	5.120 ± 0.014 m		β ⁻ 100
		67	3/2-	-67.3187 (12)	61.83 ± 0.12 h		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
30	Zn	68	1+	-65.567 (16)	30.9 ± 0.6 s		β ⁻ 100
		68m	(6-)	-64.8454 (16)	3.75 ± 0.05 m		IT 84; β ⁻ 16
		69	3/2-	-65.7362 (14)	2.85 ± 0.15 m		β ⁻ 100
		70	(6-)	-62.9763 (11)	44.5 ± 0.2 s		β ⁻ 100
		70m	(3-)	-62.8752 (11)	33 ± 2 s		β ⁻ 52; IT 48
		70m2	1+	-62.7337 (11)	6.6 ± 0.2 s		IT 6.8; β ⁻ 93.2
		71	3/2(-)	-62.7111 (15)	19.4 ± 1.6 s		β ⁻ 100
		72	(2)	-59.783 (14)	6.63 ± 0.03 s		β ⁻ 100
		73	(3/2-)	-58.9872 (20)	4.2 ± 0.3 s		β ⁻ 100
		74	(1+,3+)	-56.006 (6)	1.594 ± 0.01 s		β ⁻ 100
		75	(5/2-)	-54.471 (24)	1.222 ± 0.008 s		β ⁻ 100; β ⁻ n 3.5
		76	(3,4)	-50.976 (7)	637 ± 7 ms		β ⁻ 100; β ⁻ n 7.2; β ⁻ 100
		77	(5/2-)	-48.3 (5)	468.1 ± 2 ms		β ⁻ n 30.3; β ⁻ 100
		78	(4-,5-,6-)	-44.5 (5)	335 ± 11 ms		β ⁻ 100; β ⁻ n > 65.00
		79	0	-41.9 (4)	188 ± 25 ms		β ⁻ 100; β ⁻ n 55
		80	0	-36.4 (6)	0.17 +0.11-0.05 s		β ⁻
		54	0+	-6 (4)	1.59 +0.6-0.35 ms		2p 92
		55	(5/2-)	-14.4 (4)	19.8 ± 1.3 ms		ε 100; εp 91
		56	0+	-25.2 (4)	30.0 ± 1.7 ms		ε 100; εp 86
		57	(7/2-)	-32.55 (21)	38 ± 4 ms		ε 100; εp ≥ 65.00
		58	0+	-42.3 (5)	86 ± 8 ms		ε 100; εp < 3.00
		59	3/2-	-47.2149 (8)	182.0 ± 1.8 ms		ε 100; εp 0.1
		60	0+	-54.1737 (6)	2.38 ± 0.05 m		ε 100
		61	3/2-	-56.343 (16)	89.1 ± 0.2 s		ε 100
		61m	1/2-	-56.255 (16)	< 430 ms		IT
		61m2	3/2-	-55.925 (16)	0.14 ± 0.07 s		IT
		61m3	5/2-	-55.587 (16)	< 0.13 s		IT
		62	0+	-61.1674 (7)	9.186 ± 0.013 h		ε 100
		63	3/2-	-62.213 (16)	38.47 ± 0.05 m		ε 100
		64	0+	-66.0036 (7)	≥ 7.0E20 y	49.17% ± 0.75%	2ε
		65	5/2-	-65.9116 (7)	243.93 ± 0.09 d		ε 100
		66	0+	-68.899 (9)	stable	27.73% ± 0.98%	
		67	5/2-	-67.88 (9)	stable	4.04% ± 0.16%	
		68	0+	-70.0068 (9)	stable	18.45% ± 0.63%	
		69	1/2-	-68.4175 (9)	56.4 ± 0.9 m		β ⁻ 100
		69m	9/2+	-67.9789 (9)	13.76 ± 0.02 h		IT 99.97; β ⁻ 0.03
		70	0+	-69.5646 (20)	≥ 2.3E+17 y	0.61% ± 0.1%	2β ⁻
		71	1/2-	-67.329 (3)	2.45 ± 0.1 m		β ⁻ 100
		71m	9/2+	-67.171 (3)	3.96 ± 0.05 h		β ⁻ 100; IT ≤ 0.05
		72	0+	-68.1454 (21)	46.5 ± 0.1 h		β ⁻ 100
		73	(1/2)-	-65.5934 (19)	23.5 ± 1 s		β ⁻ 100; β ⁻ ; IT
		73m	(5/2+)	-65.3979 (19)	13.0 ± 0.2 ms		IT 100
		74	0+	-65.757 (3)	95.6 ± 1.2 s		β ⁻ 100
		75	(7/2+)	-62.5589 (20)	10.2 ± 0.2 s		β ⁻ 100
		76	0+	-62.303 (15)	5.7 ± 0.3 s		β ⁻ 100
		77	(7/2+)	-58.7891 (20)	2.08 ± 0.05 s		β ⁻ 100
		77m	(1/2-)	-58.0167 (20)	1.05 ± 0.1 s		IT > 50.00; β ⁻ < 50.00
		78	0+	-57.4832 (19)	1.47 ± 0.15 s		β ⁻ 100
		79	(9/2+)	-53.4322 (22)	0.995 ± 0.019 s		β ⁻ 100; β ⁻ n 1.3
		80	0+	-51.649 (3)	0.54 ± 0.02 s		β ⁻ 100; β ⁻ n 1
		81	(5/2+)	-46.2 (5)	304 ± 13 ms		β ⁻ 100; β ⁻ n 7.5
31	Ga	60	(2+)	-39.78 (20)	70 ± 13 ms		εα < 0.02; ε 98.4; εp 1.6
		61	3/2-	-47.09 (5)	167 ± 3 ms		ε 100; εp < 0.25

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
52	Te	126m2	(3-)	-86.36 (3)	≈ 11 s		IT 100
		127	7/2+	-86.701 (5)	3.85 ± 0.05 d		β ⁻ 100
		128	8-	-84.61 (3)	9.01 ± 0.04 h		β ⁻ 100; β ⁻ 96.4; IT 3.6
		129	7/2+	-84.629 (21)	4.40 ± 0.01 h		β ⁻ 100
		129m	(19/2-)	-82.778 (21)	17.7 ± 0.1 m		β ⁻ 85; IT 15
		130	(8-)	-82.29 (16)	39.5 ± 0.8 m		β ⁻ 100
		130m	(4,5)+	-82.285 (16)	6.3 ± 0.2 m		β ⁻ 100
		131	(7/2+)	-81.976 (11)	23.03 ± 0.04 m		β ⁻ 100
		132	(4)+	-79.669 (10)	2.79 ± 0.07 m		β ⁻ 100; β ⁻ 100
		133	(7/2+)	-78.94 (3)	2.34 ± 0.05 m		β ⁻ 100
		134	(0-)	-74.17 (4)	0.78 ± 0.06 s		β ⁻ 100
		134m	(7-)	-73.89 (4)	10.07 ± 0.05 s		β ⁻ 100; β ⁻ n 0.09
		135	(7/2+)	-69.79 (5)	1.679 ± 0.015 s		β ⁻ n 22; β ⁻ 100
		136	1-	-64.5 (3)	0.923 ± 0.014 s		β ⁻ 100; β ⁻ n 16.3
		137	(7/2+)	-60.4 (4)	492 ± 25 ms		β ⁻ 100; β ⁻ n 49
		138	0	-54.8 (3)	350 ± 15 ms		β ⁻ 100; β ⁻ n 72
		139	0	-50.3 (5)	93 +14-3 ms		β ⁻ 100; β ⁻ n 90
		107	0	-60.54 (7)	3.1 ± 0.1 ms		α 70; ε 30
		108	0+	-65.784 (6)	2.1 ± 0.1 s		ε 51; α 49; εp 2.4
		109	(5/2+)	-67.715 (4)	4.6 ± 0.3 s		εα < 5.0E-3; ε 96.1; εp 9.4; α 3.9
		110	0+	-72.23 (7)	18.6 ± 0.8 s		ε 100; α ≈ 3.0E-3
		111	(5/2+)	-73.587 (6)	19.3 ± 0.4 s		ε 100; εp
		112	0+	-77.567 (8)	2.0 ± 0.2 m		ε 100
		113	(7/2+)	-78.35 (3)	1.7 ± 0.2 m		ε 100
		114	0+	-81.89 (3)	15.2 ± 0.7 m		ε 100
		115	7/2+	-82.06 (3)	5.8 ± 0.2 m		ε 100
		115m	(1/2+)	-82.04 (3)	6.7 ± 0.4 m		IT; ε ≤ 100.00
		116	0+	-85.27 (3)	2.49 ± 0.04 h		ε 100
		117	1/2+	-85.097 (13)	62 ± 2 m		ε 100
		117m	(11/2-)	-84.801 (13)	103 ± 3 ms		IT 100
		118	0+	-87.684 (19)	6.00 ± 0.02 d		ε 100
		119	1/2+	-87.181 (8)	16.05 ± 0.05 h		ε 100
		119m	11/2-	-86.92 (8)	4.70 ± 0.04 d		ε 100; IT < 8.0E-3
		120	0+	-89.37 (3)	stable	0.09% ± 0.01%	
		121	1/2+	-88.55 (3)	19.17 ± 0.04 d		ε 100
		121m	11/2-	-88.25 (3)	164.2 ± 0.8 d		ε 11.4; IT 88.6
		122	0+	-90.3158 (16)	stable	2.55% ± 0.12%	
		123	1/2+	-89.1735 (16)	> 9.2E+16 y	0.89% ± 0.03%	ε 100
		123m	11/2-	-88.926 (16)	119.2 ± 0.1 d		IT 100
		124	0+	-90.5266 (16)	stable	4.74% ± 0.14%	
		125	1/2+	-89.0243 (16)	stable	7.07% ± 0.15%	
		125m	11/2-	-88.8795 (16)	57.40 ± 0.15 d		IT 100
		126	0+	-90.0666 (16)	stable	18.84% ± 0.25%	
		127	3/2+	-88.283 (16)	9.35 ± 0.07 h		β ⁻ 100
		127m	11/2-	-88.1947 (16)	106.1 ± 0.7 d		IT 97.6; β ⁻ 2.4
		128	0+	-88.9937 (9)	2.41E+24 ± 0.39E+24 y	31.74% ± 0.08%	2β ⁻ 100
		129	3/2+	-87.0048 (9)	69.6 ± 0.3 m		β ⁻ 100
		129m	11/2-	-86.8993 (9)	33.6 ± 0.1 d		IT 63; β ⁻ 37
		130	0+	-87.3529 (11)	≥ 3.0E+24 y	34.08% ± 0.62%	2β ⁻ 100
		131	3/2+	-85.211 (6)	25.0 ± 0.1 m		β ⁻ 100
		131m	11/2-	-85.0287 (6)	33.25 ± 0.25 h		β ⁻ 74.1; IT 25.9
		131m2	(23/2+)	-83.271 (6)	93 ± 12 ms		IT 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
51	Sb	121m	11/2-	-89.1908 (22)	43.9 ± 0.5 y	4.63% ± 0.03%	IT 77.6; β ⁻ 22.4
		122	0+	-89.943 (3)	stable		
		123	11/2-	-87.818 (3)	129.2 ± 0.4 d		β ⁻ 100
		123m	3/2+	-87.793 (3)	40.06 ± 0.01 m		β ⁻ 100
		124	0+	-88.237 (14)	> 1.2E+21 y	5.79% ± 0.05%	2β ⁻
		125	11/2-	-85.8988 (15)	9.64 ± 0.03 d		β ⁻ 100
		125m	3/2+	-85.8713 (15)	9.52 ± 0.05 m		β ⁻ 100
		126	0+	-86.021 (11)	2.30E+5 ± 0.14E+5 y		β ⁻ 100
		127	(11/2-)	-83.47 (10)	2.10 ± 0.04 h		β ⁻ 100
		127m	(3/2+)	-83.465 (10)	4.13 ± 0.03 m		β ⁻ 100
		128	0+	-83.34 (3)	59.07 ± 0.14 m		β ⁻ 100
		128m	(7-)	-81.24 (3)	6.5 ± 0.5 s		IT 100
		129	(3/2+)	-80.59 (3)	2.23 ± 0.04 m		β ⁻ 100
		129m	(11/2-)	-80.56 (3)	6.9 ± 0.1 m		β ⁻ 100; IT < 2.0E-3
		130	0+	-80.137 (9)	3.72 ± 0.07 m		β ⁻ 100
		130m	(7-)	-78.19 (9)	1.7 ± 0.1 m		β ⁻ 100
		131	(3/2+)	-77.272 (9)	56.0 ± 0.5 s		β ⁻ 100; β ⁻ 100; IT
		132	0+	-76.548 (6)	39.7 ± 0.8 s		β ⁻ 100
		133	7/2-	-70.847 (23)	1.46 ± 0.03 s		β ⁻ 100; β ⁻ n 0.03
		134	0+	-66.32 (15)	1.050 ± 0.011 s		β ⁻ 100; β ⁻ n 17
		135	(7/2-)	-60.6 (4)	530 ± 20 ms		β ⁻ 100; β ⁻ n 21
		136	0+	-56.3 (5)	0.25 ± 0.03 s		β ⁻ 100; β ⁻ n 30
		137	0	-50.3 (6)	190 ± 60 ms		β ⁻ 100; β ⁻ n 58
		104	0	-59.17 (22)	0.44 +0.15-0.11 s		p < 1.00; ε 100; ε p < 7.00
		105	(5/2+)	-63.853 (16)	1.22 ± 0.11 s		ε 99; p 1
		106	(2+)	-66.473 (7)	0.6 ± 0.2 s		ε
		107	(5/2+)	-70.653 (4)	4.0 ± 0.2 s		ε 100
		108	(4+)	-72.445 (5)	7.4 ± 0.3 s		ε 100
		109	(5/2+)	-76.251 (5)	17.0 ± 0.7 s		ε 100
		110	(3+, 4+)	-77.45 (6)	23.0 ± 0.4 s		ε 100
		111	(5/2+)	-80.837 (9)	75 ± 1 s		ε 100
		112	3+	-81.601 (18)	51.4 ± 1 s		ε 100
		113	5/2+	-84.417 (17)	6.67 ± 0.07 m		ε 100
		114	3+	-84.496 (22)	3.49 ± 0.03 m		ε 100
		115	5/2+	-87.003 (16)	32.1 ± 0.3 m		ε 100
		116	3+	-86.822 (5)	15.8 ± 0.8 m		ε 100
		116m	8-	-86.439 (5)	60.3 ± 0.6 m		ε 100
		117	5/2+	-88.642 (9)	2.80 ± 0.01 h		ε 100
		118	1+	-87.996 (3)	3.6 ± 0.1 m		ε 100
		118m	8-	-87.746 (3)	5.00 ± 0.02 h		ε 100
		119	5/2+	-89.474 (8)	38.19 ± 0.22 h		ε 100
		119m	(27/2+)	-86.632 (8)	0.85 ± 0.09 s		IT 100
		120	1+	-88.417 (7)	15.89 ± 0.04 m		ε 100; ε 100
		121	5/2+	-89.6 (3)	stable		
		122	2-	-88.335 (3)	2.7238 ± 2.0E-4 d	57.21% ± 0.05%	β ⁻ 97.59; ε 2.41
		122m	(8-)	-88.171 (3)	4.191 ± 0.003 m		IT 100
		123	7/2+	-89.2261 (22)	stable		
		124	3-	-87.6223 (22)	60.20 ± 0.03 d		β ⁻ 100
		124m	5+	-87.6114 (22)	93 ± 5 s	42.79% ± 0.05%	IT 75; β ⁻ 25
		124m2	(8-)	-87.5855 (22)	20.2 ± 0.2 m		IT 100
		125	7/2+	-88.258 (3)	2.75856 ± 2.5E-4 y		β ⁻ 100
		126	(8-)	-86.4 (3)	12.35 ± 0.06 d		β ⁻ 100
		126m	(5+)	-86.38 (3)	19.15 ± 0.08 m		β ⁻ 86; IT 14

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
32	Ge	62	0+	-51.9864 (7)	116.121 ± 0.021 ms		ε 100; ε p
		63	3/2-	-56.547 (13)	32.4 ± 0.5 s		ε 100
		64	0+	-58.8334 (15)	2.627 ± 0.012 m		ε 100
		65	3/2-	-62.6572 (8)	15.2 ± 0.2 m		ε 100
		66	0+	-63.724 (3)	9.49 ± 0.03 h		ε 100
		67	3/2-	-66.8788 (12)	3.2617 ± 5.0E-4 d		ε 100
		68	1+	-67.0857 (15)	67.71 ± 0.09 m		ε 100
		69	3/2-	-69.3277 (12)	stable		
		70	1+	-68.91 (12)	21.14 ± 0.03 m	60.108% ± 0.009%	β ⁻ 99.59; ε 0.41
		71	3/2-	-70.139 (8)	stable		
		72	3-	-68.5882 (8)	14.10 ± 0.02 h		β ⁻ 100
		73	3/2-	-69.6993 (17)	4.86 ± 0.03 h		β ⁻ 100
		74	(3-)	-68.049 (4)	8.12 ± 0.12 m	39.892% ± 0.009%	β ⁻ 100
		74m	(0)	-67.989 (4)	9.5 ± 1 s		IT 75; β ⁻ < 50.00
		75	3/2-	-68.4645 (24)	126 ± 2 s		β ⁻ 100
		76	2+	-66.2966 (20)	32.6 ± 0.6 s		β ⁻ 100
		77	3/2-	-65.9923 (24)	13.2 ± 0.2 s		β ⁻ 100
		78	2+	-63.7059 (19)	5.09 ± 0.05 s		β ⁻ 100
		79	3/2-	-62.5476 (19)	2.847 ± 0.003 s		β ⁻ 100; β ⁻ n 0.09
		80	3	-59.224 (3)	1.676 ± 0.014 s		β ⁻ 100; β ⁻ n 0.86
		81	5/2-	-57.628 (3)	1.217 ± 0.005 s		β ⁻ 100; β ⁻ n 11.9
		82	(1,2,3)	-52.9307 (24)	0.599 ± 0.002 s		β ⁻ 100; β ⁻ n 19.8
		83	0	-49.257 (3)	308.1 ± 1 ms		β ⁻ 100; β ⁻ n 62.8
		84	(0-)	-44.3 (4)	0.085 ± 0.01 s		β ⁻ 100; β ⁻ n 74; β ⁻ 100; β ⁻ n ?
		85	(1/2-, 3/2-)	-40.2 (5)	< 100 ms		β ⁻ ; β ⁻ n > 35.0
		61	(3/2-)	-33.7 (3)	44 ± 6 ms		ε 100; ε p > 58.00
		62	0+	-42.24 (14)	129 ± 35 ms		ε 100; ε p
		63	3/2-	-46.92 (4)	150 ± 9 ms		ε 100
		64	0+	-54.315 (4)	63.7 ± 2.5 s		ε 100
		65	3/2-	-56.481 (3)	30.9 ± 0.5 s		ε 100; ε p 0.01
		66	0+	-61.6069 (24)	2.26 ± 0.05 h		ε 100
		67	1/2-	-62.658 (5)	18.9 ± 0.3 m		ε 100
		68	0+	-66.9787 (19)	270.95 ± 0.16 d		ε 100
		69	5/2-	-67.1005 (13)	39.05 ± 0.1 h		ε 100
		70	0+	-70.5618 (8)	stable		
		71	1/2-	-69.9064 (8)	11.43 ± 0.03 d		ε 100
		71m	9/2+	-69.708 (8)	20.41 ± 0.18 ms	20.57% ± 0.27%	IT 100
		72	0+	-72.5856 (5)	stable		
		73	9/2+	-71.2972 (5)	stable		
		73m	1/2-	-71.2305 (5)	0.499 ± 0.011 s		IT 100
		74	0+	-73.4221 (5)	stable	36.5% ± 0.2%	
		75	1/2-	-71.8561 (5)	82.78 ± 0.04 m		β ⁻ 100
		75m	7/2+	-71.7164 (5)	47.7 ± 0.5 s		IT 99.97; β ⁻ 0.03
		76	0+	-73.2128 (9)	stable		
		77	7/2+	-71.2138 (4)	11.30 ± 0.01 h	7.73% ± 0.12%	β ⁻ 100
		77m	1/2-	-71.0541 (4)	52.9 ± 0.6 s		IT 19; β ⁻ 81
		78	0+	-71.862 (4)	88.0 ± 1 m		β ⁻ 100
		79	(1/2-)	-69.53 (4)	18.98 ± 0.03 s		β ⁻ 100
		79m	(7/2+)	-69.34 (4)	39.0 ± 1 s		β ⁻ 96; IT 4
		80	0+	-69.5353 (21)	29.5 ± 0.4 s		β ⁻ 100
		81	(9/2+)	-66.2916 (21)	7.6 ± 0.6 s		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
33	As	81m	(1/2+)	-65.6125 (21)	7.6 ± 0.6 s		β ⁻ 100
		82	0+	-65.415 (22)	4.56 ± 0.26 s		β ⁻ 100
		83	(5/2+)	-60.9764 (24)	1.85 ± 0.06 s		β ⁻ 100
		84	0+	-58.148 (3)	0.954 ± 0.014 s		β ⁻ <i>n</i> 10.2; β ⁻ 100
		85	(1/2+, 5/2+)	-53.123 (4)	0.56 ± 0.05 s		β ⁻ 100; β ⁻ <i>n</i> 14
		87	(5/2+)	-44.2 (5)	≈ 0.14 s		β ⁻ 100; β ⁻ <i>n</i>
		64	0	-39.4 (3)	18 +43-7 ms		ε 100
		65	0	-46.94 (8)	128 ± 16 ms		ε 100
		66	(0+)	-52.03 (3)	95.77 ± 0.23 ms		ε 100
		67	(5/2-)	-56.5859 (14)	42.5 ± 1.2 s		ε 100
		68	3+	-58.8945 (18)	151.6 ± 0.8 s		ε 100
		69	5/2-	-63.09 (3)	15.2 ± 0.2 m		ε 100
		70	4+	-64.34 (5)	52.6 ± 0.3 m		ε 100
		71	5/2-	-67.893 (4)	65.30 ± 0.07 h		ε 100
		72	2-	-68.229 (4)	26.0 ± 0.1 h		ε 100
		73	3/2-	-70.952 (4)	80.30 ± 0.06 d		ε 100
		74	2-	-70.8597 (17)	17.77 ± 0.02 d		ε 66; β ⁻ 34
		75	3/2-	-73.0337 (9)	stable	100%	
		75m	9/2+	-72.7298 (9)	17.62 ± 0.23 ms		IT 100
		76	2-	-72.2908 (9)	1.0942 ± 7.0E-4 d		β ⁻ 100
		77	3/2-	-73.9164 (17)	38.83 ± 0.05 h		β ⁻ 100
		78	2-	-72.817 (10)	90.7 ± 0.2 m		β ⁻ 100
		79	3/2-	-73.636 (5)	9.01 ± 0.15 m		β ⁻ 100
		80	1+	-72.171 (16)	15.2 ± 0.2 s		β ⁻ 100
		81	3/2-	-72.533 (3)	33.3 ± 0.8 s		β ⁻ 100
		82	(2-)	-70.103 (4)	19.1 ± 0.5 s		β ⁻ 100
		82m	(5-)	-69.956 (4)	13.6 ± 0.4 s		β ⁻ 100
		83	(5/2-, 3/2-)	-69.669 (3)	13.4 ± 0.3 s		β ⁻ 100
		84	(3-)	-65.853 (3)	4.2 ± 0.5 s		β ⁻ 100; β ⁻ <i>n</i> 0.18
		85	(3/2-)	-63.189 (3)	2.021 ± 0.01 s		β ⁻ 100; β ⁻ <i>n</i> 59.4
		86	0	-58.962 (3)	0.945 ± 0.008 s		β ⁻ 100; β ⁻ <i>n</i> 26
		87	(3/2-)	-55.618 (3)	0.56 ± 0.08 s		β ⁻ 100; β ⁻ <i>n</i> 15.4
34	Se	65	(3/2-)	-32.9 (6)	33 ± 4 ms		ε 100; ε <i>p</i> 100
		67	0	-46.58 (7)	136 ± 12 ms		ε 100; ε <i>p</i> 0.5
		68	0+	-54.1894 (5)	35.5 ± 0.7 s		ε 100
		69	(1/2-, 3/2-)	-56.3 (3)	27.4 ± 0.2 s		ε 100; ε <i>p</i> 0.05
		70	0+	-61.9298 (16)	41.1 ± 0.3 m		ε 100
		71	(5/2-)	-63.146 (3)	4.74 ± 0.05 m		ε 100
		72	0+	-67.8681 (20)	8.40 ± 0.08 d		ε 100
		73	9/2+	-68.227 (7)	7.15 ± 0.08 h		ε 100
		73m	3/2-	-68.201 (7)	39.8 ± 1.3 m		IT 72.6; ε 27.4
		74	0+	-72.2127 (3)	stable	0.89% ± 0.04%	
		75	5/2+	-72.169 (3)	119.79 ± 0.04 d		ε 100
		76	0+	-75.2518 (7)	stable	9.37% ± 0.29%	
		77	1/2-	-74.5993 (10)	stable	7.63% ± 0.16%	
		77m	7/2+	-74.4374 (10)	17.4 ± 0.8 s		IT 100
		78	0+	-77.0258 (20)	stable	23.77% ± 0.28%	
		79	7/2+	-75.9173 (24)	2.95E+5 ± 0.38E+5 y		β ⁻ 100
		79m	1/2-	-75.8215 (24)	3.92 ± 0.01 m		IT 99.94; β ⁻ 0.06
		80	0+	-77.7598 (15)	stable	49.61% ± 0.41%	2β ⁻
		81	1/2-	-76.3894 (15)	18.45 ± 0.12 m		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
50	Sn	123m	(1/2-)	-83.1 (23)	47.4 ± 0.4 s		β ⁻ 100
		124	(1+)	-80.87 (3)	3.12 ± 0.09 s		β ⁻ 100
		124m	(8-)	-80.82 (3)	3.7 ± 0.2 s		β ⁻ 100
		125	9/2+	-80.48 (3)	2.36 ± 0.04 s		β ⁻ 100
		125m	1/2(-)	-80.12 (3)	12.2 ± 0.2 s		β ⁻ 100
		126	3(+)	-77.81 (4)	1.53 ± 0.01 s		β ⁻ 100
		126m	(8-)	-77.71 (4)	1.64 ± 0.05 s		β ⁻ 100
		127	(9/2+)	-76.892 (22)	1.09 ± 0.01 s		β ⁻ 100; β ⁻ <i>n</i> ≤ 0.03
		127m	(1/2-)	-76.43 (22)	3.67 ± 0.04 s		β ⁻ 100; β ⁻ <i>n</i> 0.69
		127m2	(21/2-)	-75.029 (22)	1.04 ± 0.1 s		β ⁻ 100
		128	(3+)	-74.36 (5)	0.84 ± 0.06 s		β ⁻ 100; β ⁻ <i>n</i> < 0.05
		128m	(8-)	-74.02 (5)	0.72 ± 0.1 s		β ⁻ 100; β ⁻ <i>n</i> < 0.05
		129	(9/2+)	-72.81 (4)	0.61 ± 0.01 s		β ⁻ 100; β ⁻ <i>n</i> 0.25
		129m	(1/2-)	-72.44 (4)	1.23 ± 0.03 s		IT < 0.30; β ⁻ > 99.70; β ⁻ <i>n</i> 2.5
		129m2	(23/2-)	-71.18 (4)	0.67 ± 0.1 s		β ⁻ 100
		130	1(-)	-69.89 (4)	0.29 ± 0.02 s		β ⁻ 100; β ⁻ <i>n</i> 0.93
		130m	(10-)	-69.84 (4)	0.54 ± 0.01 s		β ⁻ 100; β ⁻ <i>n</i> 1.65
		130m2	(5+)	-69.49 (4)	0.54 ± 0.01 s		β ⁻ 100; β ⁻ <i>n</i> 1.65
		131	(9/2+)	-68.05 (20)	0.28 ± 0.03 s		β ⁻ 100; β ⁻ <i>n</i> ≤ 2.00
		131m	(1/2-)	-67.748 (20)	0.35 ± 0.05 s		β ⁻ <i>n</i> ≤ 2.00; IT ≤ 0.02; β ⁻ ≥ 99.98
		131m2	(21/2+)	-64.286 (20)	0.32 ± 0.06 s		β ⁻ > 99.00; IT < 1.00; β ⁻ <i>n</i> ≈ 0.03
		132	(7-)	-62.41 (6)	0.207 ± 0.006 s		β ⁻ 100; β ⁻ <i>n</i> 6.3
		133	(9/2+)	-57.8 (3)	165 ± 3 ms		β ⁻ 100; β ⁻ <i>n</i> 85
		133m	(1/2-)	-57.4 (3)	180 ± 15 ms		IT ; β ⁻ <i>n</i> ; β ⁻
		134	(4- to 7-)	-52 (4)	140 ± 4 ms		β ⁻ 100; β ⁻ <i>n</i> 65
		135	0	-47.2 (5)	92 ± 10 ms		β ⁻ 100; β ⁻ <i>n</i>
		100	0+	-56.9 (6)	0.86 +0.37-0.2 s		ε 100; ε <i>p</i> < 17.00
		101	(5/2+)	-59.9 (3)	1.7 ± 0.3 s		ε <i>p</i> 26; ε 100
		102	0+	-64.93 (10)	3.8 ± 0.2 s		ε 100
		103	(5/2+)	-66.97 (7)	7.0 ± 0.2 s		ε 100; ε <i>p</i> 1.2
		104	0+	-71.625 (6)	20.8 ± 0.5 s		ε 100
		105	(5/2+)	-73.338 (4)	32.7 ± 0.5 s		ε 100; ε <i>p</i> 0.01
		106	0+	-77.354 (5)	115 ± 5 s		ε 100
		107	(5/2+)	-78.512 (5)	2.90 ± 0.05 m		ε 100
		108	0+	-82.071 (5)	10.30 ± 0.08 m		ε 100
		109	5/2+	-82.633 (8)	18.0 ± 0.2 m		ε 100
		110	0+	-85.844 (14)	4.11 ± 0.1 h		ε 100
		111	7/2+	-85.941 (6)	35.3 ± 0.6 m		ε 100
		112	0+	-88.6579 (17)	< 1.3E+21 y	0.97% ± 0.01%	2ε
		113	1/2+	-88.3303 (22)	115.09 ± 0.03 d		ε 100
		113m	7/2+	-88.2528 (22)	21.4 ± 0.4 m		IT 91.1; ε 8.9
		114	0+	-90.5594 (15)	stable	0.66% ± 0.01%	
		115	1/2+	-90.0338 (15)	stable	0.34% ± 0.01%	
		116	0+	-91.5259 (10)	stable	14.54% ± 0.09%	
		117	1/2+	-90.3977 (5)	stable	7.68% ± 0.07%	
		117m	11/2-	-90.0831 (5)	13.76 ± 0.04 d		IT 100
		118	0+	-91.6528 (5)	stable	24.22% ± 0.09%	
		119	1/2+	-90.065 (7)	stable	8.59% ± 0.04%	
		119m	11/2-	-89.9755 (7)	293.1 ± 0.7 d		IT 100
		120	0+	-91.0982 (22)	stable	32.58% ± 0.09%	
		121	3/2+	-89.1971 (22)	27.03 ± 0.04 h		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
49	In	131	(7/2-)	-55.38 (20)	68 ± 3 ms		β ⁻ 100; β ⁻ n 3.5
		132	0+	-50.9 (3)	97 ± 10 ms		β ⁻ 100; β ⁻ n 60
		133	(7/2-)	()	57 ± 10 ms		β ⁻ 100; β ⁻ n; β ⁻ 2n
		98	0	-53.9 (20)	32 + 32-11 ms		ε; ε
		99	0	-61.38 (20)	3.0 ± 0.8 s		ε
		100	(6+, 7+)	-64.34 (18)	5.9 ± 0.2 s		ε 100; ε p 1.6
		101	(9/2+)	-68.6 (3)	15.1 ± 0.3 s		ε; ε p
		102	(6+)	-70.695 (5)	23.3 ± 0.1 s		ε 100; ε p 0.0093
		103	(9/2+)	-74.629 (9)	65 ± 7 s		ε 100
		103m	(1/2-)	-73.998 (9)	34 ± 2 s		IT 33; ε 67
		104	(6+)	-76.183 (6)	1.80 ± 0.03 m		ε 100
		104m	(3+)	-76.089 (6)	15.7 ± 0.5 s		IT 80; ε 20
		105	9/2+	-79.64 (10)	5.07 ± 0.07 m		ε 100
		105m	(1/2-)	-78.966 (10)	48 ± 6 s		IT 100
		106	7+	-80.604 (11)	6.2 ± 0.1 m		ε 100
		106m	(2+)	-80.575 (11)	5.2 ± 0.1 m		ε 100
		107	9/2+	-83.564 (10)	32.4 ± 0.3 m		ε 100
		107m	1/2-	-82.886 (10)	50.4 ± 0.6 s		IT 100
		108	7+	-84.116 (9)	58.0 ± 1.2 m		ε 100
		108m	2+	-84.086 (9)	39.6 ± 0.7 m		ε 100
		109	9/2+	-86.488 (4)	4.167 ± 0.018 h		ε 100
		109m	1/2-	-85.838 (4)	1.34 ± 0.07 m		IT 100
		109m2	(19/2+)	-84.387 (4)	0.209 ± 0.006 s		IT 100
		110	7+	-86.472 (12)	4.9 ± 0.1 h		ε 100
		110m	2+	-86.41 (12)	69.1 ± 0.5 m		ε 100
		111	9/2+	-88.393 (4)	2.8047 ± 4.0E-4 d		ε 100
		111m	1/2-	-87.856 (4)	7.7 ± 0.2 m		IT 100
		112	1+	-87.993 (5)	14.97 ± 0.1 m		ε 56; β ⁻ 44
		112m	4+	-87.836 (5)	20.56 ± 0.06 m		IT 100
		113	9/2+	-89.3683 (15)	stable	4.29% ± 0.05%	
		113m	1/2-	-88.9766 (15)	99.476 ± 0.023 m		IT 100
		114	1+	-88.5708 (15)	71.9 ± 0.1 s		β ⁻ 99.5; ε 0.5
		114m	5+	-88.3805 (15)	49.51 ± 0.01 d		IT 96.75; ε 3.25
		115	9/2+	-89.5363 (12)	4.41E+14 ± 0.25E+14 y	95.71% ± 0.05%	β ⁻ 100
		115m	1/2-	-89.2001 (12)	4.486 ± 0.004 h		IT 95; β ⁻ 5
		116	1+	-88.2497 (22)	14.10 ± 0.03 s		ε 0.02; β ⁻ 99.98
		116m	5+	-88.1224 (22)	54.29 ± 0.17 m		β ⁻ 100
		116m2	8-	-87.96 (22)	2.18 ± 0.04 s		IT 100
		117	9/2+	-88.943 (5)	43.2 ± 0.3 m		β ⁻ 100
		117m	1/2-	-88.628 (5)	116.2 ± 0.3 m		β ⁻ 52.9; IT 47.1
		118	1+	-87.228 (8)	5.0 ± 0.5 s		β ⁻ 100
		118m	5+	-87.168 (8)	4.45 ± 0.05 m		β ⁻ 100
		118m2	8-	-87.028 (8)	8.5 ± 0.3 s		IT 98.6; β ⁻ 1.4
		119	9/2+	-87.699 (8)	2.4 ± 0.1 m		β ⁻ 100
		119m	1/2-	-87.388 (8)	18.0 ± 0.3 m		β ⁻ 95.6; IT 4.4
		120	1+	-85.73 (4)	3.08 ± 0.08 s		β ⁻ 100; β ⁻ 100
		120m	(5)+	-85.66 (4)	46.2 ± 0.8 s		β ⁻ 100
		121	9/2+	-85.84 (3)	23.1 ± 0.6 s		β ⁻ 100
		121m	1/2-	-85.52 (3)	3.88 ± 0.1 m		β ⁻ 98.8; IT 1.2
		122	1+	-83.57 (5)	1.5 ± 0.3 s		β ⁻ 100
		122m	5+	-83.53 (5)	10.3 ± 0.6 s		β ⁻ 100
		122m2	(8-)	-83.28 (5)	10.8 ± 0.4 s		β ⁻ 100
		123	(9/2+)	-83.428 (23)	6.17 ± 0.05 s		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
35	Br	81m	7/2+	-76.2864 (15)	57.28 ± 0.02 m		IT 99.95; β ⁻ 0.05
		82	0+	-77.594 (15)	stable	8.73% ± 0.22%	
		83	9/2+	-75.341 (3)	22.3 ± 0.3 m		β ⁻ 100
		83m	1/2-	-75.112 (3)	70.1 ± 0.4 s		β ⁻ 100
		84	0+	-75.9476 (20)	3.26 ± 0.1 m		β ⁻ 100
		85	(5/2+)	-72.414 (3)	32.9 ± 0.3 s		β ⁻ 100
		86	0+	-70.503 (3)	14.3 ± 0.3 s		β ⁻ 100
		87	(5/2+)	-66.4261 (22)	5.50 ± 0.12 s		β ⁻ 100; β ⁻ n 0.2
		88	0+	-63.884 (3)	1.53 ± 0.06 s		β ⁻ 100; β ⁻ n 0.67
		89	(5/2+)	-58.992 (4)	0.41 ± 0.04 s		β ⁻ 100; β ⁻ n 7.8
		91	0	-50.3 (5)	0.27 ± 0.05 s		β ⁻ 100; β ⁻ n 21
		70	0+	-51.426 (15)	79.1 ± 0.8 ms		ε 100
		70m	9+	-49.133 (15)	2.2 ± 0.2 s		ε 100
		71	(5/2-)	-56.502 (5)	21.4 ± 0.6 s		ε 100
		72	1+	-59.067 (7)	78.6 ± 2.4 s		ε 100
		72m	(3-)	-58.966 (7)	10.6 ± 0.3 s		IT 100; ε
		73	1/2-	-63.648 (7)	3.4 ± 0.2 m		ε 100
		74	(0-)	-65.285 (6)	25.4 ± 0.3 m		ε 100
		74m	4(+)	-65.271 (6)	46 ± 2 m		ε 100
		75	3/2-	-69.107 (4)	96.7 ± 1.3 m		ε 100
		76	1-	-70.289 (9)	16.2 ± 0.2 h		ε 100
		76m	(4)+	-70.186 (9)	1.31 ± 0.02 s		IT > 99.40; ε < 0.60
		77	3/2-	-73.235 (3)	57.036 ± 0.006 h		ε 100
		77m	9/2+	-73.129 (3)	4.28 ± 0.1 m		IT 100
		78	1+	-73.452 (4)	6.45 ± 0.04 m		ε ≥ 99.99; β ⁻ ≤ 0.01
		79	3/2-	-76.0684 (15)	stable	50.69% ± 0.07%	
		79m	9/2+	-75.8608 (15)	5.1 ± 0.4 s		IT 100
		80	1+	-75.8894 (15)	17.68 ± 0.02 m		β ⁻ 91.7; ε 8.3
		80m	5-	-75.8035 (15)	4.4205 ± 8.0E-4 h		IT 100
		81	3/2-	-77.9755 (13)	stable	49.31% ± 0.07%	
		82	5-	-77.4972 (13)	35.282 ± 0.007 h		β ⁻ 100
		82m	2-	-77.4513 (13)	6.13 ± 0.05 m		IT 97.6; β ⁻ 2.4
		83	3/2-	-79.006 (5)	2.40 ± 0.02 h		β ⁻ 100
		84	2-	-77.79 (3)	31.76 ± 0.08 m		β ⁻ 100
		84m	(6-)	-77.47 (3)	6.0 ± 0.2 m		β ⁻ 100
		85	3/2-	-78.575 (3)	2.90 ± 0.06 m		β ⁻ 100
		86	(1-)	-75.632 (3)	55.1 ± 0.4 s		β ⁻ 100
		87	3/2-	-73.892 (3)	55.65 ± 0.13 s		β ⁻ n 2.6; β ⁻ 100
		88	(2-)	-70.716 (3)	16.29 ± 0.06 s		β ⁻ 100; β ⁻ n 6.58
		89	(3/2-, 5/2-)	-68.274 (3)	4.40 ± 0.03 s		β ⁻ 100; β ⁻ n 13.8
		90	0	-64 (3)	1.91 ± 0.01 s		β ⁻ 100; β ⁻ n 25.2
		91	0	-61.107 (4)	0.541 ± 0.005 s		β ⁻ 100; β ⁻ n 20
		92	(2-)	-56.233 (7)	0.343 ± 0.015 s		β ⁻ n 33.1; β ⁻ 100
		93	(5/2-)	-52.85 (20)	102 ± 10 ms		β ⁻ 100; β ⁻ n 68
		94	0	-47.6 (4)	70 ± 20 ms		β ⁻ 100; β ⁻ n 68
36	Kr	69	0	-32.4 (4)	32 ± 10 ms		ε 100
		70	0+	-41.6 (4)	52 ± 17 ms		ε 100; ε p ≤ 1.30
		71	(5/2-)	-46.33 (13)	100 ± 3 ms		ε 100; ε p 2.1
		72	0+	-53.94 (8)	17.1 ± 0.2 s		ε 100; ε p < 1.0E-6
		73	3/2-	-56.552 (7)	27.3 ± 1 s		ε 100; ε p 0.25
		74	0+	-62.3315 (20)	11.50 ± 0.11 m		ε 100
		75	5/2+	-64.324 (8)	4.29 ± 0.17 m		ε 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
37	Rb	76	0+	-69.014 (4)	14.8 ± 0.1 h		ε 100
		77	5/2+	-70.1694 (20)	74.4 ± 0.6 m		ε 100
		78	0+	-74.1795 (7)	≥ 1.5E+21 y	0.355% ± 0.003%	2ε
		79	1/2-	-74.443 (4)	35.04 ± 0.1 h		ε 100
		79m	7/2+	-74.313 (4)	50 ± 3 s		IT 100
		80	0+	-77.8925 (8)	stable	2.286% ± 0.01%	
		81	7/2+	-77.6947 (14)	2.29E+5 ± 0.11E+5 y		ε 100
		81m	1/2-	-77.5041 (14)	13.10 ± 0.03 s		ε 0.0025; IT 100
		82	0+	-80.5902 (9)	stable	11.593% ± 0.031%	
		83	9/2+	-79.99 (3)	stable	11.5% ± 0.019%	
		83m	1/2-	-79.9484 (3)	1.85 ± 0.03 h		IT 100
		84	0+	-82.4393 (4)	stable	56.987% ± 0.015%	
		85	9/2+	-81.4803 (20)	10.752 ± 0.025 y		β ⁻ 100
		85m	1/2-	-81.1753 (20)	4.480 ± 0.008 h		β ⁻ 78.6; IT 21.4
		86	0+	-83.2656 (4)	stable	17.279% ± 0.041%	
		87	5/2+	-80.7095 (25)	76.3 ± 0.5 m		β ⁻ 100
		88	0+	-79.691 (3)	2.84 ± 0.03 h		β ⁻ 100
		89	3/2(+)	-76.5357 (21)	3.15 ± 0.04 m		β ⁻ 100
		90	0+	-74.9592 (19)	32.32 ± 0.09 s		β ⁻ 100
		91	5/2(+)	-70.9739 (22)	8.57 ± 0.04 s		β ⁻ 100
		92	0+	-68.769 (3)	1.840 ± 0.008 s		β ⁻ 100; β ⁻ n 0.03
		93	1/2+	-64.136 (3)	1.286 ± 0.01 s		β ⁻ 100; β ⁻ n 1.95
		94	0+	-61.348 (12)	212 ± 5 ms		β ⁻ 100; β ⁻ n 1.11
		95	1/2(+)	-56.159 (19)	0.114 ± 0.003 s		β ⁻ 100; β ⁻ n 2.87
		96	0+	-53.08 (20)	80 ± 6 ms		β ⁻ 100; β ⁻ n 3.7
		97	(3/2+)	-47.42 (13)	63 ± 4 ms		β ⁻ 100; β ⁻ n 6.7
		98	0+	-44.5 (5)	46 ± 8 ms		β ⁻ 100; β ⁻ n 7
		99	0	-38.8 (5)	13 +34-6 ms		β ⁻ 100; β ⁻ n 11
		100	0+	-35.2 (5)	7 +11-3 ms		β ⁻ 100; β ⁻ n
		74	(0+)	-51.917 (4)	64.9 ± 0.5 ms		ε 100
		75	(3/2-)	-57.2186 (16)	19.0 ± 1.2 s		ε 100
		76	1(-)	-60.478 (12)	36.5 ± 0.6 s		ε 100; εα 3.8e-07
		77	3/2-	-64.8304 (13)	3.77 ± 0.04 m		ε 100
		78	0(+)	-66.936 (7)	17.66 ± 0.03 m		ε 100
		78m	4(-)	-66.825 (7)	5.74 ± 0.03 m		ε 91; IT 9
		79	5/2+	-70.8029 (21)	22.9 ± 0.5 m		ε 100
		80	1+	-72.1754 (19)	33.4 ± 0.7 s		ε 100
		81	3/2-	-75.456 (5)	4.572 ± 0.004 h		ε 100
		81m	9/2+	-75.37 (5)	30.5 ± 0.3 m		IT 97.6; ε 2.4
		82	1+	-76.188 (3)	1.2575 ± 2.0E-4 m		ε 100
		82m	5-	-76.119 (3)	6.472 ± 0.006 h		IT < 0.33; ε 100
		83	5/2-	-79.0706 (23)	86.2 ± 0.1 d		ε 100
		84	2-	-79.756 (3)	32.82 ± 0.07 d		ε 96.1; β ⁻ 3.9
		84m	6-	-79.293 (3)	20.26 ± 0.04 m		IT 100
		85	5/2-	-82.1673 (5)	stable	72.17% ± 0.02%	
		86	2-	-82.747 (20)	18.642 ± 0.018 d		β ⁻ 99.99; ε 0.0052
		86m	6-	-82.1909 (20)	1.017 ± 0.003 m		IT 100; β ⁻ < 0.30
		87	3/2-	-84.5977 (6)	4.81E+10 ± 0.09E+10 y	27.83% ± 0.02%	β ⁻ 100
		88	2-	-82.6089 (16)	17.773 ± 0.011 m		β ⁻ 100
		89	3/2-	-81.712 (5)	15.15 ± 0.12 m		β ⁻ 100
		90	0-	-79.365 (7)	158 ± 5 s		β ⁻ 100
		90m	3-	-79.258 (7)	258 ± 4 s		β ⁻ 97.4; IT 2.6
		91	3/2(-)	-77.746 (8)	58.4 ± 0.4 s		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
48	Cd	122	(3+)	-71.11 (4)	0.529 ± 0.013 s		β ⁻ 99.8; β ⁻ n 0.2; β ⁻ ; IT ; β ⁻ n
		122m	(9-)	-71.03 (4)	0.20 ± 0.05 s		β ⁻ ; β ⁻ n
		123	(7/2+)	-69.55 (3)	0.300 ± 0.005 s		β ⁻ 100; β ⁻ n 0.55
		124	—>2	-66.2 (3)	0.172 ± 0.005 s		β ⁻ 100; β ⁻ n 1.3
		125	(9/2+)	-64.43 (20)	166 ± 7 ms		β ⁻ 100; β ⁻ n
		126	0	-60.85 (20)	107 ± 12 ms		β ⁻ 100; β ⁻ n
		127	0	-58.8 (3)	109 ± 25 ms		β ⁻ 100
		128	0	-54.9 (3)	58 ± 5 ms		β ⁻ 100; β ⁻ n
		129	(9/2+)	-52.6 (4)	46 +5-9 ms		β ⁻ 100; β ⁻ n ; β ⁻ ; β ⁻ n
		130	0	-46.3 (3)	≈ 50 ms		β ⁻ ; β ⁻ n
		96	0+	-55.6 (4)	1.03 ± 0.24-0.21 s		ε 100
		97	(9/2+)	-60.5 (3)	1.10 ± 0.07 s		ε 100; ε p 12; ε 100; ε p 25
		98	0+	-67.62 (5)	9.2 ± 0.3 s		ε 100; ε p < 0.03
		99	(5/2+)	-69.9311 (16)	16 ± 3 s		εα < 1.0E-4; ε 0.17; ε 100
		100	0+	-74.1946 (17)	49.1 ± 0.5 s		ε 100
		101	(5/2+)	-75.8361 (14)	1.36 ± 0.05 m		ε 100
		102	0+	-79.6597 (17)	5.5 ± 0.5 m		ε 100
		103	(5/2+)	-80.6521 (18)	7.3 ± 0.1 m		ε 100
		104	0+	-83.9683 (17)	57.7 ± 1 m		ε 100
		105	5/2+	-84.3339 (13)	55.5 ± 0.4 m		ε 100
		106	0+	-87.1304 (17)	> 3.6E+20 y	1.25% ± 0.06%	2ε
		107	5/2+	-86.99 (17)	6.50 ± 0.02 h		ε 100
		108	0+	-89.2524 (21)	> 1.9E+18 y	0.89% ± 0.03%	2ε
		109	5/2+	-88.5043 (16)	461.4 ± 1.2 d		ε 100
		110	0+	-90.3503 (17)	stable	12.49% ± 0.18%	
		111	1/2+	-89.2547 (17)	stable	12.8% ± 0.12%	
		111m	11/2-	-88.8585 (17)	48.50 ± 0.09 m		IT 100
		112	0+	-90.5777 (17)	stable	24.13% ± 0.21%	
		113	1/2+	-89.0464 (16)	8.00E15 ± 0.26E15 y	12.22% ± 0.12%	β ⁻ 100
		113m	11/2-	-88.7829 (16)	14.1 ± 0.5 y		β ⁻ 99.86; IT 0.14
		114	0+	-90.018 (16)	> 2.1E18 y	28.73% ± 0.42%	2β ⁻
		115	1/2+	-88.0876 (17)	53.46 ± 0.05 h		β ⁻ 100
		115m	(11/2)-	-87.9066 (17)	44.56 ± 0.24 d		β ⁻ 100
		116	0+	-88.7164 (17)	3.3E+19 ± 0.4E+19 y	7.49% ± 0.18%	2β ⁻
		117	1/2+	-86.4223 (20)	2.49 ± 0.04 h		β ⁻ 100
		117m	(11/2)-	-86.2859 (20)	3.36 ± 0.05 h		β ⁻ 100
		118	0+	-86.706 (20)	50.3 ± 0.2 m		β ⁻ 100
		119	3/2+	-83.98 (4)	2.69 ± 0.02 m		β ⁻ 100
		119m	(11/2-)	-83.83 (4)	2.20 ± 0.02 m		β ⁻ 100
		120	0+	-83.957 (4)	50.80 ± 0.21 s		β ⁻ 100
		121	(3/2+)	-81.06 (8)	13.5 ± 0.3 s		β ⁻ 100
		121m	(11/2-)	-80.84 (8)	8.3 ± 0.8 s		β ⁻ 100
		122	0+	-80.616 (4)	5.24 ± 0.03 s		β ⁻ 100
		123	(3/2+)	-77.32 (4)	2.10 ± 0.02 s		β ⁻ 100
		123m	(11/2-)	-77 (4)	1.82 ± 0.03 s		β ⁻ ≤ 100.00; IT
		124	0+	-76.697 (9)	1.25 ± 0.02 s		β ⁻ 100
		125	(3/2+)	-73.35 (6)	0.68 ± 0.04 s		β ⁻ 100; β ⁻ 100
		126	0+	-72.256 (4)	0.515 ± 0.017 s		β ⁻ 100
		127	(3/2+)	-68.44 (6)	0.37 ± 0.07 s		β ⁻ 100
		128	0+	-67.25 (17)	0.28 ± 0.04 s		β ⁻ 100
		129	(3/2+)	-63.31 (20)	0.27 ± 0.04 s		
		130	0+	-61.54 (16)	162 ± 7 ms		β ⁻ n 3.5; β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
47	Ag	122	0+	-64.7 (4)	175 ± 16 ms		β ⁻ ≥ 97.50; β ⁻ _n ≤ 2.50
		123	0	-60.6 (6)	174 +38-34 ms		β ⁻
		124	0+	-58.8 (5)	38 +38-19 ms		β ⁻ 100
		94	(0+)	-52.4 (6)	26 +26-9 ms		ε 100; ep ; ε 100; ep 20
		94m	(21+)	-45.7 (6)	0.40 ± 0.04 s		ε 95.4; ep 27; p 4.1; 2p 0.5
		95	(9/2+)	-59.6 (4)	1.75 ± 0.12 s		ep ; ε 100
		95m	(1/2-)	-59.3 (4)	< 500 ms		IT 100
		96	(8+)	-64.62 (6)	4.40 ± 0.06 s		ε 100; ep 8.5; ε 100; ep 18
		97	(9/2+)	-70.83 (11)	25.5 ± 0.3 s		ε 100
		98	(6+)	-73.05 (4)	47.5 ± 0.3 s		ε 100; ep 0.0011
		99	(9/2+)	-76.712 (6)	124 ± 3 s		ε 100
		99m	(1/2-)	-76.206 (6)	10.5 ± 0.5 s		IT 100
		100	(5+)	-78.138 (5)	2.01 ± 0.09 m		ε 100
		100m	(2+)	-78.122 (5)	2.24 ± 0.13 m		ε ; IT
		101	9/2+	-81.334 (5)	11.1 ± 0.3 m		ε 100
		101m	(1/2-)	-81.06 (5)	3.10 ± 0.1 s		IT 100
		102	5(+)	-82.247 (8)	12.9 ± 0.3 m		ε 100
		102m	2+	-82.237 (8)	7.7 ± 0.5 m		ε 51; IT 49
		103	7/2+	-84.8 (4)	65.7 ± 0.7 m		ε 100
		103m	1/2-	-84.666 (4)	5.7 ± 0.3 s		IT 100
		104	5+	-85.114 (5)	69.2 ± 1 m		ε 100
		104m	2+	-85.108 (5)	33.5 ± 2 m		ε 99.93; IT < 0.07
		105	1/2-	-87.071 (5)	41.29 ± 0.07 d		ε 100
		105m	7/2+	-87.045 (5)	7.23 ± 0.16 m		IT 99.66; ε 0.34
		106	1+	-86.94 (4)	23.96 ± 0.04 m		ε 99.5; β ⁻ < 1.00
		106m	6+	-86.851 (4)	8.28 ± 0.02 d		ε 100
		107	1/2-	-88.405 (3)	stable	51.839% ± 0.008%	
		107m	7/2+	-88.312 (3)	44.3 ± 0.2 s		IT 100
		108	1+	-87.606 (3)	2.382 ± 0.011 m		β ⁻ 97.15; ε 2.85
		108m	6+	-87.496 (3)	438 ± 9 y		ε 91.3; IT 8.7
		109	1/2-	-88.7195 (20)	stable	48.161% ± 0.008%	
		109m	7/2+	-88.6315 (20)	39.6 ± 0.2 s		IT 100
		110	1+	-87.4574 (20)	24.6 ± 0.2 s		β ⁻ 99.7; ε 0.3
		110m	6+	-87.3398 (20)	249.76 ± 0.04 d		β ⁻ 98.64; IT 1.36
		111	1/2-	-88.2179 (22)	7.45 ± 0.01 d		β ⁻ 100
		111m	7/2+	-88.1581 (22)	64.8 ± 0.8 s		IT 99.3; β ⁻ 0.7
		112	2(-)	-86.5837 (24)	3.130 ± 0.009 h		β ⁻ 100
		113	1/2-	-87.03 (17)	5.37 ± 0.05 h		β ⁻ 100
		113m	7/2+	-86.986 (17)	68.7 ± 1.6 s		IT 64; β ⁻ 36
		114	1+	-84.931 (5)	4.6 ± 0.1 s		β ⁻ 100
		115	1/2-	-84.983 (18)	20.0 ± 0.5 m		β ⁻ 100
		115m	7/2+	-84.942 (18)	18.0 ± 0.7 s		β ⁻ 79; IT 21
		116	(0-)	-82.543 (3)	237 ± 5 s		β ⁻ 100
		116m	(3+)	-82.495 (3)	20 ± 1 s		β ⁻ 93; IT 7
		116m2	(6-)	-82.413 (3)	9.3 ± 0.3 s		β ⁻ 92; IT 8
		117	(1/2-)	-82.182 (14)	72.8 +2-0.7 s		β ⁻ 100
		117m	(7/2+)	-82.153 (14)	5.34 ± 0.05 s		β ⁻ 94; IT 6
		118	1(-)	-79.554 (3)	3.76 ± 0.15 s		β ⁻ 100
		118m	4(+)	-79.426 (3)	2.0 ± 0.2 s		β ⁻ 59; IT 41
		119	(1/2-)	-78.646 (15)	6.0 ± 0.5 s		β ⁻ 100; β ⁻ 100
		120	3(+)	-75.651 (4)	1.23 ± 0.04 s		β ⁻ 100; β ⁻ _n < 3.0E-3
		120m	6(-)	-75.448 (4)	0.40 ± 0.03 s		β ⁻ ≈ 63.00; IT ≈ 37.00
		121	(7/2+)	-74.403 (12)	0.78 ± 0.02 s		β ⁻ 100; β ⁻ _n 0.08

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
38	Sr	92	0-	-74.773 (6)	4.492 ± 0.02 s		β ⁻ 100; β ⁻ _n 0.01
		93	5/2-	-72.62 (8)	5.84 ± 0.02 s		β ⁻ 100; β ⁻ _n 1.39
		94	3(-)	-68.562 (3)	2.702 ± 0.005 s		β ⁻ 100; β ⁻ _n 10.5
		95	5/2-	-65.894 (20)	377.7 ± 0.8 ms		β ⁻ 100; β ⁻ _n 8.7
		96	2(-)	-61.354 (3)	203 ± 3 ms		β ⁻ 100; β ⁻ _n 13.3
		97	3/2+	-58.518 (5)	169.1 ± 0.6 ms		β ⁻ 100; β ⁻ _n 25.5
		98	(0,1)	-54.03 (5)	102 ± 4 ms		β ⁻ 100; β ⁻ _n 13.8; β ⁻ 2n 0.05
		98m	(3,4)	-53.76 (5)	96 ± 3 ms		β ⁻ 100
		99	(5/2+)	-51.22 (11)	54 ± 4 ms		β ⁻ 100; β ⁻ _n 15.8
		100	(3+,4-)	-46.55 (20)	51 ± 8 ms		β ⁻ 100; β ⁻ _n 6; β ⁻ 2n 0.16
		101	(3/2+)	-42.97 (22)	32 ± 5 ms		β ⁻ 100; β ⁻ _n 28
		102	0	-37.9 (3)	37 ± 3 ms		β ⁻ 100; β ⁻ _n 18
		73	0	-31.9 (4)	> 25 ms		ε 100; ep > 0.00
		75	(3/2-)	-46.62 (22)	88 ± 3 ms		ε 100; ep 5.2
		76	0+	-54.25 (3)	7.89 ± 0.07 s		ε 100; ep 3.4e-05
		77	5/2+	-57.803 (8)	9.0 ± 0.2 s		ε 100; ep < 0.25
		78	0+	-63.174 (7)	160 ± 8 s		ε 100
		79	3/2(-)	-65.477 (8)	2.25 ± 0.1 m		ε 100
		80	0+	-70.311 (3)	106.3 ± 1.5 m		ε 100
		81	1/2-	-71.528 (3)	22.3 ± 0.4 m		ε 100
		82	0+	-76.01 (6)	25.34 ± 0.02 d		ε 100
		83	7/2+	-76.798 (7)	32.41 ± 0.03 h		ε 100
		83m	1/2-	-76.538 (7)	4.95 ± 0.12 s		IT 100
		84	0+	-80.6493 (13)	stable	0.56% ± 0.01%	
		85	9/2+	-81.103 (3)	64.850 ± 0.007 d		ε 100
		85m	1/2-	-80.864 (3)	67.63 ± 0.04 m		IT 86.6; ε 13.4
		86	0+	-84.5232 (11)	stable	9.86% ± 0.01%	
		87	9/2+	-84.88 (11)	stable	7% ± 0.01%	
		87m	1/2-	-84.4915 (11)	2.815 ± 0.012 h		IT 99.7; ε 0.3
		88	0+	-87.9213 (11)	stable	82.58% ± 0.01%	
		89	5/2+	-86.2087 (11)	50.53 ± 0.07 d		β ⁻ 100
		90	0+	-85.949 (3)	28.90 ± 0.03 y		β ⁻ 100
		91	5/2+	-83.653 (6)	9.63 ± 0.05 h		β ⁻ 100
		92	0+	-82.867 (3)	2.66 ± 0.04 h		β ⁻ 100
		93	5/2+	-80.086 (8)	7.43 ± 0.03 m		β ⁻ 100
		94	0+	-78.843 (7)	75.3 ± 0.2 s		β ⁻ 100
		95	1/2+	-75.124 (6)	23.90 ± 0.14 s		β ⁻ 100
		96	0+	-72.933 (9)	1.07 ± 0.01 s		β ⁻ 100
		97	1/2+	-68.592 (10)	429 ± 5 ms		β ⁻ 100; β ⁻ _n ≤ 0.05
		98	0+	-66.437 (10)	0.653 ± 0.002 s		β ⁻ 100; β ⁻ _n 0.25
		99	3/2+	-62.529 (7)	0.269 ± 0.001 s		β ⁻ 100; β ⁻ _n 0.1
		100	0+	-59.833 (10)	202 ± 3 ms		β ⁻ 100; β ⁻ _n 0.78
		101	(5/2-)	-55.57 (8)	118 ± 3 ms		β ⁻ 100; β ⁻ _n 2.37
		102	0+	-52.4 (21)	69 ± 6 ms		β ⁻ 100; β ⁻ _n 5.5
		103	0	-47.53 (20)	68 +48-20 ms		β ⁻
		104	0+	-43.9 (4)	43 +9-7 ms		β ⁻
		105	0	-38.6 (5)	40 +36-13 ms		β ⁻
39	Y	77	(5/2+)	-46.78 (6)	57 +22-12 ms		ε 100; ep ; p
		78	(0+)	-52.5 (4)	53 ± 8 ms		ε 100; ep ; ep ; ε 100
		79	(5/2+)	-58.4 (5)	14.8 ± 0.6 s		ε 100; ep
		80	(4-)	-61.148 (6)	30.1 ± 0.5 s		ε 100; ep
		80m	(1-)	-60.92 (6)	4.8 ± 0.3 s		IT 81; ε 19

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
40	Zr	81	(5/2+)	-65.713 (6)	70.4 ± 1 s		ε 100
		82	1+	-68.064 (6)	8.30 ± 0.2 s		ε 100
		83	9/2+	-72.206 (19)	7.08 ± 0.06 m		ε 100
		83m	3/2-	-72.144 (19)	2.85 ± 0.02 m		IT 40; ε 60
		84	(6+)	-73.894 (4)	39.5 ± 0.8 m		ε 100
		84m	1+	-73.827 (4)	4.6 ± 0.2 s		ε 100
		85	(1/2)-	-77.842 (19)	2.68 ± 0.05 h		ε 100
		85m	9/2+	-77.822 (19)	4.86 ± 0.2 h		ε 100; IT < 2.0E-3
		86	4-	-79.283 (14)	14.74 ± 0.02 h		ε 100
		86m	(8+)	-79.065 (14)	48 ± 1 m		IT 99.31; ε 0.69
		87	1/2-	-83.0183 (16)	79.8 ± 0.3 h		ε 100
		87m	9/2+	-82.6375 (16)	13.37 ± 0.03 h		ε 1.57; IT 98.43
		88	4-	-84.2987 (19)	106.626 ± 0.021 d		ε 100
		89	1/2-	-87.7096 (25)	stable	100%	
		89m	9/2+	-86.8006 (25)	15.663 ± 0.005 s		IT 100
		90	2-	-86.4953 (25)	64.053 ± 0.02 h		β ⁻ 100
		90m	7+	-85.8136 (25)	3.19 ± 0.06 h		IT 100; β ⁻ 0.0018
		91	1/2-	-86.353 (3)	58.51 ± 0.06 d		β ⁻ 100
		91m	9/2+	-85.797 (3)	49.71 ± 0.04 m		IT 100; β ⁻ < 1.50
		92	2-	-84.818 (9)	3.54 ± 0.01 h		β ⁻ 100
		93	1/2-	-84.228 (11)	10.18 ± 0.08 h		β ⁻ 100
		93m	(9/2)+	-83.47 (11)	0.82 ± 0.04 s		IT 100
		94	2-	-82.353 (7)	18.7 ± 0.1 m		β ⁻ 100
		95	1/2-	-81.213 (7)	10.3 ± 0.1 m		β ⁻ 100
		96	0-	-78.345 (7)	5.34 ± 0.05 s		β ⁻ 100
		96m	8+	-77.205 (7)	9.6 ± 0.2 s		β ⁻ 100
		97	(1/2)-	-76.13 (7)	3.75 ± 0.03 s		β ⁻ 100; β ⁻ n 0.06
		97m	(9/2)+	-75.463 (7)	1.17 ± 0.03 s		β ⁻ n < 0.08; β ⁻ > 99.30; IT < 0.70
		97m2	(27/2-)	-72.608 (7)	142 ± 8 ms		IT 98.4; β ⁻ 1.6
		98	(0)-	-72.304 (8)	0.548 ± 0.002 s		β ⁻ 100; β ⁻ n 0.33
		98m	(4,5)	-71.894 (8)	2.0 ± 0.2 s		β ⁻ > 80.00; IT < 20.00; β ⁻ n 3.4
		99	(5/2+)	-70.659 (7)	1.484 ± 0.007 s		β ⁻ 100; β ⁻ n 1.7
		100	1-,2-	-67.336 (11)	735 ± 7 ms		β ⁻ n 0.92; β ⁻ 100
		100m	(3,4,5)	-67.191 (11)	0.94 ± 0.03 s		β ⁻ 100
		101	(5/2+)	-65.07 (8)	0.45 ± 0.02 s		β ⁻ 100; β ⁻ n 1.94
		102	HighJ	-61.21 (20)	0.36 ± 0.04 s		β ⁻ 100; β ⁻ n 4.9; β ⁻ 100; β ⁻ n 4.9
		103	(5/2+)	-58.5 (10)	0.23 ± 0.02 s		β ⁻ 100; β ⁻ n 8
		104	0	-54.1 (4)	197 ± 4 ms		β ⁻ 100; β ⁻ n
		105	0	-50.8 (5)	85 ± 5-4 ms		β ⁻ ; β ⁻ n < 82.00
		106	0	-46.1 (5)	62 ± 25-14 ms		β ⁻
		107	(5/2+)	-42.4 (5)	41 ± 15-9 ms		β ⁻ 100
		108	0	-37.3 (6)	25 ± 66-10 ms		β ⁻ ; β ⁻ n
		79	0	-47.1 (4)	56 ± 30 ms		ε ; ε p
		80	0+	-55.5 (15)	4.6 ± 0.6 s		ε 100; ε p
		81	(3/2-)	-58.4 (16)	5.5 ± 0.4 s		ε 100; ε p 0.12
		82	0+	-63.94 (20)	32 ± 5 s		ε 100
		83	(1/2-)	-65.912 (7)	41.6 ± 2.4 s		ε 100; ε p
		84	0+	-71.422 (6)	25.8 ± 0.5 m		ε 100
		85	(7/2+)	-73.175 (7)	7.86 ± 0.04 m		ε 100
		85m	(1/2-)	-72.883 (7)	10.9 ± 0.3 s		IT ≤ 92.00; ε > 8.00
		86	0+	-77.969 (4)	16.5 ± 0.1 h		ε 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
46	Pd	107	7/2+	-86.861 (12)	21.7 ± 0.4 m		β ⁻ 100
		108	1+	-85.031 (14)	16.8 ± 0.5 s		β ⁻ 100; β ⁻ 100; IT
		109	7/2+	-85.011 (6)	80 ± 2 s		β ⁻ 100
		110	(GE4)	-82.844 (19)	28.5 ± 1.5 s		β ⁻ 100; β ⁻ 100
		111	(7/2+)	-82.304 (7)	11 ± 1 s		β ⁻ 100
		112	1+	-79.73 (4)	3.45 ± 0.37 s		β ⁻ 100; β ⁻ 100
		113	(7/2+)	-78.767 (7)	2.80 ± 0.12 s		β ⁻ 100
		114	1+	-75.71 (7)	1.85 ± 0.05 s		β ⁻ 100
		114m	(7-)	-75.51 (7)	1.86 ± 0.06 s		β ⁻ 100
		115	(7/2+)	-74.23 (8)	0.99 ± 0.05 s		β ⁻ 100
		116	1+	-70.74 (7)	0.68 ± 0.06 s		β ⁻ 100
		116m	(6-)	-70.59 (7)	0.57 ± 0.05 s		β ⁻ 100
		117	(7/2+)	-68.897 (9)	0.44 ± 0.04 s		β ⁻ 100
		118	0	-64.887 (24)	266 ± 22-21 ms		β ⁻ 100; β ⁻ n 3.1
		119	(7/2+)	-62.85 (20)	171 ± 18 ms		β ⁻ 100; β ⁻ n 6.4
		120	0	-58.81 (20)	136 ± 14-13 ms		β ⁻ 100; β ⁻ n < 5.40
		121	0	-56.4 (3)	151 ± 67-58 ms		β ⁻ 100; β ⁻ n
		92	0+	-55.1 (5)	0.7 ± 0.4-0.2 s		ε 100
		93	(9/2+)	-59.1 (4)	1.00 ± 0.09 s		ε 100; ε p
		94	0+	-66.102 (5)	9.6 ± 0.2 s		ε 100
		95	(9/2+)	-69.966 (5)	5 ± 3 s		ε 100
		95m	(21/2+)	-68.091 (5)	13.3 ± 0.3 s		ε 89; IT 11; ε p 0.93
		96	0+	-76.183 (4)	122 ± 2 s		ε 100
		97	(5/2+)	-77.806 (5)	3.10 ± 0.09 m		ε 100
		98	0+	-81.32 (5)	17.7 ± 0.3 m		ε 100
		99	(5/2)+	-82.184 (5)	21.4 ± 0.2 m		ε 100
		100	0+	-85.226 (18)	3.63 ± 0.09 d		ε 100
		101	5/2+	-85.432 (5)	8.47 ± 0.06 h		ε 100
		102	0+	-87.929 (3)	stable	1.02% ± 0.01%	
		103	5/2+	-87.483 (3)	16.991 ± 0.019 d		ε 100
		104	0+	-89.393 (3)	stable	11.14% ± 0.08%	
		105	5/2+	-88.416 (3)	stable	22.33% ± 0.08%	
		106	0+	-89.906 (3)	stable	27.33% ± 0.03%	
		107	5/2+	-88.371 (3)	6.5E+6 ± 0.3E+6 y		β ⁻ 100
		107m	11/2-	-88.156 (3)	21.3 ± 0.5 s		IT 100
		108	0+	-89.521 (3)	stable	26.46% ± 0.09%	
		109	5/2+	-87.603 (3)	13.7012 ± 0.0024 h		β ⁻ 100
		109m	11/2-	-87.414 (3)	4.696 ± 0.003 m		IT 100
		110	0+	-88.348 (7)	stable	11.72% ± 0.09%	
		111	5/2+	-86.003 (7)	23.4 ± 0.2 m		β ⁻ 100
		111m	11/2-	-85.831 (7)	5.5 ± 0.1 h		IT 73; β ⁻ 27
		112	0+	-86.323 (7)	21.03 ± 0.05 h		β ⁻ 100
		113	(5/2+)	-83.591 (7)	93 ± 5 s		β ⁻ 100
		113m	(9/2-)	-83.51 (7)	0.3 ± 0.1 s		IT 100
		114	0+	-83.491 (7)	2.42 ± 0.06 m		β ⁻ 100
		115	(5/2+)	-80.426 (14)	25 ± 2 s		β ⁻ 100
		115m	(11/2-)	-80.337 (14)	50 ± 3 s		β ⁻ 92; IT 8
		116	0+	-79.831 (7)	11.8 ± 0.4 s		β ⁻ 100
		117	(5/2+)	-76.424 (7)	4.3 ± 0.3 s		β ⁻ 100
		118	0+	-75.391 (8)	1.9 ± 0.1 s		β ⁻ 100
		119	0	-71.408 (8)	0.92 ± 0.01 s		β ⁻ 100
		120	0+	-70.31 (9)	0.5 ± 0.1 s		β ⁻ 100
		121	(3/2+)	-66.3 (5)	285 ± 24 ms		β ⁻ 100; β ⁻ n ≤ 0.80

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
45	Rh	96	0+	-86.0804 (15)	stable	5.54% ± 0.14%	
		97	5/2+	-86.12 (3)	2.83 ± 0.23 d		ε 100
		98	0+	-88.225 (6)	stable	1.87% ± 0.03%	
		99	5/2+	-87.6202 (20)	stable	12.76% ± 0.14%	
		100	0+	-89.2222 (20)	stable	12.6% ± 0.07%	
		101	5/2+	-87.9529 (20)	stable	17.06% ± 0.02%	
		102	0+	-89.1012 (20)	stable	31.55% ± 0.14%	
		103	3/2+	-87.262 (20)	39.247 ± 0.013 d		β ⁻ 100
		104	0+	-88.092 (3)	stable	18.62% ± 0.27%	
		105	3/2+	-85.931 (3)	4.44 ± 0.02 h		β ⁻ 100
		106	0+	-86.321 (6)	371.8 ± 1.8 d		β ⁻ 100
		107	(5/2)+	-83.859 (9)	3.75 ± 0.05 m		β ⁻ 100
		108	0+	-83.658 (9)	4.55 ± 0.05 m		β ⁻ 100
		109	(5/2+)	-80.735 (9)	34.5 ± 1 s		β ⁻ 100
		110	0+	-80.069 (9)	11.6 ± 0.6 s		β ⁻ 100
		111	5/2+	-76.782 (10)	2.12 ± 0.07 s		β ⁻ 100
		112	0+	-75.627 (10)	1.75 ± 0.07 s		β ⁻ 100
		113	(1/2+)	-71.87 (4)	0.80 ± 0.05 s		β ⁻ 100; β ⁻ 100
		114	0+	-70.215 (12)	0.52 ± 0.05 s		β ⁻ 100
		115	(3/2+)	-66.19 (9)	318 ± 19 ms		β ⁻ ; β ⁻ 100; β ⁻ n ; β ⁻ 100; β ⁻ n ; β ⁻ 100; β ⁻ n
		116	0+	-64.16 (20)	204 +32-29 ms		β ⁻
		117	0	-59.56 (20)	142 +18-17 ms		β ⁻ 100
		118	0+	-57.3 (3)	123 +48-35 ms		β ⁻ 100; β ⁻ n
		90	0	-52 (4)	12 +9-4 ms		ε ?; ε ?
		91	(9/2+)	-58.8 (4)	1.47 ± 0.22 s		ε ; ε
		92	(6+)	-62.999 (4)	4.66 ± 0.25 s		ε 100; ε 100
		93	(9/2+)	-69.017 (3)	12.2 ± 0.7 s		ε 100
		94	(4+)	-72.907 (4)	66 ± 6 s		ε 1.8; ε 100
		94m	(8+)	-72.607 (4)	25.8 ± 0.2 s		ε 100
		95	9/2+	-78.342 (4)	5.02 ± 0.1 m		ε 100
		95m	(1/2)-	-77.799 (4)	1.96 ± 0.04 m		IT 88; ε 12
		96	GE 6+	-79.688 (10)	9.90 ± 0.1 m		ε 100
		96m	3+	-79.636 (10)	1.51 ± 0.02 m		IT 60; ε 40
		97	9/2+	-82.6 (4)	30.7 ± 0.6 m		ε 100
		97m	1/2-	-82.34 (4)	46.2 ± 1.6 m		ε 94.4; IT 5.6
		98	(2)+	-83.175 (12)	8.72 ± 0.12 m		ε 100; IT 89; ε 11
		99	1/2-	-85.577 (7)	16.1 ± 0.2 d		ε 100
		99m	9/2+	-85.512 (7)	4.7 ± 0.1 h		ε > 99.84; IT < 0.16
		100	1-	-85.587 (18)	20.8 ± 0.1 h		ε 100
		100m	(5+)	-85.479 (18)	4.6 ± 0.2 m		IT ≈ 98.30; ε ≈ 1.70
		101	1/2-	-87.412 (6)	3.3 ± 0.3 y		ε 100
		101m	9/2+	-87.254 (6)	4.34 ± 0.01 d		ε 92.8; IT 7.2
		102	(1,-2-)	-86.778 (5)	207.3 ± 1.7 d		ε 78; β ⁻ 22
		102m	6(+)	-86.638 (5)	3.742 ± 0.01 y		ε 99.77; IT 0.23
		103	1/2-	-88.026 (3)	stable	100%	
		103m	7/2+	-87.986 (3)	56.114 ± 0.009 m		IT 100
		104	1+	-86.953 (3)	42.3 ± 0.4 s		β ⁻ 99.55; ε 0.45
		104m	5+	-86.824 (3)	4.34 ± 0.03 m		β ⁻ 0.13; IT 99.87
		105	7/2+	-87.849 (4)	35.36 ± 0.06 h		β ⁻ 100
		105m	1/2-	-87.719 (4)	42.9 ± 0.3 s		IT 100
		106	1+	-86.36 (6)	30.07 ± 0.35 s		β ⁻ 100
		106m	(6)+	-86.223 (6)	131 ± 2 m		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
41	Nb	87	(9/2)+	-79.348 (4)	1.68 ± 0.01 h		ε 100
		87m	(1/2)-	-79.012 (4)	14.0 ± 0.2 s		IT 100
		88	0+	-83.629 (6)	83.4 ± 0.3 d		ε 100
		89	9/2+	-84.877 (4)	78.41 ± 0.12 h		ε 100
		89m	1/2-	-84.289 (4)	4.161 ± 0.017 m		IT 93.77; ε 6.23
		90	0+	-88.7742 (22)	stable	51.45% ± 0.4%	
		90m	5-	-86.4552 (22)	809.2 ± 2 ms		IT 100
		91	5/2+	-87.8973 (22)	stable	11.22% ± 0.05%	
		92	0+	-88.4607 (22)	stable	17.15% ± 0.08%	
		93	5/2+	-87.1238 (22)	1.61E+6 ± 0.05E+6 y		β ⁻ 100
		94	0+	-87.2725 (23)	stable	17.38% ± 0.28%	
		95	5/2+	-85.6633 (22)	64.032 ± 0.006 d		β ⁻ 100
		96	0+	-85.4477 (25)	2.35E+19 ± 0.21E+19 y	2.8% ± 0.09%	2β ⁻
		97	1/2+	-82.9515 (25)	16.749 ± 0.008 h		β ⁻ 100
		98	0+	-81.296 (9)	30.7 ± 0.4 s		β ⁻ 100
		99	(1/2+)	-77.626 (11)	2.1 ± 0.1 s		β ⁻ 100
		100	0+	-76.384 (8)	7.1 ± 0.4 s		β ⁻ 100
		101	(3/2+)	-73.173 (9)	2.3 ± 0.1 s		β ⁻ 100
		102	0+	-71.595 (9)	2.9 ± 0.2 s		β ⁻ 100
		103	(5/2-)	-67.825 (10)	1.32 ± 0.11 s		β ⁻ 100; β ⁻ n ≤ 1.00
		104	0+	-65.733 (10)	0.87 ± 0.06 s		β ⁻ 100; β ⁻ n ≤ 1.00
		105	0	-61.474 (12)	0.66 ± 0.07 s		β ⁻ 100; β ⁻ n ≤ 2.00
		106	0+	-59 (3)	191 ± 19 ms		β ⁻ 100; β ⁻ n ≤ 7.00
		107	0	-54.3 (3)	138 ± 4 ms		β ⁻ 100; β ⁻ n ≤ 23.00
		108	0+	-51.4 (4)	73 ± 4 ms		β ⁻ 100; β ⁻ n
		109	0	-46.2 (5)	63 +38-17 ms		β ⁻ ; β ⁻ n
		110	0+	-42.9 (6)	37 +17-9 ms		β ⁻
		82	(0+)	-52.2 (3)	50 ± 5 ms		ε 100; ε p
		83	(5/2+)	-58.4 (3)	3.8 ± 0.2 s		ε 100
		84	(1+,2+,3+)	-61 (3)	9.8 ± 0.9 s		ε 100; ε p
		85	(9/2+)	-66.28 (4)	20.5 ± 1.2 s		ε 100; IT ; ε ; ε ; IT
		86	(6+)	-69.134 (6)	88 ± 1 s		ε 100
		87	(1/2-)	-73.875 (7)	3.75 ± 0.09 m		ε 100
		87m	(9/2+)	-73.871 (7)	2.6 ± 0.1 m		ε
		88	(8+)	-76.18 (5)	14.55 ± 0.06 m		ε 100; ε 100
		89	(9/2+)	-80.65 (3)	2.03 ± 0.07 h		ε 100
		89m	(1/2)-	-80.62 (3)	66 ± 2 m		ε 100
		90	8+	-82.663 (5)	14.60 ± 0.05 h		ε 100
		90m	4-	-82.538 (5)	18.81 ± 0.06 s		IT 100
		91	9/2+	-86.639 (4)	6.8E+2 ± 1.3E+2 y		ε 100
		91m	1/2-	-86.535 (4)	60.86 ± 0.22 d		IT 96.6; ε 3.4
		92	(7)+	-86.455 (3)	3.47E+7 ± 0.24E+7 y		ε 100; β ⁻ < 0.05
		92m	(2+)	-86.319 (3)	10.15 ± 0.02 d		ε 100
		93	9/2+	-87.2142 (23)	stable	100%	
		93m	1/2-	-87.1834 (23)	16.12 ± 0.12 y		IT 100
		94	6+	-86.3704 (23)	2.03E+4 ± 0.16E+4 y		β ⁻ 100
		94m	3+	-86.3295 (23)	6.263 ± 0.004 m		IT 99.5; β ⁻ 0.5
		95	9/2+	-86.7863 (16)	34.991 ± 0.006 d		β ⁻ 100
		95m	1/2-	-86.5506 (16)	3.61 ± 0.03 d		IT 94.4; β ⁻ 5.6
		96	6+	-85.608 (4)	23.35 ± 0.05 h		β ⁻ 100
		97	9/2+	-85.6103 (23)	72.1 ± 0.7 m		β ⁻ 100
		97m	1/2-	-84.8669 (23)	58.7 ± 1.8 s		IT 100
		98	1+	-83.533 (6)	2.86 ± 0.06 s		β ⁻ 100

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
42	Mo	98m	(5+)	-83.449 (6)	51.3 ± 0.4 m		β ⁻ 99.9; IT < 0.20
		99	9/2+	-82.33 (12)	15.0 ± 0.2 s		β ⁻ 100
		99m	1/2-	-81.965 (12)	2.5 ± 0.2 m		β ⁻ > 96.20; IT < 3.80
		100	1+	-79.806 (8)	1.5 ± 0.2 s		β ⁻ 100
		100m	(5+)	-79.492 (8)	2.99 ± 0.11 s		β ⁻ 100
		101	(5/2+)	-78.886 (4)	7.1 ± 0.3 s		β ⁻ 100
		102	(4+)	-76.314 (4)	4.3 ± 0.4 s		β ⁻ 100; β ⁻ 100
		103	(5/2+)	-75.023 (4)	1.5 ± 0.2 s		β ⁻ 100
		104	(1+)	-71.828 (4)	4.9 ± 0.3 s		β ⁻ 100; β ⁻ n 0.06
		104m	0	-71.613 (4)	0.94 ± 0.04 s		β ⁻ 100; β ⁻ n 0.05
		105	(5/2+)	-69.91 (4)	2.95 ± 0.06 s		β ⁻ 100; β ⁻ n 1.7
		106	0	-66.198 (5)	0.93 ± 0.04 s		β ⁻ 100; β ⁻ n 4.5
		107	0	-63.718 (8)	300 ± 9 ms		β ⁻ 100; β ⁻ n 8
		108	(2+)	-59.56 (10)	220 ± 18 ms		β ⁻ 100; β ⁻ n 8
		109	(5/2)	-56.8 (3)	106 ± 9 ms		β ⁻ 100; β ⁻ n < 15.00
		110	0	-52.3 (3)	86 ± 6 ms		β ⁻ 100; β ⁻ n 40
		111	(5/2+)	-49 (4)	51 +6-5 ms		β ⁻
		112	(2+)	-44.4 (5)	33 +9-6 ms		β ⁻
		83	0	-46.7 (4)	6 +30-3 ms		ε 100
		84	0+	-54.5 (4)	2.3 ± 0.3 s		ε 100; ε p
		85	(1/2-)	-57.51 (16)	3.2 ± 0.2 s		ε ; ε p ≈ 0.14
		86	0+	-64.11 (4)	19.1 ± 0.3 s		ε 100
		87	7/2+	-66.883 (4)	14.02 ± 0.26 s		ε 100; ε p 15
		88	0+	-72.686 (4)	8.0 ± 0.2 m		ε 100
		89	(9/2+)	-75.015 (4)	2.11 ± 0.1 m		ε 100
		89m	(1/2-)	-74.627 (4)	190 ± 15 ms		IT 100
		90	0+	-80.174 (6)	5.56 ± 0.09 h		ε 100
		91	9/2+	-82.208 (11)	15.49 ± 0.01 m		ε 100
		91m	1/2-	-81.555 (11)	64.6 ± 0.6 s		ε 50; IT 50
		92	0+	-86.809 (4)	stable	14.53% ± 0.3%	
		93	5/2+	-86.808 (4)	4.0E+3 ± 0.8E+3 y		ε 100
		93m	21/2+	-84.383 (4)	6.85 ± 0.07 h		IT 99.88; ε 0.12
		94	0+	-88.4141 (15)	stable	9.15% ± 0.09%	
		95	5/2+	-87.7119 (15)	stable	15.84% ± 0.11%	
		96	0+	-88.7949 (15)	stable	16.67% ± 0.15%	
		97	5/2+	-87.5448 (15)	stable	9.6% ± 0.14%	
		98	0+	-88.1161 (15)	stable	24.39% ± 0.37%	
		99	1/2+	-85.9702 (15)	65.976 ± 0.024 h		β ⁻ 100
		100	0+	-86.1878 (20)	7.3E+18 ± 0.4E+18 y	9.82% ± 0.31%	2β ⁻ 100
		101	1/2+	-83.5147 (20)	14.61 ± 0.03 m		β ⁻ 100
		102	0+	-83.573 (9)	11.3 ± 0.2 m		β ⁻ 100
		103	(3/2+)	-80.97 (10)	67.5 ± 1.5 s		β ⁻ 100
		104	0+	-80.359 (9)	60 ± 2 s		β ⁻ 100
		105	(5/2-)	-77.346 (9)	35.6 ± 1.6 s		β ⁻ 100
		106	0+	-76.144 (9)	8.73 ± 0.12 s		β ⁻ 100
		107	(5/2+)	-72.561 (10)	3.5 ± 0.5 s		β ⁻ 100
		108	0+	-70.766 (10)	1.09 ± 0.02 s		β ⁻ 100; β ⁻ n < 0.50
		109	(7/2-)	-66.676 (11)	660 ± 45 ms		β ⁻ 100; β ⁻ n 1.3
		110	0+	-64.552 (24)	0.27 ± 0.01 s		β ⁻ 100; β ⁻ n 2
		111	0	-60.06 (20)	220 +41-36 ms		β ⁻ ; β ⁻ n ≤ 12
		112	0+	-57.6 (3)	120 +13-11 ms		β ⁻
		113	0	-52.9 (3)	78 +6-5 ms		β ⁻
		114	0+	-50 (4)	60 +13-9 ms		β ⁻

Continued on next page

Table 8.1 – Continued from previous page

Z	El	A	J ^π	Δ[MeV]	T _{1/2} , Γ	Abundance	Decay Mode
43	Tc	115	0	-44.7 (4)	51 +79-19 ms		β ⁻ ; β ⁻ n
		85	0	-46 (4)	≈ 0.5 s		p ?
		86	(0+)	-51.3 (3)	54 ± 7 ms		ε 100; ε p
		87	(9/2+)	-57.69 (4)	2.2 ± 0.2 s		ε 100
		88	(3+)	-61.679 (4)	5.8 ± 0.2 s		ε 100; ε 100
		89	(9/2+)	-67.395 (4)	12.8 ± 0.9 s		ε 100
		89m	(1/2-)	-67.332 (4)	12.9 ± 0.8 s		ε 100; IT < 0.01
		90	1+	-70.724 (3)	8.7 ± 0.2 s		ε 100
		90m	(6+)	-70.224 (3)	49.2 ± 0.4 s		ε 100
		91	(9/2+)	-75.987 (3)	3.14 ± 0.02 m		ε 100
		91m	(1/2-)	-75.848 (3)	3.3 ± 0.1 m		ε 100; IT < 1.00
		92	(8+)	-78.925 (4)	4.25 ± 0.15 m		ε 100
		93	9/2+	-83.607 (4)	2.75 ± 0.05 h		ε 100
		93m	1/2-	-83.215 (4)	43.5 ± 1 m		IT 77.4; ε 22.6
		94	7+	-84.158 (4)	293 ± 1 m		ε 100
		94m	(2+)	-84.082 (4)	52.0 ± 1 m		ε 100; IT < 0.10
		95	9/2+	-86.021 (5)	20.0 ± 0.1 h		ε 100
		95m	1/2-	-85.982 (5)	61 ± 2 d		ε 96.12; IT 3.88
		96	7+	-85.822 (5)	4.28 ± 0.07 d		ε 100
		96m	4+	-85.787 (5)	51.5 ± 1 m		IT 98; ε 2
		97	9/2+	-87.224 (4)	4.21E+6 ± 0.16E+6 y		ε 100
		97m	1/2-	-87.128 (4)	91.0 ± 0.6 d		IT 96.06; ε 3.94
		98	(6+)	-86.432 (4)	4.2E+6 ± 0.3E+6 y		β ⁻ 100
		99	9/2+	-87.3271 (17)	2.111E+5 ± 0.012E+5 y		β ⁻ 100
		99m	1/2-	-87.1844 (17)	6.0067 ± 5.0E-4 h		IT 100; β ⁻ 0.0037
		100	1+	-86.0202 (20)	15.46 ± 0.19 s		β ⁻ 100; ε 0.0026
		101	9/2+	-86.339 (24)	14.02 ± 0.01 m		β ⁻ 100
		102	1+	-84.569 (9)	5.28 ± 0.15 s		β ⁻ 100; β ⁻ 98; IT 2
		103	5/2+	-84.6 (10)	54.2 ± 0.8 s		β ⁻ 100
		104	(3+)	-82.509 (25)	18.3 ± 0.3 m		β ⁻ 100
		105	(3/2-)	-82.29 (4)	7.6 ± 0.1 m		β ⁻ 100
		106	(2+)	-79.774 (13)	35.6 ± 0.6 s		β ⁻ 100
		107	(3/2-)	-78.746 (9)	21.2 ± 0.2 s		β ⁻ 100
		108	(2+)	-75.919 (9)	5.17 ± 0.07 s		β ⁻ 100
		109	(5/2+)	-74.279 (10)	0.86 ± 0.04 s		β ⁻ 100; β ⁻ n 0.08
		110	(2+)	-71.031 (10)	0.92 ± 0.03 s		β ⁻ 100; β ⁻ n 0.04
		111	(5/2+)	-69.021 (11)	350 ± 21 ms		β ⁻ 100; β ⁻ n 0.85
		112	0	-65.253 (6)	0.29 ± 0.02 s		β ⁻ 100; β ⁻ n 4
		113	>5/2	-62.88 (10)	160 +50-40 ms		β ⁻ ; β ⁻ n 2.1
		114	>3	-58.85 (20)	100 ± 20 ms		β ⁻ 100; β ⁻ n ?; β ⁻ 100;
							β ⁻ n ?
		115	0	-56.1 (3)	83 +20-13 ms		β ⁻ ; β ⁻ n
		116	0	-51.5 (3)	56 +15-10 ms		β ⁻
		117	(5/2+)	-48.4 (4)	85 +95-30 ms		β ⁻
44	Ru	88	0+	-54.4 (3)	1.2 +0.3-0.2 s		ε 100
		89	(9/2+)	-58.1 (3)	1.5 ± 0.2 s		ε 100; ε p < 0.15
		90	0+	-64.883 (4)	11.7 ± 0.9 s		ε 100
		91	(9/2+)	-68.239 (3)	7.9 ± 0.4 s		ε 100; IT ; ε > 0.00; ε p > 0.00
		92	0+	-74.301 (3)	3.65 ± 0.05 m		ε 100
		93	(9/2+)	-77.214 (4)	59.7 ± 0.6 s		ε 100
		93m	(1/2-)	-76.479 (4)	10.8 ± 0.3 s		ε 78; IT 22; ε p 0.03
		94	0+	-82.579 (4)	51.8 ± 0.6 m		ε 100
		95	5/2+	-83.458 (10)	1.643 ± 0.013 h		ε 100

Continued on next page